Cucumber Report

| *Start : Dec 17, 4:29:30.902 pm*	*End : Dec 17, 4:30:17.986 pm*	*Duration : 47.084 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 41 FAILED - 3 SKIPPED - 8

Features: 2 — 50 % Pass %

Scenarios: 7 — 57 % Pass %

Steps: 52 — 78 % Pass %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login Page Test	*35.069 s*	*4*	*1*	*3*	*0*	*27*	*16*	*3*	*8*
Register Page test	*12.002 s*	*3*	*3*	*0*	*0*	*25*	*25*	*0*	*0*

#	Feature Name	Scenario Name
1	*Login Page Test*	*verify the error message with invalid credentials*
2		*Verify user should login with valid credentials*
3		*Verify that user should logout successfully*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	4	3	1	0	2	1	1	0
@regression	7	4	3	0	2	1	1	0
@Mahak	7	4	3	0	2	1	1	0
@sanity	2	2	0	0	2	1	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Page Test	4	1	3	0	35.069 s
2	Register Page test	3	3	0	0	12.002 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page Test	User should navigate to login page successfully	4	4	0	0	4.173 s
2		verify the error message with invalid credentials	7	3	1	3	3.656 s
3		Verify user should login with valid credentials	7	6	1	0	23.986 s
4		Verify that user should logout successfully	9	3	1	5	3.147 s
5	Register Page test	Verify user should navigate to register page successfully	4	4	0	0	3.514 s
6		Verify First Name,Last Name,Email,Password,Confirm Password	8	8	0	0	3.706 s
7		verify user should create account successfully	13	13	0	0	4.767 s

Login Page Test

| FAILED	DURATION - 35.069 s		Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 27 Pass - 16 Fail - 3 Skip - 8	
/ 4:29:30.902 pm // 4:30:05.971 pm /				4		27

User should navigate to login page successfully

PASSED	DURATION - 4.173 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:29:30.906 pm // 4:29:35.079 pm /				4
Login Page Test				
@smoke @regression @Mahak @sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.627 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.051 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should navigate to login page successfully	PASSED	0.335 s

verify the error message with invalid credentials

FAILED	DURATION - 3.656 s
/ 4:29:35.157 pm // 4:29:38.813 pm /	
Login Page Test	
@smoke @regression @Mahak	

Steps
Total - 7
Pass - 3
Fail - 1
Skip - 3

| #	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.443 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters Email Id "mahak123@gmail.com" Step undefined	FAILED	0.002 s
5	And User enters Password "Mahak123"	SKIPPED	0.002 s
6	And User clicks on login button	SKIPPED	0.000 s
7	Then User verify the error message	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verify the error message with invalid credentials 	PASSED	0.324 s

Verify user should login with valid credentials

FAILED	DURATION - 23.986 s
/ 4:29:38.830 pm // 4:30:02.816 pm /	
Login Page Test	
@regression @Mahak	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.598 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters email	PASSED	0.346 s
5	And User enters password "Mahak123"	PASSED	0.080 s
6	And User clicks on login button	PASSED	0.330 s
7	Then User verifies logout link is displayed	FAILED	20.082 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='Log out']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ba24b66708790173046790149ac086d5, findElement {using=xpath, value=//a[normalize-space()='Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59289}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59289/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ba24b66708790173046790149ac086d5
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	    at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:71)
	    at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:73)		

#	Step / Hook Details	Status	Duration
	at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:50) at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:49) * Not displayable characters are replaced by '?'.		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.231 s
	Verify user should login with valid credentials		

Verify that user should logout successfully

FAILED	DURATION - 3.147 s
/ 4:30:02.824 pm // 4:30:05.971 pm /	
Login Page Test	
@regression @Mahak	

Steps
Total - 9
Pass - 3
Fail - 1
Skip - 5

| #	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.481 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email random email	FAILED	0.002 s

	io.cucumber.core.exception.CucumberException: Step [User enters email random email] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginPageSteps.userEntersEmailRandomEmail(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User enters email random email
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And User enters password "Mahak123"	SKIPPED	0.000 s
6	And User clicks on login button	SKIPPED	0.000 s
7	Then User navigates to the Homepage	SKIPPED	0.001 s
8	Then User clicks on the logout link	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
9	Then User verifies login link is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.138 s
	Verify that user should logout successfully		

Register Page test

PASSED	DURATION - 12.002 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 25 Pass - 25 Fail - 0 Skip - 0	
/ 4:30:05.984 pm // 4:30:17.986 pm /					

### Verify user should navigate to register page successfully

PASSED	DURATION - 3.514 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:30:05.984 pm // 4:30:09.498 pm /				
Register Page test				
@smoke @regression @Mahak @sanity				

| #	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.468 s
3	Then User navigates to register page	PASSED	0.000 s
4	Then User verifies Register text	PASSED	0.053 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.300 s
	Verify user should navigate to register page successfully		

#	Step / Hook Details	Status	Duration

Verify First Name,Last Name,Email,Password,Confirm Password

PASSED	DURATION - 3.706 s		Steps	
/ 4:30:09.506 pm // 4:30:13.212 pm /			Total - 8	
			Pass - 8	8
Register Page test			Fail - 0	
			Skip - 0	
@smoke @regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.608 s
3	And User clicks on register button	PASSED	0.129 s
4	Then User verifies error message First name is required	PASSED	0.063 s
5	And User verifies error message Last name is required	PASSED	0.035 s
6	And User verifies error message Email is required	PASSED	0.043 s
7	And User verifies error message Password is required	PASSED	0.028 s
8	And User verifies error message Confirm Password is required	PASSED	0.024 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.254 s
	Verify First Name,Last Name,Email,Password,Confirm Password		

verify user should create account successfully

PASSED	DURATION - 4.767 s

/ 4:30:13.219 pm // 4:30:17.986 pm /

Register Page test

@regression @Mahak

Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0

13

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.603 s
3	And User selects gender	PASSED	0.134 s
4	And User enters first name	PASSED	0.135 s
5	And User enter last name	PASSED	0.120 s
6	And User selects date of birth	PASSED	0.120 s
7	And User selects month of year	PASSED	0.103 s
8	And User selects year of birth	PASSED	0.124 s
9	And User enters email	PASSED	0.334 s
10	And User enters password	PASSED	0.102 s
11	And User enters confirm password	PASSED	0.094 s
12	And User clicks on register button	PASSED	0.604 s
13	Then User verifies text Your registration completed	PASSED	0.059 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verify user should create account successfully	PASSED	0.323 s