


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login Page Test	22.808 s	4	2	2	0	27	24	2	1	
Register Page test	10.992 s	3	3	0	0	25	25	0	0	

FAIL & SKIP SCENARIOS -- 3 --


# Feature Name Scenario Name				
	1	Login Page Test	Verify user should login with valid credentials	
	2		Verify that user should logout successfully	

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@smoke	4	4	0	0	2	1	1	0
@regression	7	5	2	0	2	1	1	0
@Mahak	7	5	2	0	2	1	1	0
@sanity	2	2	0	0	2	1	1	0



#	Feature Name	T	P	F	S	Duration
1	Login Page Test	4	2	2	0	22.808 s
2	Register Page test	3	3	0	0	10.992 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page Test	User should navigate to login page successfully	4	4	0	0	4.401 s
2		verify the error message with invalid credentials	7	7	0	0	3.837 s
3		Verify user should login with valid credentials	7	6	1	0	8.805 s
4		Verify that user should logout successfully	9	7	1	1	5.711 s
5	Register Page test	Verify user should navigate to register page successfully	4	4	0	0	3.274 s
6		Verify First Name,Last Name,Email,Password,Confirm Password	8	8	0	0	3.265 s
7		verify user should create account successfully	13	13	0	0	4.436 s

DETAILED SECTION -- 7 -

Login Page Test


FAILED	DURATION - 22.808 s	Scenarios		Steps	
		Total - 4		Total - 27	
/ 3:36:14.514 pr	m // 3:36:37.322 pm /	Pass - 2	4	Pass - 24	27
		Fail - 2	T	Fail - 2	21
		Skip - 0		Skip - 1	

User should navigate to login page successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.655 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.060 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.324 s
	User should navigate to login page successfully		
	The Conference of the Conferen		
	Welcome. Result Sign for 1 Non-Charge Sign f		

verify the error message with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.512 s
3	Then User navigates to the login page	PASSED	0.002 s
4	And User enters Email Id "mahak123@gmail.com"	PASSED	0.142 s
5	And User enters Password "Mahak123"	PASSED	0.084 s
6	And User clicks on login button	PASSED	0.362 s
7	Then User verify the error message	PASSED	0.042 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.285 s
	verify the error message with invalid credentials]	
	The state of the s		

Verify user should login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.515 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email "random email"	PASSED	0.248 s
5	And User enters password "Mahak123"	PASSED	0.089 s
6	And User clicks on login button	PASSED	0.349 s
7	Then User verifies logout link is displayed	FAILED	4.996 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[normalize-space()='Log out'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.Internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:71) at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:88) at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:50) at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:49)		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce2c872779443d8a9af159e60f3cc0d7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\mahak\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56655}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56655/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce2c872779443d8a9af159e60f3cc0d7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.030 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)		
	at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361)		
	at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:33)		

Verify that user should logout successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.925 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters email "random email"	PASSED	0.236 s
5	And User enters password "Mahak123"	PASSED	0.111 s
6	And User clicks on login button	PASSED	0.297 s
7	Then User navigates to the Homepage	PASSED	0.000 s
8	Then User clicks on the logout link	FAILED	2.275 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[contains(text(),'Log out')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:60) at com.nopcommerce.demo.pages.LoginPage.clickOnLogoutLink(LoginPage.java:81) at com.nopcommerce.demo.steps.HomePageSteps.userClicksOnTheLogoutLink(HomePageSteps.java:28) at ?.User clicks on the logout link(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:68) * Not displayable characters are replaced by '?'.		
9	Then User verifies login link is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.08' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66251ae2da3bef008d1b7183b01bc989, screenshot {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72 (9729082fe617, userDataDir: C:\UserSimahak\AppData\Loca}), fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56683/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:virtualAuthenticators: true} Session ID: 66251ae2da3bef008d1b7183b01bc989 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WihCaller(Constructor.java:480)) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:197) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:197) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(Remote		


DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:33)		


Register Page test

PASSED	DURATION - 10.992 s	Scenarios Total - 3		Steps Total - 25	
/ 3:36:37.344 pi	m // 3:36:48.336 pm /	Pass - 3	3	Pass - 25	25
		Fail - 0 Skip - 0		Fail - 0 Skip - 0	

Verify user should navigate to register page successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.527 s
3	Then User navigates to register page	PASSED	0.000 s
4	Then User verifies Register text	PASSED	0.060 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.276 s
	Verify user should navigate to register page successfully		
	The second contract of		



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.501 s
3	And User clicks on register button	PASSED	0.118 s
4	Then User verifies error message First name is required	PASSED	0.041 s
5	And User verifies error message Last name is required	PASSED	0.031 s
6	And User verifies error message Email is required	PASSED	0.031 s
7	And User verifies error message Password is required	PASSED	0.024 s
8	And User verifies error message Confirm Password is required	PASSED	0.021 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.249 s
	Verify First Name,Last Name,Email,Password,Confirm Password		
	Green State		

verify user should create account successfully



DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.532 s
3	And User selects gender	PASSED	0.098 s
4	And User enters first name	PASSED	0.091 s
5	And User enter last name	PASSED	0.090 s
6	And User selects date of birth	PASSED	0.109 s
7	And User selects month of year	PASSED	0.092 s
8	And User selects year of birth	PASSED	0.080 s
9	And User enters email	PASSED	0.251 s
10	And User enters password	PASSED	0.091 s
11	And User enters confirm password	PASSED	0.088 s
12	And User clicks on register button	PASSED	0.555 s
13	Then User verifies text Your registration completed	PASSED	0.036 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.283 s
	verify user should create account successfully		
	Through Controlled to the Cont		