

Cucumber Report

17 Dec 2023, 19:20:08

Start : Dec 17, 7:19:19.121 pm

End : Dec 17, 7:20:07.915 pm

Duration : 48.794 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 7
FAILED - 3
SKIPPED - 0


PASSED - 60
FAILED - 3
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Computer page feature</u>	12.139 s	3	2	1	0	23	15	1	7
<u>Login Page Test</u>	23.225 s	4	2	2	0	27	20	2	5
<u>Register Page test</u>	13.411 s	3	3	0	0	25	25	0	0

#	Feature Name	Scenario Name
1	<u>Computer page feature</u>	<u>User should build your own computer page and add them to cart successfully</u>
2	<u>Login Page Test</u>	<u>Verify user should login with valid credentials</u>
3		<u>Verify that user should logout successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	7	6	1	0	3	1	2	0
@regression	10	7	3	0	3	1	2	0
@Mahak	10	7	3	0	3	1	2	0
@sanity	5	4	1	0	3	1	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Computer page feature</u>	3	2	1	0	12.139 s
2	<u>Login Page Test</u>	4	2	2	0	23.225 s
3	<u>Register Page test</u>	3	3	0	0	13.411 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Computer page feature</u>	<u>User should navigate to the computer page successfully</u>	4	4	0	0	3.690 s
2		<u>User should navigate to the desktops page successfully</u>	5	5	0	0	3.804 s
3		<u>User should build your own computer page and add them to cart successfully</u>	14	6	1	7	4.589 s
4	<u>Login Page Test</u>	<u>User should navigate to login page successfully</u>	4	4	0	0	4.529 s
5		<u>verify the error message with invalid credentials</u>	7	7	0	0	3.886 s
6		<u>Verify user should login with valid credentials</u>	7	6	1	0	11.386 s
7		<u>Verify that user should logout successfully</u>	9	3	1	5	3.362 s
8	<u>Register Page test</u>	<u>Verify user should navigate to register page successfully</u>	4	4	0	0	3.284 s
9		<u>Verify First Name, Last Name, Email, Password, Confirm Password</u>	8	8	0	0	4.304 s
10		<u>verify user should create account successfully</u>	13	13	0	0	5.812 s

Computer page feature

FAILED	DURATION - 12.139 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 23 Pass - 15 Fail - 1 Skip - 7	
/ 7:19:19.121 pm // 7:19:31.260 pm /					


User should navigate to the computer page successfully

<div>PASSED</div> <div>DURATION - 3.690 s</div>	<div></div>	Steps	<div></div>
/ 7:19:19.127 pm // 7:19:22.817 pm /		Total - 4	
Computer page feature		Pass - 4	
@smoke @regression @Mahak @sanity		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	And User clicks on computer tab	PASSED	0.534 s
3	Then User navigates to computer page	PASSED	0.002 s
4	Then User verifies Computer text	PASSED	0.065 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.344 s
	User should navigate to the computer page successfully		
			

User should navigate to the desktops page successfully

<div><div>PASSED</div><div>DURATION - 3.804 s</div></div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.92</td></tr><tr><td>3</td><td>0.47</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.03</td></tr></tbody></table></div>	Step	Duration (s)	1	0.00	2	0.92	3	0.47	4	0.00	5	0.03	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step		Duration (s)												
1		0.00												
2		0.92												
3	0.47													
4	0.00													
5	0.03													
<div>/ 7:19:22.836 pm // 7:19:26.640 pm /</div>														
<div>Computer page feature</div>														
<div>@smoke @regression @Mahak @sanity</div>														


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	And User clicks on computer tab	PASSED	0.921 s
3	Then User clicks on desktops link	PASSED	0.473 s
4	Then User navigates to Desktops page	PASSED	0.000 s
5	Then User verifies Desktops text	PASSED	0.034 s
AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)		PASSED	0.280 s
User should navigate to the desktops page successfully			
			

User should build your own computer page and add them to cart successfully



<div>FAILED</div> <div>DURATION - 4.589 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 7:19:26.671 pm // 7:19:31.260 pm /				
Computer page feature				
@smoke @regression @Mahak @sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on computer tab	PASSED	0.524 s



#	Step / Hook Details	Status	Duration
3	Then User clicks on desktops link	PASSED	0.392 s
4	Then User navigates to Desktops page	PASSED	0.000 s
5	And User should click on Build your own computer product	PASSED	0.417 s
6	Then User should navigate to build your own computer page	PASSED	0.000 s
7	<p>And User selects processor</p> <p>io.cucumber.core.exception.CucumberException: Step [User selects processor] is defined with 1 parameters at 'com.nopcommerce.demo.steps.BuildYourOwnComputerTestSteps.userSelectsProcessor(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User selects processor</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p>	FAILED	0.004 s


#	Step / Hook Details	Status	Duration																				
	<pre>at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre>																						
8	And User selects RAM	SKIPPED	0.000 s																				
9	And User selects HDD	SKIPPED	0.000 s																				
10	And User selects OS	SKIPPED	0.000 s																				
11	And User selects software	SKIPPED	0.000 s																				
12	And I enter the following options	SKIPPED	0.002 s																				
	<table><tr><th>processor</th><th>ram</th><th>hdd</th><th>os</th><th>software</th></tr><tr><td>2.2 GHz Intel Pentium Dual-Core E2200</td><td>2 GB</td><td>320 GB</td><td>Vista Home [+\$50.00]</td><td>Microsoft Office [+\$50.00]</td></tr><tr><td>2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]</td><td>4GB [+\$20.00]</td><td>400 GB [+\$100.00]</td><td>Vista Premium [+\$60.00]</td><td>Acrobat Reader [+\$10.00]</td></tr><tr><td>2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]</td><td>8GB [+\$60.00]</td><td>320 GB</td><td>VistaHome [+\$50.00]</td><td>Total Commander [+\$5.00]</td></tr></table>	processor	ram	hdd	os	software	2.2 GHz Intel Pentium Dual-Core E2200	2 GB	320 GB	Vista Home [+\$50.00]	Microsoft Office [+\$50.00]	2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]	4GB [+\$20.00]	400 GB [+\$100.00]	Vista Premium [+\$60.00]	Acrobat Reader [+\$10.00]	2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]	8GB [+\$60.00]	320 GB	VistaHome [+\$50.00]	Total Commander [+\$5.00]		
processor	ram	hdd	os	software																			
2.2 GHz Intel Pentium Dual-Core E2200	2 GB	320 GB	Vista Home [+\$50.00]	Microsoft Office [+\$50.00]																			
2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]	4GB [+\$20.00]	400 GB [+\$100.00]	Vista Premium [+\$60.00]	Acrobat Reader [+\$10.00]																			
2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]	8GB [+\$60.00]	320 GB	VistaHome [+\$50.00]	Total Commander [+\$5.00]																			
13	Then User clicks on add to cart button	SKIPPED	0.001 s																				
14	And User verifies message "The product has been added to your shopping cart"	SKIPPED	0.000 s																				
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.156 s																				
	User should build your own computer page and add them to cart successfully																						
																							

Login Page Test



FAILED	DURATION - 23.225 s	Scenarios		Steps	
/ 7:19:31.268 pm // 7:19:54.493 pm /		Total - 4		Total - 27	
		Pass - 2		Pass - 20	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 5	

User should navigate to login page successfully


<div>PASSED</div> <div>DURATION - 4.529 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:19:31.268 pm // 7:19:35.797 pm /</div>			
<div>Login Page Test</div>			
<div>@smoke @regression @Mahak @sanity</div>			

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.929 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.030 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.257 s
	User should navigate to login page successfully		
			



verify the error message with invalid credentials

PASSED		DURATION - 3.886 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 7:19:35.803 pm // 7:19:39.689 pm /							
Login Page Test							
@smoke @regression @Mahak							

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.424 s

#	Step / Hook Details	Status	Duration
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters Email Id "mahak12@gmail.com"	PASSED	0.118 s
5	And User enters Password "Mahak123"	PASSED	0.066 s
6	And User clicks on login button	PASSED	0.296 s
7	Then User verify the error message	PASSED	0.044 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.244 s
	verify the error message with invalid credentials		
			



Verify user should login with valid credentials


FAILED	DURATION - 11.386 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 7:19:39.699 pm // 7:19:51.085 pm /				
Login Page Test				
@regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.426 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters Email Id "mahak123@gmail.com"	PASSED	0.182 s
5	And User enters Password "Mahak123"	PASSED	0.087 s
6	And User clicks on login button	PASSED	0.340 s
7	Then User verifies logout link is displayed	FAILED	8.400 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[normalize-space()='Log out'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:71) at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:73) at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:50) at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:49) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3925741fab79e311fc3896405ce9a4c4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62331/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3925741fab79e311fc3896405ce9a4c4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:33) </pre>	FAILED	0.027 s

Verify that user should logout successfully



<div>FAILED</div> <div>DURATION - 3.362 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 7:19:51.131 pm // 7:19:54.493 pm /</div>				
<div>Login Page Test</div>				
<div>@regression @Mahak</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.546 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email random email	FAILED	0.002 s
	Step undefined		
5	And User enters password "Mahak123"	SKIPPED	0.000 s
6	And User clicks on login button	SKIPPED	0.000 s
7	Then User navigates to the Homepage	SKIPPED	0.000 s
8	Then User clicks on the logout link	SKIPPED	0.000 s
9	Then User verifies login link is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.273 s
	Verify that user should logout successfully		
			

Register Page test



PASSED	DURATION - 13.411 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 25 Pass - 25 Fail - 0 Skip - 0	
/ 7:19:54.504 pm // 7:20:07.915 pm /					


Verify user should navigate to register page successfully

<div><div>PASSED</div><div>DURATION - 3.284 s</div></div>		<div></div>	<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div>	<div></div>
/ 7:19:54.504 pm // 7:19:57.788 pm /				
Register Page test				
@smoke @regression @Mahak @sanity				



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.873 s
3	Then User navigates to register page	PASSED	0.001 s
4	Then User verifies Register text	PASSED	0.032 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.228 s
	Verify user should navigate to register page successfully		
			

Verify First Name,Last Name,Email>Password,Confirm Password

<div>PASSED</div>	<div>DURATION - 4.304 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:19:57.795 pm // 7:20:02.099 pm /</div>				
<div>Register Page test</div>				
<div>@smoke @regression @Mahak</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	1.009 s
3	And User clicks on register button	PASSED	0.081 s
4	Then User verifies error message First name is required	PASSED	0.031 s
5	And User verifies error message Last name is required	PASSED	0.026 s
6	And User verifies error message Email is required	PASSED	0.022 s
7	And User verifies error message Password is required	PASSED	0.020 s
8	And User verifies error message Confirm Password is required	PASSED	0.021 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.212 s
	Verify First Name,Last Name,Email>Password,Confirm Password		
			

verify user should create account successfully

<div>PASSED</div> <div>DURATION - 5.812 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:20:02.103 pm // 7:20:07.915 pm /</div>			
<div>Register Page test</div>			
<div>@regression @Mahak</div>			

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.682 s
3	And User selects gender	PASSED	0.050 s
4	And User enters first name	PASSED	0.069 s
5	And User enter last name	PASSED	0.073 s
6	And User selects date of birth	PASSED	0.106 s
7	And User selects month of year	PASSED	0.078 s
8	And User selects year of birth	PASSED	0.068 s
9	And User enters email	PASSED	0.186 s
10	And User enters password	PASSED	0.077 s
11	And User enters confirm password	PASSED	0.062 s
12	And User clicks on register button	PASSED	0.531 s
13	Then User verifies text Your registration completed	PASSED	0.043 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.264 s
	verify user should create account successfully		
	