Cucumber Report

| Start : Dec 17, 2:28:34.336 am	End : Dec 17, 2:28:50.758 am	Duration : 16.422 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 17 FAILED - 1 SKIPPED - 0

1	3	18

Pass % 0 %	Pass % 66 %	Pass % 94 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Page Test	16.422 s	3	2	1	0	18	17	1	0

#	Feature Name	Scenario Name
1	*Login Page Test*	*Verify user should login with valid credentials*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@smoke	2	2	0	0	1	0	1	0
@regression	3	2	1	0	1	0	1	0
@Mahak	3	2	1	0	1	0	1	0
@sanity	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Login Page Test*	3	2	1	0	16.422 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page Test	User should navigate to login page successfully	4	4	0	0	3.918 s
2		verify the error message with invalid credentials	7	7	0	0	4.435 s
3		Verify user should login with valid credentials	7	6	1	0	8.029 s

Login Page Test

FAILED	DURATION - 16.422 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0	3	Steps Total - 18 Pass - 17 Fail - 1 Skip - 0	18
/ 2:28:34.336 am // 2:28:50.758 am /					

User should navigate to login page successfully

PASSED	DURATION - 3.918 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 2:28:34.343 am // 2:28:38.261 am /				
Login Page Test				
@smoke @regression @Mahak @sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.003 s
2	When User clicks on login link	PASSED	0.554 s
3	Then User navigates to the login page	PASSED	0.005 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.059 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should navigate to login page successfully	PASSED	0.356 s

verify the error message with invalid credentials

PASSED	DURATION - 4.435 s
/ 2:28:38.281 am // 2:28:42.716 am /	
Login Page Test	
@smoke @regression @Mahak	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.513 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters Email Id "mahak123@gmail.com"	PASSED	0.193 s
5	And User enters Password "Mahak123"	PASSED	0.120 s
6	And User clicks on login button	PASSED	0.372 s
7	Then User verify the error message	PASSED	0.045 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.331 s
	verify the error message with invalid credentials		

Verify user should login with valid credentials

FAILED	DURATION - 8.029 s
/ 2:28:42.728 am // 2:28:50.757 am /	
Login Page Test	
@regression @Mahak	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.903 s
3	Then User navigates to the login page	PASSED	0.002 s
4	And User enters email "random email"	PASSED	0.008 s
5	And User enters password "Mahak123"	PASSED	0.108 s
6	And User clicks on login button	PASSED	0.082 s
7	Then User verifies logout link is displayed	FAILED	4.113 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[normalize-space()='Log out'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	  at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:60)
	  at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:84)
	  at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:48)
	  at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:49)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.023 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c86ef85a4b02b4ee4999788f952dbc3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58232}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58232/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0c86ef85a4b02b4ee4999788f952dbc3
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:350) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:19)		