

Cucumber Report

17 Dec 2023, 19:10:34

Start : Dec 17, 7:09:49.904 pm

End : Dec 17, 7:10:33.148 pm

Duration : 43.244 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 6
FAILED - 4
SKIPPED - 0


PASSED - 53
FAILED - 4
SKIPPED - 17




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Computer page feature</u>	13.284 s	3	2	1	0	22	15	1	6
<u>Login Page Test</u>	20.660 s	4	2	2	0	27	20	2	5
<u>Register Page test</u>	9.281 s	3	2	1	0	25	18	1	6

#	Feature Name	Scenario Name
1	<u>Computer page feature</u>	<u>User should build your own computer page and add them to cart successfully</u>
2	<u>Login Page Test</u>	<u>Verify user should login with valid credentials</u>
3		<u>Verify that user should logout successfully</u>
4	<u>Register Page test</u>	<u>Verify First Name,Last Name,Email>Password,Confirm Password</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	7	5	2	0	3	0	3	0
@regression	10	6	4	0	3	0	3	0
@Mahak	10	6	4	0	3	0	3	0
@sanity	5	4	1	0	3	0	3	0





#	Feature Name	T	P	F	S	Duration
1	<u>Computer page feature</u>	3	2	1	0	13.284 s
2	<u>Login Page Test</u>	4	2	2	0	20.660 s
3	<u>Register Page test</u>	3	2	1	0	9.281 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Computer page feature</u>	<u>User should navigate to the computer page successfully</u>	4	4	0	0	4.980 s
2		<u>User should navigate to the desktops page successfully</u>	5	5	0	0	4.250 s
3		<u>User should build your own computer page and add them to cart successfully</u>	13	6	1	6	4.009 s
4	<u>Login Page Test</u>	<u>User should navigate to login page successfully</u>	4	4	0	0	3.178 s
5		<u>verify the error message with invalid credentials</u>	7	7	0	0	5.103 s
6		<u>Verify user should login with valid credentials</u>	7	6	1	0	8.097 s
7		<u>Verify that user should logout successfully</u>	9	3	1	5	4.179 s
8	<u>Register Page test</u>	<u>Verify user should navigate to register page successfully</u>	4	4	0	0	2.930 s
9		<u>Verify First Name, Last Name, Email, Password, Confirm Password</u>	8	1	1	6	1.396 s
10		<u>verify user should create account successfully</u>	13	13	0	0	4.941 s

Computer page feature

FAILED	DURATION - 13.284 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 22 Pass - 15 Fail - 1 Skip - 6	
/ 7:09:49.904 pm // 7:10:03.188 pm /					


User should navigate to the computer page successfully

<div>PASSED</div> <div>DURATION - 4.980 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:09:49.909 pm // 7:09:54.889 pm /				
Computer page feature				
@smoke @regression @Mahak @sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	And User clicks on computer tab	PASSED	1.038 s
3	Then User navigates to computer page	PASSED	0.000 s
4	Then User verifies Computer text	PASSED	0.042 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.348 s
	User should navigate to the computer page successfully		
			

User should navigate to the desktops page successfully

<div>PASSED</div> <div>DURATION - 4.250 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.53</td></tr><tr><td>3</td><td>0.37</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.03</td></tr></tbody></table></div>	Step	Duration (s)	1	0.00	2	0.53	3	0.37	4	0.00	5	0.03	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step		Duration (s)													
1		0.00													
2		0.53													
3	0.37														
4	0.00														
5	0.03														
<div>/ 7:09:54.908 pm // 7:09:59.158 pm /</div>															
<div>Computer page feature</div>															
<div>@smoke @regression @Mahak @sanity</div>															


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	And User clicks on computer tab	PASSED	0.529 s
3	Then User clicks on desktops link	PASSED	0.374 s
4	Then User navigates to Desktops page	PASSED	0.000 s
5	Then User verifies Desktops text	PASSED	0.032 s
AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)		PASSED	0.317 s
User should navigate to the desktops page successfully			
			

User should build your own computer page and add them to cart successfully

<div>FAILED</div> <div>DURATION - 4.009 s</div>		<table border="1"><caption>Step Durations (Approximate)</caption><thead><tr><th>Step</th><th>Duration</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.53</td></tr><tr><td>3</td><td>0.40</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.42</td></tr><tr><td>6</td><td>0.00</td></tr><tr><td>7</td><td>0.01</td></tr><tr><td>8</td><td>0.01</td></tr><tr><td>9</td><td>0.00</td></tr><tr><td>10</td><td>0.00</td></tr><tr><td>11</td><td>0.00</td></tr><tr><td>12</td><td>0.00</td></tr><tr><td>13</td><td>0.00</td></tr></tbody></table>	Step	Duration	1	0.00	2	0.53	3	0.40	4	0.00	5	0.42	6	0.00	7	0.01	8	0.01	9	0.00	10	0.00	11	0.00	12	0.00	13	0.00	<div>Steps</div> <div>Total - 13</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 6</div>	<table border="1"><caption>Test Results Summary</caption><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Pass</td><td>6</td></tr><tr><td>Fail</td><td>1</td></tr><tr><td>Skip</td><td>6</td></tr><tr><td>Total</td><td>13</td></tr></tbody></table>	Category	Count	Pass	6	Fail	1	Skip	6	Total	13
Step	Duration																																									
1	0.00																																									
2	0.53																																									
3	0.40																																									
4	0.00																																									
5	0.42																																									
6	0.00																																									
7	0.01																																									
8	0.01																																									
9	0.00																																									
10	0.00																																									
11	0.00																																									
12	0.00																																									
13	0.00																																									
Category	Count																																									
Pass	6																																									
Fail	1																																									
Skip	6																																									
Total	13																																									
/ 7:09:59.179 pm // 7:10:03.188 pm /																																										
Computer page feature																																										
@smoke @regression @Mahak @sanity																																										

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on computer tab	PASSED	0.500 s



#	Step / Hook Details	Status	Duration
3	Then User clicks on desktops link	PASSED	0.397 s
4	Then User navigates to Desktops page	PASSED	0.000 s
5	And User should click on Build your own computer product	PASSED	0.421 s
6	Then User should navigate to build your own computer page	PASSED	0.000 s
7	<p>And User selects processor</p> <p>io.cucumber.core.exception.CucumberException: Step [User selects processor] is defined with 1 parameters at 'com.nopcommerce.demo.steps.BuildYourOwnComputerTestSteps.userSelectsProcessor(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User selects processor</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p>	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And User selects RAM	SKIPPED	0.001 s
9	And User selects HDD	SKIPPED	0.000 s
10	And User selects OS	SKIPPED	0.000 s
11	And User selects software	SKIPPED	0.000 s
12	Then User clicks on add to cart button	SKIPPED	0.000 s
13	And User verifies message "The product has been added to your shopping cart"	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.148 s
	User should build your own computer page and add them to cart successfully		
			

Login Page Test



<div>FAILED</div> <div>DURATION - 20.660 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div><div><div></div><div></div></div><div>4</div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 20</div> <div>Fail - 2</div> <div>Skip - 5</div>	<div><div><div></div><div></div><div></div></div><div>27</div></div>
<div>/ 7:10:03.200 pm // 7:10:23.860 pm /</div>					

User should navigate to login page successfully


<div>PASSED</div>	<div>DURATION - 3.178 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:10:03.200 pm // 7:10:06.378 pm /</div>				
<div>Login Page Test</div>				
<div>@smoke @regression @Mahak @sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.461 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.046 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.286 s
	User should navigate to login page successfully		
			



verify the error message with invalid credentials

<div>PASSED</div> <div>DURATION - 5.103 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:10:06.387 pm // 7:10:11.490 pm /</div>			
<div>Login Page Test</div>			
<div>@smoke @regression @Mahak</div>			

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.986 s
3	Then User navigates to the login page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
4	And User enters Email Id "mahak12@gmail.com"	PASSED	0.273 s
5	And User enters Password "Mahak123"	PASSED	0.091 s
6	And User clicks on login button	PASSED	0.330 s
7	Then User verify the error message	PASSED	0.058 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.268 s
	verify the error message with invalid credentials		
			



Verify user should login with valid credentials


<div>FAILED</div> <div>DURATION - 8.097 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:10:11.499 pm // 7:10:19.596 pm /				
Login Page Test				
@regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.876 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters Email Id "mahak123@gmail.com"	PASSED	0.115 s
5	And User enters Password "Mahak123"	PASSED	0.061 s
6	And User clicks on login button	PASSED	0.271 s
7	Then User verifies logout link is displayed	FAILED	3.337 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[normalize-space()='Log out'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168)		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:71) at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:73) at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:50) at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:49) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fe52d424e75ed83ec2f3324d147cd617, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61986}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61986/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fe52d424e75ed83ec2f3324d147cd617 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:33) </pre>	FAILED	0.020 s

Verify that user should logout successfully



<div>FAILED</div> <div>DURATION - 4.179 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 7:10:19.681 pm // 7:10:23.860 pm /</div>				
<div>Login Page Test</div>				
<div>@regression @Mahak</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.731 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email random email	FAILED	0.001 s
	Step undefined		
5	And User enters password "Mahak123"	SKIPPED	0.000 s
6	And User clicks on login button	SKIPPED	0.000 s
7	Then User navigates to the Homepage	SKIPPED	0.000 s
8	Then User clicks on the logout link	SKIPPED	0.000 s
9	Then User verifies login link is displayed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.272 s
	Verify that user should logout successfully		
			

Register Page test



FAILED	DURATION - 9.281 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 25 Pass - 18 Fail - 1 Skip - 6	
/ 7:10:23.867 pm // 7:10:33.148 pm /					

Verify user should navigate to register page successfully

<div>PASSED</div> <div>DURATION - 2.930 s</div>	<div></div>	Steps	<div></div>
<div>/ 7:10:23.867 pm // 7:10:26.797 pm /</div>		Total - 4	
<div>Register Page test</div>		Pass - 4	
<div>@smoke @regression @Mahak @sanity</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.545 s
3	Then User navigates to register page	PASSED	0.000 s
4	Then User verifies Register text	PASSED	0.046 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.226 s
	Verify user should navigate to register page successfully		
			

Verify First Name,Last Name,Email>Password,Confirm Password



<div>FAILED</div> <div>DURATION - 1.396 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 7:10:26.801 pm // 7:10:28.197 pm /				
Register Page test				
@smoke @regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.002 s
2	When User clicks on register link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d760e93ea32cff74a388291bcce09e0, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62063}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62063/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d760e93ea32cff74a388291bcce09e0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:60) at com.nopcommerce.demo.pages.HomePage.clickOnRegisterLink(HomePage.java:52) at com.nopcommerce.demo.steps.LoginPageSteps.userClicksOnRegisterLink(LoginPageSteps.java:71) at ?.User clicks on register link(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/Register.feature:30) * Not displayable characters are replaced by '?'.		
3	And User clicks on register button	SKIPPED	0.000 s
4	Then User verifies error message First name is required	SKIPPED	0.001 s
5	And User verifies error message Last name is required	SKIPPED	0.000 s
6	And User verifies error message Email is required	SKIPPED	0.000 s
7	And User verifies error message Password is required	SKIPPED	0.001 s
8	And User verifies error message Confirm Password is required	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d760e93ea32cff74a388291bcce09e0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62063}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62063/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d760e93ea32cff74a388291bcce09e0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:33)		

verify user should create account successfully

<div>PASSED</div> <div>DURATION - 4.941 s</div>	<div></div> <div><div>Steps</div><div>Total - 13</div><div>Pass - 13</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 7:10:28.207 pm // 7:10:33.148 pm /</div>	
<div>Register Page test</div>	
<div>@regression @Mahak</div>	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	1.569 s
3	And User selects gender	PASSED	0.097 s
4	And User enters first name	PASSED	0.100 s
5	And User enter last name	PASSED	0.109 s
6	And User selects date of birth	PASSED	0.108 s
7	And User selects month of year	PASSED	0.072 s
8	And User selects year of birth	PASSED	0.064 s
9	And User enters email	PASSED	0.207 s
10	And User enters password	PASSED	0.060 s
11	And User enters confirm password	PASSED	0.063 s
12	And User clicks on register button	PASSED	0.537 s
13	Then User verifies text Your registration completed	PASSED	0.051 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.248 s
	verify user should create account successfully		
	