

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Computer page feature	31.973 s	5	5	0	0	48	48	0	0
Login Page Test	47.658 s	4	2	2	0	27	24	2	1
Register Page test	18.915 s	3	3	0	0	25	25	0	0


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login Page Test	Verify user should login with valid credentials
2		Verify that user should logout successfully

TAG		Scei	nario		Feature			,		
Name	T	P	F	S	T	P	F	S		
@smoke	9	9	0	0	3	2	1	0		
@regression	12	10	2	0	3	2	1	0		
@Mahak	12	10	2	0	3	2	1	0		
@sanity	7	7	0	0	3	2	1	0		


FEATURES SUMMARY

-- 5 --




#	Feature Name	T	P	F	S	Duration
1	Computer page feature	5	5	0	0	31.973 s
2	Login Page Test	4	2	2	0	47.658 s
3	Register Page test	3	3	0	0	18.915 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Computer page feature	User should navigate to the computer page successfully	4	4	0	0	4.414 s
2		User should navigate to the desktops page successfully	5	5	0	0	5.317 s
3		User should build your own computer page and add them to cart successfully	13	13	0	0	6.708 s
4		User should build your own computer page and add them to cart successfully	13	13	0	0	8.787 s
5		User should build your own computer page and add them to cart successfully	13	13	0	0	6.676 s
6	Login Page Test	User should navigate to login page successfully	4	4	0	0	4.930 s
7		verify the error message with invalid credentials	7	7	0	0	5.496 s
8		Verify user should login with valid credentials	7	6	1	0	26.118 s
9		Verify that user should logout successfully	9	7	1	1	11.086 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Register Page test	Verify user should navigate to register page successfully	4	4	0	0	8.127 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Register Page test	Verify First Name,Last Name,Email,Password,Confirm  Password	8	8	0	0	4.020 s
12		verify user should create account successfully	13	13	0	0	6.759 s

DETAILED SECTION -- 9 --

## **Computer page feature**

Scenarios		Steps	
Total - 5		Total - 48	
Pass - 5	5	Pass - 48	48
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 5 Pass - 5 Fall - 0	Total - 5 Pass - 5 Fall - 0	Total - 5 Pass - 5 Fail - 0  Total - 48 Pass - 48 Fail - 0


## User should navigate to the computer page successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	And User clicks on computer tab	PASSED	0.616 s
3	Then User navigates to computer page	PASSED	0.000 s
4	Then User verifies Computer text	PASSED	0.072 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.524 s
	User should navigate to the computer page successfully		
	To go and the control of the control		


User should navigate to the desktops page successfully

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	And User clicks on computer tab	PASSED	0.627 s
3	Then User clicks on desktops link	PASSED	0.489 s
4	Then User navigates to Desktops page	PASSED	0.002 s
5	Then User verifies Desktops text	PASSED	0.059 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.429 s
	User should navigate to the desktops page successfully		
	Corpora Desires Appe Control Ap		

## User should build your own computer page and add them to cart successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on computer tab	PASSED	0.542 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
3	Then User clicks on desktops link	PASSED	0.567 s
4	Then User navigates to Desktops page	PASSED	0.000 s
5	And User should click on Build your own computer product	PASSED	0.517 s
6	Then User should navigate to build your own computer page	PASSED	0.000 s
7	And User select processor "2.2 GHz Intel Pentium Dual-Core E2200"	PASSED	0.168 s
8	And User select RAM "2 GB"	PASSED	0.142 s
9	And User select HDD "320 GB"	PASSED	0.092 s
10	And User select Os "Vista Home [+\$50.00]"	PASSED	0.090 s
11	And User select software "Microsoft Office [+\$50.00]"	PASSED	0.071 s
12	And User click on Add to cart button	PASSED	0.066 s
13	Then User verify message the "The product has been added to your shopping cart"	PASSED	0.698 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.395 s
	User should build your own computer page and add them to cart successfully		
	The control of the co		

# User should build your own computer page and add them to cart successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on computer tab	PASSED	0.558 s
3	Then User clicks on desktops link	PASSED	0.434 s
4	Then User navigates to Desktops page	PASSED	0.001 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
5	And User should click on Build your own computer product	PASSED	0.544 s
6	Then User should navigate to build your own computer page	PASSED	0.000 s
7	And User select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	PASSED	0.112 s
8	And User select RAM "4GB [+\$20.00]"	PASSED	0.125 s
9	And User select HDD "400 GB [+\$100.00]"	PASSED	0.076 s
10	And User select Os "Vista Premium [+\$60.00]"	PASSED	0.074 s
11	And User select software "Acrobat Reader [+\$10.00]"	PASSED	0.083 s
12	And User click on Add to cart button	PASSED	0.081 s
13	Then User verify message the "The product has been added to your shopping cart"	PASSED	0.295 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.445 s
	User should build your own computer page and add them to cart successfully	]	
	1		

# User should build your own computer page and add them to cart successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on computer tab	PASSED	1.067 s
3	Then User clicks on desktops link	PASSED	0.452 s
4	Then User navigates to Desktops page	PASSED	0.000 s
5	And User should click on Build your own computer product	PASSED	0.574 s
6	Then User should navigate to build your own computer page	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
7	And User select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	PASSED	0.103 s
8	And User select RAM "8GB [+\$60.00]"	PASSED	0.151 s
9	And User select HDD "320 GB"	PASSED	0.090 s
10	And User select Os "VistaHome [+\$50.00]"	PASSED	0.063 s
11	And User select software "Total Commander [+\$5.00]"	PASSED	0.062 s
12	And User click on Add to cart button	PASSED	0.067 s
13	Then User verify message the "The product has been added to your shopping cart"	PASSED	0.692 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.467 s
	User should build your own computer page and add them to cart successfully		

## **Login Page Test**




# User should navigate to login page successfully



DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.745 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.086 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.402 s
	User should navigate to login page successfully		
	The state of the s		


## verify the error message with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.575 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User enters Email Id "mahak12@gmail.com"	PASSED	0.173 s
5	And User enters Password "Mahak123"	PASSED	0.133 s
6	And User clicks on login button	PASSED	0.383 s
7	Then User verify the error message	PASSED	0.139 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.402 s
	verify the error message with invalid credentials		

#	Step / Hook Details	Status	Duration
	The contract of the contract o		

# Verify user should login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.593 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters Email Id "mahak123@gmail.com"	PASSED	0.205 s
5	And User enters Password "Mahak123"	PASSED	0.117 s
6	And User clicks on login button	PASSED	0.352 s
7	Then User verifies logout link is displayed	FAILED	20.055 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='Log out']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e652457b123febf216d96a64235027fa, findElement {using=xpath, value=//a[normalize-space()='Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\mahak\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49820}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49820/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e652457b123febf216d96a64235027fa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 16 --

Step / Hook Details	Status	Duration
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:71)		
at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:73)		
at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:51)		
at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/		
LoginPage.feature:49)		
Not displayable characters are replaced by '?'.		
AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.124 s
Verify user should login with valid credentials		
ON T No No No Description		
Crypin Bollow Ager Diploments has Joseph Clicke		
Wetcome, Prome Sign In!  New Control  Was Control  Was Control  Was Control  Was Control  Was Asserted to the Control of the C		
Modern California  **Control State Control California  **Control State Control California  **Control State Control California  **Total California		
Name:    Sharmond Represent		
Δ	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.DriverCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2.jdk.proxy2.sProxy2.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:71) at com.nopcommerce.demo.steps.LoginPage.verifyLogoutLinklsDisplayed(LoginPage.java:73) at com.nopcommerce.demo.steps.LoginPage.verifyLogoutLinklsDisplayed(LoginPage.java:73) at com.nopcommerce.demo.steps.LoginPage.steps.userVerifiesLogoutLinklsDisplayed(LoginPageSteps.java:51) at ?.User verifies logout link is displayed(file:///C./Users/mahak/IdeaProjects/nop-comme	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.Eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.ElementLocation.FindElement(ElementLocation.java:607) at org.openqa.selenium.remote.ElementLocation.FindElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElement(DefaultElement(DefaultElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy

Verify that user should logout successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.608 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email random email	PASSED	0.004 s
5	And User enters password "Mahak123"	PASSED	0.130 s
6	And User clicks on login button	PASSED	0.116 s
7	Then User navigates to the Homepage	PASSED	0.000 s
8	Then User clicks on the logout link	FAILED	6.345 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[contains(text(),'Log out')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocations\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:60) at com.nopcommerce.demo.pages.LoginPage.clickOnLogoutLink(LoginPage.java:68) at com.nopcommerce.demo.steps.HomePageSteps.userClickSOnTheLogoutLink(HomePageSteps.java:28) at ?.User clicks on the logout link(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:68) * Not displayable characters are replaced by '?'.		
9	Then User verifies login link is displayed	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.014 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

DETAILED SECTION -- 18 --


#	Step / Hook Details	Status	Duration
	(Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch:		
	'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[46f4c3a5e02825d1386c8f21a85ec235, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\mahak\AppData\Loca},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49857}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49857/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46f4c3a5e02825d1386c8f21a85ec235		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)		
	at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361)		
	at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:33)		

# **Register Page test**




Verify user should navigate to register page successfully

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	3.320 s
3	Then User navigates to register page	PASSED	0.000 s
4	Then User verifies Register text	PASSED	0.061 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.316 s
	Verify user should navigate to register page successfully		
	The state of the s		

## Verify First Name, Last Name, Email, Password, Confirm Password




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.548 s
3	And User clicks on register button	PASSED	0.120 s

DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
4	Then User verifies error message First name is required	PASSED	0.093 s
5	And User verifies error message Last name is required	PASSED	0.040 s
6	And User verifies error message Email is required	PASSED	0.035 s
7	And User verifies error message Password is required	PASSED	0.029 s
8	And User verifies error message Confirm Password is required	PASSED	0.030 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.327 s
	Verify First Name,Last Name,Email,Password,Confirm Password		
	Green Britan State		

## verify user should create account successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	1.236 s
3	And User selects gender	PASSED	0.090 s
4	And User enters first name	PASSED	0.170 s
5	And User enter last name	PASSED	0.187 s
6	And User selects date of birth	PASSED	0.157 s
7	And User selects month of year	PASSED	0.122 s
8	And User selects year of birth	PASSED	0.126 s
9	And User enters email	PASSED	0.476 s
10	And User enters password	PASSED	0.124 s

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
11	And User enters confirm password	PASSED	0.119 s
12	And User clicks on register button	PASSED	0.611 s
13	Then User verifies text Your registration completed	PASSED	0.063 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.369 s
	verify user should create account successfully		
	to to the final fi		
	Corputes Balleton Super Opportunities Suns Suns Suns Suns Suns Suns Suns Sun		
	Harman Conservations Ny societ (filter at		