

# Cucumber Report

17 Dec 2023, 14:11:06

Start : Dec 17, 2:10:35.296 pm

End : Dec 17, 2:11:05.687 pm

Duration : 30.391 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 4  
SKIPPED - 0


PASSED - 34  
FAILED - 4  
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page Test</u>	22.566 s	4	2	2	0	27	24	2	1
<u>Register Page test</u>	7.809 s	3	1	2	0	26	10	2	14

#	Feature Name	Scenario Name
1	<u>Login Page Test</u>	<u>Verify user should login with valid credentials</u>
2		<u>Verify that user should logout successfully</u>
3	<u>Register Page test</u>	<u>Verify First Name,Last Name,Email&gt;Password,Confirm Password</u>
4		<u>Verify that user should create account successfully</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke	4	3	1	0	2	0	2	0
@regression	7	3	4	0	2	0	2	0
@Mahak	6	3	3	0	2	0	2	0
@sanity	2	2	0	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	Login Page Test	4	2	2	0	22.566 s
2	Register Page test	3	1	2	0	7.809 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Page Test</u>	<u>User should navigate to login page successfully</u>	4	4	0	0	3.484 s
2		<u>verify the error message with invalid credentials</u>	7	7	0	0	3.595 s
3		<u>Verify user should login with valid credentials</u>	7	6	1	0	7.554 s
4		<u>Verify that user should logout successfully</u>	9	7	1	1	7.887 s
5	<u>Register Page test</u>	<u>Verify user should navigate to register page successfully</u>	4	4	0	0	2.469 s
6		<u>Verify First Name,Last Name,Email&gt;Password,Confirm Password</u>	8	3	1	4	2.882 s
7		<u>Verify that user should create account successfully</u>	14	3	1	10	2.446 s

## Login Page Test

<b>FAILED</b>	<b>DURATION - 22.566 s</b>	Scenarios Total - 4 Pass - 2 Fail - 2 Skip - 0		Steps Total - 27 Pass - 24 Fail - 2 Skip - 1	
/ 2:10:35.296 pm // 2:10:57.862 pm /					

## User should navigate to login page successfully

<b>PASSED</b>	<b>DURATION - 3.484 s</b>		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:10:35.300 pm // 2:10:38.784 pm /				
Login Page Test				
@smoke @regression @Mahak @sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.422 s
3	Then User navigates to the login page	PASSED	0.001 s
4	And User verifies the Welcome, Please Sign In! text	PASSED	0.037 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.289 s
	User should navigate to login page successfully		
			

## verify the error message with invalid credentials

<div>PASSED</div>	<div>DURATION - 3.595 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.43</td></tr><tr><td>3</td><td>0.00</td></tr><tr><td>4</td><td>0.12</td></tr><tr><td>5</td><td>0.07</td></tr><tr><td>6</td><td>0.36</td></tr><tr><td>7</td><td>0.03</td></tr></tbody></table></div>	Step	Duration (s)	1	0.00	2	0.43	3	0.00	4	0.12	5	0.07	6	0.36	7	0.03	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>7</div></div>
Step	Duration (s)																			
1	0.00																			
2	0.43																			
3	0.00																			
4	0.12																			
5	0.07																			
6	0.36																			
7	0.03																			
<div>/ 2:10:38.801 pm // 2:10:42.396 pm /</div>																				
<div>Login Page Test</div>																				
<div>@smoke @regression @Mahak</div>																				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.432 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters Email Id "mahak123@gmail.com"	PASSED	0.124 s
5	And User enters Password "Mahak123"	PASSED	0.070 s
6	And User clicks on login button	PASSED	0.363 s
7	Then User verify the error message	PASSED	0.032 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.267 s
	verify the error message with invalid credentials		

### Verify user should login with valid credentials



FAILED	DURATION - 7.554 s	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.0</td></tr><tr><td>2</td><td>0.5</td></tr><tr><td>3</td><td>0.0</td></tr><tr><td>4</td><td>0.2</td></tr><tr><td>5</td><td>0.1</td></tr><tr><td>6</td><td>0.3</td></tr><tr><td>7</td><td>4.8</td></tr></tbody></table>	Step	Duration (s)	1	0.0	2	0.5	3	0.0	4	0.2	5	0.1	6	0.3	7	4.8	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Duration (s)																		
1	0.0																		
2	0.5																		
3	0.0																		
4	0.2																		
5	0.1																		
6	0.3																		
7	4.8																		
/ 2:10:42.402 pm // 2:10:49.956 pm /																			
Login Page Test																			
@regression @Mahak																			



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on login link	PASSED	0.571 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email "random email"	PASSED	0.157 s
5	And User enters password "Mahak123"	PASSED	0.070 s
6	And User clicks on login button	PASSED	0.267 s
7	Then User verifies logout link is displayed	FAILED	4.727 s
	<p>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[normalize-space()='Log out'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:60)  at com.nopcommerce.demo.pages.LoginPage.verifyLogoutLinkIsDisplayed(LoginPage.java:88)  at com.nopcommerce.demo.steps.LoginPageSteps.userVerifiesLogoutLinkIsDisplayed(LoginPageSteps.java:50)  at ?.User verifies logout link is displayed(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:49)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.021 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [69440350f30c9800139a448d06854720, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52819}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52819/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 69440350f30c9800139a448d06854720</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:350) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:19) </pre>		

### Verify that user should logout successfully



<b>FAILED</b>	<b>DURATION - 7.887 s</b>		<b>Steps</b> Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 2:10:49.975 pm // 2:10:57.862 pm /				
Login Page Test				
@regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on login link	PASSED	0.481 s
3	Then User navigates to the login page	PASSED	0.000 s
4	And User enters email "random email"	PASSED	0.160 s
5	And User enters password "Mahak123"	PASSED	0.072 s
6	And User clicks on login button	PASSED	0.296 s
7	Then User navigates to the Homepage	PASSED	0.000 s
8	Then User clicks on the logout link	FAILED	4.692 s
	<pre> org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[contains(text(),'Log out')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:49) at com.nopcommerce.demo.pages.LoginPage.clickOnLogoutLink(LoginPage.java:81) at com.nopcommerce.demo.steps.HomePageSteps.userClicksOnTheLogoutLink(HomePageSteps.java:28) at ?.User clicks on the logout link(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/LoginPage.feature:68) * Not displayable characters are replaced by '?'. </pre>		
9	Then User verifies login link is displayed	SKIPPED	0.001 s
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92a919d812aeacf663bb1763f25e5836, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52842}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52842/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 92a919d812aeacf663bb1763f25e5836 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:350) </pre>	FAILED	0.008 s


#	Step / Hook Details	Status	Duration
	at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:19)		

## Register Page test



<b>FAILED</b>	DURATION - 7.809 s	Scenarios		Steps	
/ 2:10:57.878 pm // 2:11:05.687 pm /		Total - 3		Total - 26	
		Pass - 1		Pass - 10	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 14	


## Verify user should navigate to register page successfully

<b>PASSED</b>	DURATION - 2.469 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:10:57.878 pm // 2:11:00.347 pm /				
Register Page test				
@smoke @regression @Mahak @sanity				



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.385 s
3	Then User navigates to register page	PASSED	0.000 s
4	Then User verifies Register text	PASSED	0.049 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.261 s
	Verify user should navigate to register page successfully		
			

## Verify First Name,Last Name,Email,Password,Confirm Password

FAILED		DURATION - 2.882 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 2:11:00.352 pm // 2:11:03.234 pm /						
Register Page test						
@smoke @regression @Mahak						

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User clicks on register link	PASSED	0.512 s
3	And User clicks on register button	PASSED	0.084 s
4	Then User verifies error message First name is required  java.lang.AssertionError: Error message not displayed expected [First name is required] but found [First name is required.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.nopcommerce.demo.steps.RegisterPageSteps.userVerifiesErrorMessageFirstNamesIsRequired(RegisterPageSteps.java:31) at ?.User verifies error message First name is required(file:///C:/Users/mahak/IdeaProjects/nop-commerce-demo-sw6/src/test/resources/features/Register.feature:32) * Not displayable characters are replaced by '?'.	FAILED	0.041 s
5	And User verifies error message Last name is required	SKIPPED	0.000 s
6	And User verifies error message Email is required	SKIPPED	0.000 s
7	And User verifies error message Password is required	SKIPPED	0.000 s
8	And User verifies error message Last name is required	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.127 s
	Verify First Name,Last Name,Email,Password,Confirm Password  		

**Verify that user should create account successfully**

<div>FAILED</div> <div>DURATION - 2.446 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 2:11:03.241 pm // 2:11:05.687 pm /				
Register Page test				
@regression				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User clicks on register link	PASSED	0.471 s
3	Then User navigates to register page	PASSED	0.000 s
4	And User clicks on the gender radio button  io.cucumber.core.exception.CucumberException: Step [User clicks on the gender radio button] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterPageSteps.userClicksOnTheGenderRadioButton(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User clicks on the gender radio button at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
5	And User enters first name	SKIPPED	0.000 s
6	And User enters last name	SKIPPED	0.000 s
7	And User selects day of birth	SKIPPED	0.000 s
8	And User selects month of birth	SKIPPED	0.000 s
9	And User selects year of birth	SKIPPED	0.000 s
10	And User enters Email address	SKIPPED	0.000 s
11	And User enters password	SKIPPED	0.000 s
12	And User enters confirm password	SKIPPED	0.000 s
13	Then User clicks on register button	SKIPPED	0.000 s
14	Then User verifies message Your registration completed	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.139 s
	Verify that user should create account successfully		
	