

# Cucumber Report

18 Dec 2023, 20:30:44

Start : Dec 18, 8:28:47.199 pm

End : Dec 18, 8:30:43.450 pm

Duration : 1 m 56.251 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 2  
FAILED - 7  
SKIPPED - 0


PASSED - 54  
FAILED - 7  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>user should be able to verify</u>	14.779 s	3	0	3	0	15	12	3	0
<u>Add User Test feature</u>	42.736 s	3	1	2	0	14	12	2	0
<u>Add User Test feature</u>	58.684 s	3	1	2	0	38	30	2	6

#	Feature Name	Scenario Name
1	<u>user should be able to verify</u>	<u>User should be able to see error message when logging in using invalid credentials</u>
2		<u>User should be able to see error message when logging in using invalid credentials</u>
3		<u>User should be able to see error message when logging in using invalid credentials</u>
4	<u>Add User Test feature</u>	<u>User should be able to verify Logo display on homepage</u>
5		<u>User should be able to logout successfully</u>
6		<u>Admin should add user successfully</u>
7		<u>Admin should be able to delete the user successfully</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@regression	9	2	7	0	3	0	3	0
@Mahak	9	2	7	0	3	0	3	0
@smoke	4	2	2	0	2	0	2	0
@sanity	2	1	1	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>user should be able to verify</u>	3	0	3	0	14.779 s
2	<u>Add User Test feature</u>	3	1	2	0	42.736 s
3	<u>Add User Test feature</u>	3	1	2	0	58.684 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>user should be able to verify</u>	<u>User should be able to see error message when logging in using invalid credentials</u>	5	4	1	0	5.378 s
2		<u>User should be able to see error message when logging in using invalid credentials</u>	5	4	1	0	4.546 s
3		<u>User should be able to see error message when logging in using invalid credentials</u>	5	4	1	0	4.818 s
4	<u>Add User Test feature</u>	<u>User should be able to login successfully</u>	4	4	0	0	5.977 s
5		<u>User should be able to verify Logo display on homepage</u>	4	3	1	0	21.162 s
6		<u>User should be able to logout successfully</u>	6	5	1	0	15.579 s
7		<u>Admin should add user successfully</u>	15	10	1	4	29.915 s
8		<u>Search the user created</u>	7	7	0	0	8.537 s
9		<u>Admin should be able to delete the user successfully</u>	16	13	1	2	20.222 s


## user should be able to verify

<b>FAILED</b>	DURATION - 14.779 s	Scenarios		Steps	
/ 8:28:47.199 pm // 8:29:01.978 pm /		Total - 3		Total - 15	
		Pass - 0		Pass - 12	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	

## User should be able to see error message when logging in using invalid credentials



<div>FAILED</div> <div>DURATION - 5.378 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:28:47.206 pm // 8:28:52.584 pm /</div>				
<div>user should be able to verify</div>				
<div>@regression @Mahak</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	0.000 s
2	When User enter Username ""	PASSED	0.667 s
3	And User enter Password ""	PASSED	0.107 s
4	And User clicks on login button	PASSED	0.098 s
5	Then User verifies error Text "Required"	FAILED	0.036 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required'] is not a valid XPath expression. (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#invalid-selector-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd4529b8b0053d63112dbbed62e76ad6, findElement {using=xpath, value="//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62082}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62082/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		


#	Step / Hook Details	Status	Duration
	<pre> true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bd4529b8b0053d63112dbbed62e76ad6   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)   at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:60)   at com.orangehrmlive.demo.pages.LoginPage.requiredErrorMessage(LoginPage.java:106)   at com.orangehrmlive.demo.steps.LoginTestSteps.userVerifiesErrorText(LoginTestSteps.java:58)   at ?.User verifies error Text "Required"(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/DataSet.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</b> User should be able to see error message when logging in using invalid credentials	PASSED	0.171 s
			

**User should be able to see error message when logging in using invalid credentials**





<div>FAILED</div> <div>DURATION - 4.546 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:28:52.607 pm // 8:28:57.153 pm /				
user should be able to verify				
@regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	0.000 s
2	When User enter Username "test123@gmail.com"	PASSED	0.648 s
3	And User enter Password ""	PASSED	0.095 s
4	And User clicks on login button	PASSED	0.051 s
5	Then User verifies error Text "Required"	FAILED	0.032 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']][2] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']][2]' is not a valid XPath expression. (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30915d7084ab62ce5942f988b0637fe6, findElement {using=xpath, value="//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']][2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62110}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62110/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 30915d7084ab62ce5942f988b0637fe6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:60) at com.orangehrmlive.demo.pages.LoginPage.requiredErrorMessage(LoginPage.java:106) at com.orangehrmlive.demo.steps.LoginTestSteps.userVerifiesErrorText(LoginTestSteps.java:58) at ?.User verifies error Text "Required"(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/DataSet.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.128 s
	User should be able to see error message when logging in using invalid credentials		
			

### User should be able to see error message when logging in using invalid credentials



<div>FAILED</div> <div>DURATION - 4.818 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:28:57.160 pm // 8:29:01.978 pm /				
user should be able to verify				
@regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	0.001 s
2	When User enter Username ""	PASSED	0.680 s
3	And User enter Password "test123"	PASSED	0.164 s
4	And User clicks on login button	PASSED	0.060 s




#	Step / Hook Details	Status	Duration
5	<p>Then User verifies error Text "Required"</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][(normalize-space()='Required')][2] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][(normalize-space()='Required')][2]' is not a valid XPath expression. (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b0b0b94b26b2504627365d6f47660c, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][(normalize-space()='Required')][2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62141}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62141/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b0b0b94b26b2504627365d6f47660c</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:60) at com.orangehrmlive.demo.pages.LoginPage.requiredErrorMessage(LoginPage.java:106) at com.orangehrmlive.demo.steps.LoginTestSteps.userVerifiesErrorText(LoginTestSteps.java:58) at ?.User verifies error Text "Required"(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/DataSet.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.029 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.129 s
	User should be able to see error message when logging in using invalid credentials		

#	Step / Hook Details	Status	Duration
			


## Add User Test feature

<b>FAILED</b>	DURATION - 42.736 s	Scenarios		Steps	
/ 8:29:01.997 pm // 8:29:44.733 pm /		Total - 3		Total - 14	
		Pass - 1		Pass - 12	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	



## User should be able to login successfully

<div><div>PASSED</div><div>DURATION - 5.977 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> <td rowspan="4"><div></div></td>	<div></div>
/ 8:29:01.997 pm // 8:29:07.974 pm /				
Add User Test feature				
@smoke @regression @Mahak @sanity				

#	Step / Hook Details	Status	Duration
1	When User enters Username "Admin"	PASSED	0.755 s
2	And User enters password "admin123"	PASSED	0.160 s
3	Then User clicks on login button	PASSED	0.063 s
4	And User verifies "Dashboard" text	PASSED	1.046 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.514 s
	User should be able to login successfully		

#	Step / Hook Details	Status	Duration
			

### User should be able to verify Logo display on homepage

<div>FAILED</div> <div>DURATION - 21.162 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:29:07.982 pm // 8:29:29.144 pm /				
Add User Test feature				
@smoke @regression @Mahak				

#	Step / Hook Details	Status	Duration
1	When User enters Username "Admin"	PASSED	3.377 s
2	And User enters password "admin123"	PASSED	0.137 s
3	Then User clicks on login button	PASSED	0.839 s
4	And Verify logo is displayed  org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: (//img[@alt='orangehrm-logo'])[2] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.verifyThatTextIsDisplayed(Utility.java:301) at com.orangehrmlive.demo.pages.LoginPage.getLogoElement(LoginPage.java:67) at com.orangehrmlive.demo.steps.LoginTestSteps.verifyLogoIsDisplayed(LoginTestSteps.java:22) at ?.Verify logo is displayed(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/LoginTest.feature:27) * Not displayable characters are replaced by '?'.	FAILED	14.599 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [09826a1b4d48b84d29f78715d7fa26a5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62217}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62217/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 09826a1b4d48b84d29f78715d7fa26a5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at com.orangehrmlive.demo.utility.Utility.getScreenShot(Utility.java:350)  at com.orangehrmlive.demo.steps.Hooks.tearDown(Hooks.java:19)</p>	FAILED	0.006 s



### User should be able to logout successfully

<div>FAILED</div> <div>DURATION - 15.579 s</div>		<div><table><thead><tr><th>Step</th><th>Fail</th><th>Pass</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>0</td></tr><tr><td>2</td><td>0</td><td>0</td><td>0</td></tr><tr><td>3</td><td>0</td><td>0</td><td>0</td></tr><tr><td>4</td><td>1</td><td>0</td><td>0</td></tr><tr><td>5</td><td>1</td><td>0</td><td>0</td></tr><tr><td>6</td><td>5</td><td>0</td><td>0</td></tr></tbody></table></div>	Step	Fail	Pass	Skip	1	1	0	0	2	0	0	0	3	0	0	0	4	1	0	0	5	1	0	0	6	5	0	0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
Step	Fail		Pass	Skip																												
1	1		0	0																												
2	0		0	0																												
3	0	0	0																													
4	1	0	0																													
5	1	0	0																													
6	5	0	0																													
<div>/ 8:29:29.154 pm // 8:29:44.733 pm /</div>																																
<div>Add User Test feature</div>																																
<div>@regression @Mahak</div>																																



#	Step / Hook Details	Status	Duration
1	When User enters Username "Admin"	PASSED	0.511 s
2	And User enters password "admin123"	PASSED	0.118 s
3	Then User clicks on login button	PASSED	0.080 s
4	And User clicks on profile logo	PASSED	1.335 s
5	Then User mouse hover on logout and click	PASSED	1.086 s
6	And User verifies "Login" text is displayed	FAILED	8.888 s
	<p>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //div[@id='loginPanelHeading'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:60)  at com.orangehrmlive.demo.pages.LoginPage.verifyLoginPanel(LoginPage.java:98)  at com.orangehrmlive.demo.steps.LoginTestSteps.userVerifiesTextIsDisplayed(LoginTestSteps.java:38)  at ?.User verifies "Login" text is displayed(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/LoginTest.feature:39)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6ff47182014af2a452559b966dd3844, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62305/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6ff47182014af2a452559b966dd3844</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </p>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.orangehrmlive.demo.utility.Utility.getScreenShot(Utility.java:350) at com.orangehrmlive.demo.steps.Hooks.tearDown(Hooks.java:19) </pre>		

## Add User Test feature

<b>FAILED</b>	DURATION - 58.684 s	Scenarios		Steps	
/ 8:29:44.766 pm // 8:30:43.450 pm /		Total - 3		Total - 38	
		Pass - 1		Pass - 30	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 6	


## Admin should add user successfully

<div>FAILED</div> <div>DURATION - 29.915 s</div>		<div></div> <table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>2</td></tr><tr><td>6</td><td>1</td></tr><tr><td>7</td><td>0.5</td></tr><tr><td>8</td><td>0.5</td></tr><tr><td>9</td><td>0.5</td></tr><tr><td>10</td><td>2</td></tr><tr><td>11</td><td>20</td></tr><tr><td>12</td><td>0</td></tr><tr><td>13</td><td>0</td></tr><tr><td>14</td><td>0</td></tr><tr><td>15</td><td>0</td></tr></tbody></table>	Step	Count	1	2	2	0	3	0	4	0	5	2	6	1	7	0.5	8	0.5	9	0.5	10	2	11	20	12	0	13	0	14	0	15	0	<div>Steps</div> <div>Total - 15</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 4</div> <div></div>
Step	Count																																		
1	2																																		
2	0																																		
3	0																																		
4	0																																		
5	2																																		
6	1																																		
7	0.5																																		
8	0.5																																		
9	0.5																																		
10	2																																		
11	20																																		
12	0																																		
13	0																																		
14	0																																		
15	0																																		
<div>/ 8:29:44.767 pm // 8:30:14.682 pm /</div>																																			
<div>Add User Test feature</div>																																			
<div>@smoke @regression @Mahak @sanity</div>																																			



#	Step / Hook Details	Status	Duration
1	When User enters Username "Admin"	PASSED	2.027 s
2	And User enters password "admin123"	PASSED	0.141 s
3	Then User clicks on login button	PASSED	0.065 s
4	When User navigates to add user page	PASSED	0.001 s




#	Step / Hook Details	Status	Duration
5	Then User clicks on Admin tab	PASSED	2.222 s
6	And User verifies "System Users" Text	PASSED	0.518 s
7	And User clicks on add button	PASSED	0.345 s
8	Then User verify Text "Add User"	PASSED	0.230 s
9	Then User Select User Role "Admin"	PASSED	0.317 s
10	And User enters employee name "Lisa Andrews"	PASSED	2.249 s
11	And User enters Username "username"	FAILED	20.049 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='username']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8338ee5fd0dc7093806657a0341af595, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62351}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62351/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8338ee5fd0dc7093806657a0341af595</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source)  at com.orangehrmlive.demo.utility.Utility.sendTextToElement(Utility.java:71)  at com.orangehrmlive.demo.pages.LoginPage.enterUserName(LoginPage.java:70)</p>		

#	Step / Hook Details	Status	Duration
	at com.orangehrmlive.demo.steps.AddUserTestSteps.userEntersUsername(AddUserTestSteps.java:15) at ?.User enters Username "username"(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/UserTest.feature:33) * Not displayable characters are replaced by '?'.		
12	And User selects status "Disabled"	SKIPPED	0.000 s
13	And User enters password	SKIPPED	0.000 s
14	And User enters confirm password	SKIPPED	0.000 s
15	Then User clicks on save button	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.115 s
	Admin should add user successfully		
			



### Search the user created

PASSED		DURATION - 8.537 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:30:14.685 pm // 8:30:23.222 pm /						
Add User Test feature						
@smoke @regression @Mahak						

#	Step / Hook Details	Status	Duration
1	When User enters Username "Admin"	PASSED	1.195 s
2	And User enters password "admin123"	PASSED	0.121 s
3	Then User clicks on login button	PASSED	0.049 s
4	When User clicks on Admin tab	PASSED	1.857 s
5	And User verifies "System Users" Text	PASSED	0.276 s
6	And User enters username "Admin"	PASSED	0.102 s
7	Then User clicks on search button	PASSED	0.054 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.323 s
	Search the user created		

#	Step / Hook Details	Status	Duration
			

### Admin should be able to delete the user successfully

<div>FAILED</div>	<div>DURATION - 20.222 s</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 8:30:23.228 pm // 8:30:43.450 pm /</div>				
<div>Add User Test feature</div>				
<div>@regression @Mahak</div>				

#	Step / Hook Details	Status	Duration
1	When User enters Username "Admin"	PASSED	0.692 s
2	And User enters password "admin123"	PASSED	0.174 s
3	Then User clicks on login button	PASSED	0.070 s
4	When User clicks on Admin tab	PASSED	2.114 s
5	And User verifies "System Users" Text	PASSED	0.262 s
6	And User clicks on add button	PASSED	0.373 s
7	Then User verify Text "Add User"	PASSED	0.236 s
8	Then User Select User Role "Admin"	PASSED	0.316 s
9	And User enters employee name "Lisa Andrews"	PASSED	2.295 s
10	And User enters password	PASSED	0.058 s
11	And User enters confirm password	PASSED	0.089 s
12	Then User clicks on save button	PASSED	0.053 s
13	And User enters username "Admin"	PASSED	0.079 s
14	Then User clicks on search button	FAILED	9.688 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //button[normalize-space()='Search'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.orangehrmlive.demo.utility.Utility.clickOnElement(Utility.java:49) at com.orangehrmlive.demo.pages.ViewSystemUsersPage.clickOnSearchButton(ViewSystemUsersPage.java:96) at com.orangehrmlive.demo.steps.AddUserTestSteps.userClicksOnSearchButton(AddUserTestSteps.java:106) at ?.User clicks on search button(file:///C:/Users/mahak/IdeaProjects/sw6-orange-hrm/src/test/resources/features/UserTest.feature:80) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
15	Then User clicks on delete button	SKIPPED	0.000 s
16	And User clicks on yes pop up delete button	SKIPPED	0.000 s
	<p>AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40807ef1346b781397c229540c25193e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62515}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62515/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 40807ef1346b781397c229540c25193e </pre> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) </pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at com.orangehrmlive.demo.utility.Utility.getScreenShot(Utility.java:350) at com.orangehrmlive.demo.steps.Hooks.tearDown(Hooks.java:19)		