

Cucumber Report

17 Dec 2023, 20:59:10

Start : Dec 17, 8:58:20.818 pm

End : Dec 17, 8:59:09.383 pm

Duration : 48.565 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 24




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country Dropdown Feature</u>	12.055 s	1	0	1	0	3	0	1	2
<u>Visa Confirmation Feature</u>	36.474 s	3	0	3	0	25	0	3	22

#	Feature Name	Scenario Name
1	<u>Country Dropdown Feature</u>	<u>Verify the following countries available in country dropdown list</u>
2	<u>Visa Confirmation Feature</u>	<u>User should navigate to homepage successfully</u>
3		<u>User should navigate to homepage successfully</u>
4		<u>User should navigate to homepage successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	3	0	3	0	2	0	2	0
@regression	4	0	4	0	2	0	2	0
@Mahak	4	0	4	0	2	0	2	0
@sanity	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country Dropdown Feature</u>	1	0	1	0	12.055 s
2	<u>Visa Confirmation Feature</u>	3	0	3	0	36.474 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country Dropdown Feature</u>	<u>Verify the following countries available in country dropdown list</u>	3	0	1	2	12.050 s
2	<u>Visa Confirmation Feature</u>	<u>User should navigate to homepage successfully</u>	7	0	1	6	7.616 s
3		<u>User should navigate to homepage successfully</u>	11	0	1	10	25.129 s
4		<u>User should navigate to homepage successfully</u>	7	0	1	6	3.707 s

Country Dropdown Feature

FAILED	DURATION - 12.055 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:58:20.818 pm // 8:58:32.873 pm /					



Verify the following countries available in country dropdown list

FAILED	DURATION - 12.050 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:58:20.823 pm // 8:58:32.873 pm /				
Country Dropdown Feature				
@smoke @regression @Mahak @sanity				



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	FAILED	0.004 s
	Step undefined		
2	When User clicks on start button	SKIPPED	0.000 s
3	Then User can see following country into dropdown	SKIPPED	0.005 s
	<div> albania bhutan british-protected-person haiti kazakhstan mozambique norway portugal russia zambia </div>		
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.049 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		


#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [13dbaf0794f07a0450436195aca07a68, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64598/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 13dbaf0794f07a0450436195aca07a68</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.utility.Utility.getScreenShot(Utility.java:350) at com.tutorialsninja.steps.Hooks.tearDown(Hooks.java:22)</p>		

Visa Confirmation Feature



FAILED	DURATION - 36.474 s	Scenarios		Steps	
/ 8:58:32.909 pm // 8:59:09.383 pm /		Total - 3		Total - 25	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 22	


User should navigate to homepage successfully

<div>FAILED</div>	<div>DURATION - 7.616 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 8:58:32.909 pm // 8:58:40.525 pm /</div>				
<div>Visa Confirmation Feature</div>				
<div>@smoke @regression @Mahak @sanity</div>				



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	FAILED	0.001 s
	Step undefined		
2	When User clicks on start button	SKIPPED	0.000 s
3	And User selects Australia as a nationality	SKIPPED	0.000 s
4	Then User clicks on continue button	SKIPPED	0.000 s
5	And User selects reason as Tourism	SKIPPED	0.000 s
6	Then User clicks on continue button	SKIPPED	0.000 s
7	And User verifies the visa status result	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.376 s
	User should navigate to homepage successfully		
			

User should navigate to homepage successfully

<div>FAILED</div> <div>DURATION - 25.129 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 8:58:40.539 pm // 8:59:05.668 pm /				
Visa Confirmation Feature				
@smoke @regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage <i>Step undefined</i>	FAILED	0.003 s
2	When User clicks on start button	SKIPPED	0.001 s
3	And User selects Chile as a nationality	SKIPPED	0.000 s
4	Then User clicks on continue button	SKIPPED	0.001 s
5	And User selects reason as work, academic visit or business	SKIPPED	0.000 s
6	Then User clicks on continue button	SKIPPED	0.000 s
7	And User selects intent to stay for longer than six months	SKIPPED	0.001 s
8	Then User clicks on continue button	SKIPPED	0.000 s
9	And User selects Health and care professional	SKIPPED	0.000 s
10	Then User clicks on continue button	SKIPPED	0.000 s
11	Then User verify the visa status result	SKIPPED	0.001 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) <i>User should navigate to homepage successfully</i>	PASSED	0.289 s
			

User should navigate to homepage successfully

FAILED	DURATION - 3.707 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 8:59:05.676 pm // 8:59:09.383 pm /				
Visa Confirmation Feature				
@regression @Mahak				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage <i>Step undefined</i>	FAILED	0.001 s
2	When User clicks on start button	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
3	And User selects Colombia as a nationality	SKIPPED	0.000 s
4	Then User clicks on continue button	SKIPPED	0.000 s
5	And User selects reason as join partner or family for a long stay	SKIPPED	0.001 s
6	Then User clicks on continue button	SKIPPED	0.000 s
7	Then User will verify the visa status result	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [611b52fb3f36b1be9b5fdc75cd367d27, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mahak\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64702}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64702/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 611b52fb3f36b1be9b5fdc75cd367d27</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.utility.Utility.getScreenShot(Utility.java:350) at com.tutorialsninja.steps.Hooks.tearDown(Hooks.java:22)</p>		