

2) Conditional Statements:

Conditional statements used to make decision based on the conditions.

(1) if statement:

Execute code only if condition is true.

Syntax: `if (condition)`
`{ // statements }`

Eg: `int age = 20;`
`if (age <= 18)`
`{ System.out.println("Eligible for vote"); }`

(2) if else:

~~Syntax~~ `if (condition)`
`{ statements }`
`else`
`{ false }`
`}`

Eg: `int age = 20;`
`if (age <= 18)`
`{ System.out.println("Eligible for vote"); }`
`else {`
`System.out.println("Not Eligible");`
`}`

(3) if Nested:

Syntax: `if (condition)`
`{`
`if (condition 2) {`
`}`
`}`

Eg: ~~`int age = 18;`~~
~~`boolean voterID = true;`~~
~~`if (age <= 18) {`~~
~~`if (voterID ==`~~

Eg: `int age = 18;`
`boolean voterID = true;`
`if (age >= 18) {`
`if (voterID == true)`
`{`
`System.out.println("Eligible");`
`}`
`}`

(4) Switch :

Syntax: `Switch (expression)`

↓

Case value 1 :

// print

break;

Case value 2 :

// Print

break;

default :

// Print

}

Eg: ~~int month = 2;~~ int month = 2;

`Switch (month)`

↓

Case 1;

`System.out.println("Jan");`

`break;`

Case 2:

`System.out.println("Feb");`

`break;`

default:

`System.out.println("Invalid Data");`

}