Started on	Saturday, 10 October 2026, 1:09 PM
State	Finished
Completed on	Saturday, 10 October 2026, 1:39 PM
Time taken	30 mins 22 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1	a	g	**g**	**t**	**a**	**b**
s2	**g**	x	**t**	**x**	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
#include<string.h>

int main()
{
    char a[100],b[100];
    int dp[100][100]={0};

    scanf("%s",a);
    scanf("%s",b);

    int n=strlen(a);
    int m=strlen(b);

    for(int i=1;i<=n;i++){
        for(int j=1;j<=m;j++){
            if(a[i-1]==b[j-1])
                dp[i][j]=dp[i-1][j-1]+1;

            else if(dp[i-1][j]>dp[i][j-1])
                dp[i][j]=dp[i-1][j];
            else
                dp[i][j]=dp[i][j-1];

        }
    }
    printf("%d",dp[n][m]);

}
```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.