Status	Finished
Started	Friday, 9 October 2026, 6:00 AM
Completed	Friday, 9 October 2026, 6:15 AM
Duration	15 mins 24 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. Yes ✓
- b. No

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

- a. Compiled Successfully, No Output
- b. Hello
- c. Error
- d. Know Program ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

a. x will always equal 0 after this code executes for any value of x

b. if x is lesser then 0,x will be 0 after this code executes

c. if x is greater than 2, x will equal 0 after this code executes ✓

d. if x is greater than 2, the value in x will be doubled after this code executes

Question **4**

Correct

Mark 1.00 out of 1.00

choose a valid Python if statement :

a. if a>=2 : ✓

b. if (a >= 2)

c. if (a => 22)

Question **5**

Correct

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 3

b. Code 1, Code 2 ✓

c. Code 2, Code 3

Question **6**

Correct

Mark 1.00 out of 1.00

Correct syntax of writing 'simple if' statement is _____

a. **if condition --**
statements

b. **if (condition)**
statements

c. **if condition :** ✓
statements

d. **if condition**
statements

Question **7**

Correct

Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
    print('True')
else:
  print('False')
```

a. False

b. True ✓

c. Error

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following snippet if 5 is given as the input?

```
c = input("Enter a number: ")
print(c * 3)
```

- a. 15
- b. 555 ✓
- c. 2
- d. 8

Question **9**

Correct

Mark 1.00 out of 1.00

selection is implemented with the help of _____ statement

- a. for loop
- b. if..else ✓
- c. while loop

Question **10**

Correct

Mark 1.00 out of 1.00

Write the output of the following code :

```
y=2
if 2!=y:
 print("H")
else :
 print("K")
```

a. Error

b. K ✓

c. H

d. No output

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output

```
a, b, c = 1, 3, 5
if a + b + c:
    print("Hello")
else:
    print("Know Program")
```

a. Hello ✓

b. Error

c. Know Program

d. Compiled Successfully, No Output.

Question **12**

Correct

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. Finds the remainder on dividing two numbers ✓
- b. Finds the quotient on dividing two numbers
- c. Finds the product of two numbers
- d. Finds the sum of two numbers

Question **13**

Correct

Mark 1.00 out of 1.00

```
if true:
    print("Hello World")
```

- a. Hello World
- b. No output
- c. Name Error ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the given code?

```
x,y=1,1
if(x ==y):
    print("equal")
if(x>y):
    print("1")
else:
    print("0")
```

a. equal ✓
0

b. equal

c. 1

d. 0

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following statements correctly represents taking input from user in python?

a. a=input("Enter the value") ✓

b. a=get("Enter the value")

c. a=inp("Enter the value")

d. None of the mentioned