

NovaFlow CX Administration Guide

Configuration guidance for users, inboxes, workflow rules, reporting, exports, integrations, and access.

NovaFlow CX internal reference material

Contents

1. Initial account setup
2. User administration
3. Inbox configuration
4. Workflow-rule design
5. Tags and naming conventions
6. Business hours
7. Reporting configuration
8. Export configuration
9. Integration setup
10. Security administration
11. Change management
12. Admin troubleshooting

1. Initial account setup

Account setup begins with the organization name, primary administrator, billing contact, and default time zone. The administrator then creates shared inboxes, invites users, and assigns access. The default time zone affects displayed times and some reporting views, so it should be checked before the team starts using the account.

A new account should begin with the smallest useful configuration. Creating dozens of tags and rules before the support process is understood usually makes later maintenance harder.

Recommended order

- Confirm organization and time-zone settings.
- Create the first inbox.
- Invite a small test group.
- Connect one communication channel.
- Test inbound and outbound messages.
- Add rules only after the base flow works.

Administrators should use test conversations before routing live traffic through new rules or integrations.

Example configuration

When changing initial account setup, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

2. User administration

Administrators can invite, suspend, reactivate, and update users. User records remain in historical activity even when access is suspended. A suspended user does not count as an active agent seat for billing after the billing system processes the change according to the subscription terms.

Permissions should follow job needs. Giving every user administrator access increases the chance of accidental configuration changes. Team leads can handle common assignment and reporting tasks without receiving every administrative permission.

Account security

MFA is available on all plans. Enterprise SAML SSO can be configured with an approved identity provider. SSO configuration should be tested with a non-critical administrator account before broad rollout so the team does not lock itself out through a misconfigured identity-provider rule.

Example configuration

When changing user administration, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

3. Inbox configuration

Each inbox has a name, allowed members, connected channels, default assignment behavior, and optional business-hour settings. Inbox names should match recognizable team functions such as Billing Support or Onboarding rather than internal abbreviations that new staff will not understand.

Starter accounts may configure up to three shared inboxes. Growth supports up to fifteen. Enterprise limits are negotiated.

Membership

Inbox membership determines which users can access conversations in that inbox, subject to role permissions. Tags do not grant access. Adding a user to a tag-related workflow does not automatically add the user to the inbox.

If a team wants a manager to view reports without handling conversations, reporting-viewer permissions are usually a better fit than broad inbox membership.

Example configuration

When changing inbox configuration, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

4. Workflow-rule design

Rules work best for predictable conditions. Start with one clear purpose per rule. A rule named 'Billing keyword routing' is easier to maintain than a rule that performs unrelated routing, tagging, and escalation across several inboxes.

Conditions are evaluated against the conversation state available when the rule runs. Actions are applied in configured order. Because later rules can see changes made by earlier rules, administrators should document important dependencies.

Testing

- Use test conversations with expected matches.
- Use near-miss cases that should not match.
- Check rule order.
- Check the final assignee, tags, and priority.
- Disable the rule if results are unclear.

The rule editor does not execute arbitrary scripts. Customers that need custom code should use an external integration or API-based service.

Example configuration

When changing workflow-rule design, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

5. Tags and naming conventions

Tag names should be short and stable. Avoid creating multiple tags that mean almost the same thing, such as refund, refunds, refund-request, and refund_requested. A small tag dictionary helps reporting remain consistent.

Renaming a tag changes how users see it going forward. Historical reporting behavior depends on the report and export, so teams should document major taxonomy changes.

Suggested tag groups

- Issue type: billing, technical, account-access.
- Customer state: trial, active, churn-risk.
- Process state: awaiting-documents, escalation-review.

Examples are not built-in requirements. Each organization should define a taxonomy that matches its support process.

Example configuration

When changing tags and naming conventions, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

6. Business hours

Business hours are configured by time zone and days of week. They can affect response-time reporting and selected automation conditions. Administrators should confirm the correct time zone before adding schedules.

Holiday schedules should be reviewed at least annually. A holiday that is missing from the calendar does not stop the inbox from receiving messages. It mainly affects calculations and rules that refer to business hours.

If an organization operates twenty-four hours a day, it can configure business hours accordingly rather than leaving the field ambiguous.

Example configuration

When changing business hours, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

7. Reporting configuration

Saved report views preserve filters such as inbox, team, tag, date range, and selected metric. Starter includes five saved views, Growth twenty-five, and Enterprise one hundred.

A saved view does not freeze the underlying data. Opening the view later runs the report using the saved filters against the data still available inside the plan's reporting-history window.

Retention effect

Starter's 30-day reporting history means an old saved view may no longer be able to display earlier data after it moves outside the available window. Growth keeps 12 months, and Enterprise keeps up to 24 months.

Example configuration

When changing reporting configuration, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

8. Export configuration

Manual CSV export is available across plans for supported datasets. Growth and Enterprise can schedule exports. Enterprise may configure SFTP delivery.

Scheduled export frequency should match the business need. Generating the same large report more often than anyone uses it adds noise and may create unnecessary operational load.

File handling

Exported files should be stored according to the customer's own access and retention requirements. Downloading data from NovaFlow moves that copy into the customer's environment.

Example configuration

When changing export configuration, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

9. Integration setup

Integration setup normally requires an administrator account in both NovaFlow and the external service. The exact permissions vary by provider. Teams should use service accounts where the external provider supports them rather than tying a critical integration to one employee's personal login.

Connection tests should cover both success and failure. A connected Slack workspace, for example, should be tested with the destination channel and message format the support team actually plans to use.

The integration catalog changes. Administrators should rely on the current in-product integration list or approved integration documentation rather than an old marketing article.

Example configuration

When changing integration setup, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

10. Security administration

Administrators should review active users, role assignments, inbox access, MFA adoption, and integration credentials on a regular schedule. Enterprise SSO can simplify access management but still requires careful identity-provider configuration.

Audit export is available on Enterprise. It can help with account review, but it does not replace the customer's own security monitoring and access-review process.

Sensitive data

Internal notes are designed for team collaboration, not for storing passwords or unnecessary payment-card information. Administrators should set expectations with agents about what belongs in support records.

Example configuration

When changing security administration, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

11. Change management

Configuration changes should be tested before broad use when they affect routing, access, or customer communication. A short change note is useful for major workflow changes so the team knows what was changed and why.

If a rule causes unexpected assignment after release, disable the rule first, then inspect the triggering conditions and rule order. Do not add a second compensating rule until the original behavior is understood.

For larger teams, schedule significant workflow changes outside peak support periods when practical.

Example configuration

When changing change management, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.

12. Admin troubleshooting

Common configuration problems include a user lacking inbox membership, a rule disabled after testing, a channel token expiring, a saved report using an unexpected filter, or an integration pointing to the wrong destination.

Start with the visible symptom and check the smallest relevant configuration area. If one user cannot see an inbox, check role and membership before changing global settings.

Escalation

When product behavior does not match the documented configuration and the cause is unclear, record the account area, user, time, expected result, actual result, and recent configuration changes before escalation.

Example configuration

When changing admin troubleshooting, an administrator should make one understandable change, test the expected case, and then test a near-miss case. This makes it easier to tell whether the result came from the intended setting or from another rule, permission, or integration.

For larger accounts, a short change note is useful when a setting affects several teams. The note does not need to be formal, but it should identify what changed, who is affected, and how to reverse the change if the result is wrong.

Common admin mistake

- Changing a global setting when the symptom affects only one user or inbox.
- Adding a second rule before understanding why the first rule behaved unexpectedly.
- Assuming an external provider setting is controlled by NovaFlow.