

NovaFlow CX Product Manual

Core product behavior, features, plan limits, reporting, security, and integrations.

NovaFlow CX internal reference material

Contents

1. Product overview
2. Accounts, roles, and authentication
3. Shared inboxes and conversations
4. Workflow rules
5. Customer tags, attributes, and priority
6. Reporting
7. Exports and data access
8. Integrations
9. Security controls
10. Attachments and file handling
11. Business hours and response metrics
12. Plan reference

1. Product overview

NovaFlow CX is a customer-support workspace for teams that handle conversations through shared inboxes. It brings incoming customer messages, assignment, internal notes, tags, priority, workflow rules, and support reporting into one application. The product is intended for small and mid-sized service teams as well as larger teams that need shared ownership of customer conversations.

The application is not a full call-center platform. Voice calls can be connected through selected telephony integrations, but NovaFlow does not provide a native phone switch, IVR, or call-recording system. Product content should describe telephony as an integration when it is relevant.

The main user roles are agent, team lead, administrator, and reporting viewer. Permissions vary by role and by plan. A user may belong to more than one inbox if the administrator has granted access.

Core jobs

- Receive and reply to customer conversations.
- Assign conversations to people or teams.
- Add internal notes that customers do not see.
- Apply tags and priority.
- Use workflow rules for predictable routing and notification steps.
- Review operational support reports.

NovaFlow is designed to reduce repetitive coordination work. That does not mean it automatically resolves every customer request or replaces human review. Product copy should be careful when describing automation because workflow rules handle defined conditions and actions rather than open-ended business decisions.

Example in practice

A normal product overview question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

2. Accounts, roles, and authentication

Administrators invite users by email. Each user has an individual account. Shared passwords are not supported. Starter and Growth customers use email/password authentication. Multi-factor authentication is available on all plans and can be enabled by individual users. Enterprise customers may configure SAML single sign-on.

A suspended user cannot sign in but remains visible in historical conversation assignments, notes, and audit records where applicable. Removing a user's access should not remove historical records that are needed to explain past work.

Roles

- Agent: reads and replies to conversations in assigned inboxes.
- Team lead: agent permissions plus selected assignment and reporting controls.
- Administrator: manages users, inboxes, workflows, integration settings, and plan-level configuration.
- Reporting viewer: read-only access to reporting areas where assigned.

Password reset links are sent by email. Administrators cannot view existing passwords. Security documentation should not suggest that administrators can recover or display a user's password.

Enterprise SSO does not remove all account-level controls. User records still exist in NovaFlow so permissions, assignments, and history can be maintained.

Example in practice

A normal accounts, roles, and authentication question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

3. Shared inboxes and conversations

A shared inbox groups customer conversations that belong to a team or business function. Starter includes up to three shared inboxes. Growth includes up to fifteen. Enterprise inbox limits are negotiated as part of the account configuration.

A conversation can be unassigned, assigned to a person, or assigned to a team depending on the workflow and account setup. Internal notes are visible only to authorized team members. Customer replies and internal notes are separate message types.

Conversation state

- Open: active work is expected.
- Pending: waiting for customer or another event.
- Resolved: no further work is currently expected.

Resolving a conversation does not delete it. A customer reply may reopen a resolved conversation depending on channel behavior and inbox settings.

Tags are account-defined labels used for organization, reporting, and workflow conditions. Tags do not create access restrictions by themselves. Priority values are low, normal, high, and urgent.

Example in practice

A normal shared inboxes and conversations question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

4. Workflow rules

Workflow rules automate predictable actions when defined conditions are met. A rule contains one or more conditions and one or more actions. Conditions can use supported conversation fields such as inbox, tag, customer attribute, subject or message keyword, current priority, and selected channel information.

Supported actions include assigning a conversation, assigning a team, adding or removing a tag, changing priority, and sending an internal notification. Rules execute in the order configured for the account. Overlapping rules can therefore produce different results depending on order.

NovaFlow workflow rules do not execute arbitrary Python or JavaScript code. They also do not provide unrestricted access to external systems. External actions require a supported integration or a separate API integration built outside the rule editor.

Plan limits

- Starter: up to 5 active workflow rules.
- Growth: up to 50 active workflow rules.
- Enterprise: up to 250 active workflow rules unless a different limit is stated in the account contract.

A disabled workflow rule does not count as active for the plan limit. Product copy should not describe Starter or Growth as having unlimited workflow rules.

Example in practice

A normal workflow rules question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

5. Customer tags, attributes, and priority

Tags are short labels added manually or by workflow rules. Typical examples include billing, VIP, refund-requested, onboarding, and product-line names. Accounts control their own tag names, so published examples should be framed as examples rather than universal built-in tags.

Customer attributes can store selected business information used for filtering and workflow conditions. Sensitive information should not be added simply because a field is technically available. Customers remain responsible for configuring fields appropriately for their own use case.

Priority communicates operational importance inside the support team. It does not guarantee a response time by itself. If an organization wants a response-time target, that should be configured and communicated separately from the priority label.

Priority values

- Low
- Normal
- High
- Urgent

A rule can change priority, but the label remains an internal work-management signal. Marketing copy should not imply that setting a conversation to urgent automatically guarantees an immediate human reply.

Example in practice

A normal customer tags, attributes, and priority question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

6. Reporting

NovaFlow reporting is designed for support operations. Standard reports include conversation volume, first-response time, resolution time, assignment counts, tag-based breakdowns, and selected team or inbox comparisons.

Starter includes 30 days of reporting history. Growth includes 12 months. Enterprise includes up to 24 months. These are reporting-history limits, not a promise of unlimited retention for all product data.

Saved report views let teams preserve commonly used filters and report settings. Starter supports five saved views, Growth twenty-five, and Enterprise one hundred.

What reporting is not

NovaFlow is not a general-purpose data warehouse or business-intelligence platform. Customers that need cross-company analytics may export data into their own reporting environment. Product content should avoid claiming that NovaFlow replaces every analytics or warehouse tool.

First-response and resolution metrics depend on conversation events and configured business-hour settings. Numbers should be interpreted within the customer's workflow and reporting configuration.

Example in practice

A normal reporting question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

7. Exports and data access

Manual CSV export is available on all plans for supported report datasets. Growth adds scheduled CSV exports. Enterprise supports scheduled CSV and an SFTP delivery option where configured.

An export contains the fields available for the selected report or dataset. Export availability does not mean every internal system field is exposed. Some security, operational, or system-only fields remain internal.

Export jobs are subject to size and frequency controls. Very large reports may be split or may require a narrower date range. Content should not promise instant exports of unlimited datasets.

API access

NovaFlow offers authenticated API access for supported account and conversation operations. API limits vary by account configuration and are documented separately for customers using the API. The public product guide should not invent a single universal requests-per-second limit unless an approved API reference supplies one.

Example in practice

A normal exports and data access question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

8. Integrations

NovaFlow can connect to selected email providers, team-chat tools, CRM systems, and telephony providers. The integration catalog changes over time. A general statement such as 'connect NovaFlow with supported CRM and team-chat tools' is safer than naming a specific integration unless the current approved catalog confirms it.

Telephony integrations can surface call-related activity or link workflows to supported providers, but NovaFlow is not itself a full voice platform. It does not include a native IVR, dialer, call recording service, or carrier network.

An integration may require a separate account with the external provider. Fees charged by the external provider are not included automatically in a NovaFlow subscription.

Failure handling

If an external integration is unavailable, NovaFlow may show an integration error or delay a connected action. A third-party outage should not be described as evidence that the entire NovaFlow platform is offline.

Example in practice

A normal integrations question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

9. Security controls

NovaFlow encrypts data in transit using TLS and encrypts stored customer data using managed cloud-storage encryption. Multi-factor authentication is available to users. Enterprise customers may configure SAML single sign-on and may request audit export where included in their plan.

Security controls reduce risk but do not eliminate it. NovaFlow does not approve statements such as 'impossible to hack', 'zero security risk', or '100 percent secure'. Content should describe the actual control rather than promise an outcome no software system can guarantee.

Access to conversations is controlled by user permissions and inbox membership. Internal notes are not sent to customers but should still be treated as business data.

Security wording

- Acceptable: 'Data is encrypted in transit and at rest.'
- Acceptable: 'Multi-factor authentication is available on all plans.'
- Not approved: 'NovaFlow guarantees complete protection from breaches.'

Compliance certifications, contractual commitments, and regional data-processing terms are documented separately. Writers should not infer a certification from a security feature.

Example in practice

A normal security controls question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

10. Attachments and file handling

Customer and agent messages can include supported file attachments. Individual attachment limits depend on channel and account configuration. A general product article should avoid giving a file-size number unless it is sourced from the approved channel or attachment reference.

Files are scanned and processed according to the platform's normal security controls. NovaFlow does not promise that every file format can be previewed in the browser. Unsupported files may still be downloadable where allowed.

Customers are responsible for deciding what information is appropriate to send through their support channels. Product copy should avoid encouraging users to place passwords, payment-card numbers, or other unnecessary sensitive information in conversation notes.

Example in practice

A normal attachments and file handling question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

11. Business hours and response metrics

Accounts can define business hours for reporting and selected workflow behavior. Business hours affect how certain response-time metrics are calculated. A report using business hours may produce a different first-response value than a simple wall-clock calculation.

Business-hour configuration does not automatically guarantee that an agent will reply within a specific target. If a customer organization has a service-level target, that target belongs to the organization's process or contract.

Holiday schedules can be added to business-hour configuration where supported. A missing holiday entry can affect report interpretation but does not change the actual timestamps stored for conversation events.

Example in practice

A normal business hours and response metrics question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.

12. Plan reference

Area	Starter	Growth	Enterprise
Agent seats	Up to 10	Up to 50	Negotiated
Shared inboxes	3	15	Negotiated
Active workflow rules	5	50	Up to 250 unless contracted otherwise
Reporting history	30 days	12 months	Up to 24 months
Saved report views	5	25	100
Data export	Manual CSV	Manual + scheduled CSV	Manual + scheduled CSV + SFTP option
SSO	No	No	SAML SSO
MFA	Available	Available	Available
Audit export	No	No	Available

Plan limits are account-level controls. A statement about a plan should use the current approved table and should not combine the highest limit from one plan with the price or name of another.

Enterprise contracts can include negotiated values. When a customer-specific contract differs from the standard reference, the contract governs that account. Public marketing content should use the standard plan language unless approved otherwise.

No standard plan includes unlimited reporting history. Enterprise reporting history is described as up to 24 months in the standard product reference.

Example in practice

A normal plan reference question should be answered from the documented account setup rather than from an assumed best-case configuration. For example, a Growth account should be treated as a Growth account even when an Enterprise feature would make the explanation simpler. If a capability depends on a connected provider, the provider should remain visible in the wording.

Support and product teams also need to distinguish what the platform can do from what a customer has configured. A feature being available does not mean every account has enabled it, and an account-level setting should not be turned into a universal product promise.

Review notes

- Check the plan and account context before using a limit.
- Keep built-in behavior separate from integration behavior.
- Do not turn an available control into a guaranteed outcome.