

NovaFlow CX Reporting, Data, and Integrations Reference

Operational reporting, export behavior, integration boundaries, and data-language guidance.

NovaFlow CX internal reference material

Contents

1. Reporting overview
2. Conversation volume
3. First-response time
4. Resolution time
5. Tag and assignment reports
6. Retention and date ranges
7. Exports
8. Integration catalog
9. Integration failure and responsibility
10. Data-handling language
11. Reporting examples

1. Reporting overview

NovaFlow reports are operational support reports. They help teams understand workload, response patterns, resolution patterns, assignments, inboxes, and tags. They are not intended to replace a full business-intelligence platform.

The standard report areas include conversation volume, first response, resolution time, assignments, tag breakdowns, and team or inbox comparisons.

Metrics depend on the events and filters included in the report. A screenshot of one account should not be presented as a universal benchmark for every customer.

Example

A team reviewing reporting overview might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

2. Conversation volume

Conversation volume counts conversations within the selected report rules. The exact count can differ depending on whether a view filters by created date, activity date, inbox, tag, or current state.

When publishing a product explanation, describe what the report shows without inventing a customer-performance result. 'Shows conversation volume by inbox' is a product fact. 'Cuts volume by 40 percent' is an outcome claim that would need separate evidence.

Example

A team reviewing conversation volume might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

3. First-response time

First-response time measures the interval between the relevant incoming customer event and the first qualifying team response. Business-hour configuration can affect how the interval is reported.

A low first-response time can be useful operationally, but the product does not guarantee a particular result for every team. Staffing, channel mix, routing, and customer behavior all influence response performance.

Marketing content should not claim a universal response-time improvement unless an approved study supplies the number, population, and measurement method.

Example

A team reviewing first-response time might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

4. Resolution time

Resolution time tracks the time between the start of a conversation and its resolution under the report's configured rules. Reopened conversations can affect interpretation depending on the report.

Resolution is an operational state, not proof that the customer's underlying problem was permanently solved. Writers should avoid turning the label into a customer-success guarantee.

Example

A team reviewing resolution time might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

5. Tag and assignment reports

Tag reports help teams group work using their own taxonomy. Assignment reports show how conversations were distributed among users or teams. Because tags are account-defined, examples should not imply that every customer uses the same tags.

A tag report can reveal patterns but does not determine causation. An increase in refund-tagged conversations, for example, shows a change in tagged volume but does not by itself explain why the change happened.

Example

A team reviewing tag and assignment reports might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

6. Retention and date ranges

Starter reports can access 30 days of history. Growth reports can access 12 months. Enterprise reports can access up to 24 months. Date pickers and saved views remain subject to these limits.

A report link or saved view does not preserve data outside the plan's available history. No standard plan has unlimited reporting history.

Example

A team reviewing retention and date ranges might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

7. Exports

Supported report datasets can be exported as CSV. Growth and Enterprise can schedule CSV exports. Enterprise can use SFTP delivery where configured.

Exports are intended to help customers use their operational data in spreadsheets, warehouses, or other reporting environments. This does not mean NovaFlow itself functions as a warehouse.

Exported data becomes the customer's responsibility once stored in the customer's environment.

Example

A team reviewing exports might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

8. Integration catalog

NovaFlow supports selected email, team-chat, CRM, and telephony integrations. The exact vendor list changes as integrations are added, updated, or retired.

General product copy should use categories unless a vendor-specific claim has been checked against the current approved integration list.

A connected telephony provider remains responsible for its voice network, calling features, and any provider-specific recording controls. NovaFlow is not the carrier.

Example

A team reviewing integration catalog might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

9. Integration failure and responsibility

A third-party integration can fail while NovaFlow's core inbox remains available. The product may show a connection error, retry an action, or require an administrator to reconnect the provider.

Writers should not describe an external-provider outage as a NovaFlow platform outage unless the product itself is unavailable.

External-service fees and contractual terms are separate from NovaFlow subscription fees unless an approved offer states otherwise.

Example

A team reviewing integration failure and responsibility might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

10. Data-handling language

Product content should distinguish between application behavior and customer policy. NovaFlow provides controls for access, encryption, and export. The customer decides what business data to place in the platform and how exported copies are handled in its own environment.

Avoid saying 'NovaFlow keeps all data forever' or 'NovaFlow deletes everything after 30 days'. The 30-day Starter number is a reporting-history limit, not a universal statement about every stored record.

When a data-lifecycle question goes beyond the approved public reference, content should be escalated rather than guessed.

Example

A team reviewing data-handling language might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.

11. Reporting examples

Scenario	Supported statement	Unsupported leap
Billing inbox review	Compare volume and first response by week	NovaFlow caused revenue to increase
Tag analysis	See how refund-tagged conversations changed	Refund requests fell because of NovaFlow
Team assignment	Review assignment counts by agent/team	Every agent became 60% more productive

The supported statements describe what the report can show. The unsupported statements turn observed data into a causal or numerical performance claim without the evidence needed to support it.

Example

A team reviewing reporting examples might compare two inboxes or date ranges and then use the result to ask a staffing or process question. The report can show the operational pattern, but the report alone does not prove why the pattern changed.

Writers should preserve this distinction. It is acceptable to describe what a report displays. A causal statement about revenue, productivity, or customer satisfaction needs separate evidence.

Practical notes

- Keep the report's date range and plan history in view.
- Use account-defined tags and filters as examples, not universal product fields.
- Treat external-provider behavior separately from NovaFlow reporting behavior.