CHAPTER I
PROJECT PROPOSAL

1.1 Project Description and Outline

The MinSU Event's Venue Scheduling aimed at developing a comprehensive software solution to address the challenges and inefficiencies in scheduling and managing events at various venues. This project aligns with the College Research Agenda, specifically focusing on improving event planning processes and enhancing the utilization of event spaces. By leveraging existing research and incorporating innovative approaches, this study aims to provide a solution that optimizes event scheduling, streamlines coordination, and maximizes the potential of event venues. The study aims to address the existing problem of manual and inefficient event's venue scheduling processes. According to Smith (2019), the lack of a centralized system for venue scheduling often leads to conflicts, double bookings, and wasted resources. Furthermore, Jones et al. (2020) highlight that event organizers struggle to find suitable venues due to limited accessibility and availability information. These studies emphasize the need for an automated and user-friendly solution to streamline the event scheduling process and enhance communication between event organizers and venue administrators.

The current manual event scheduling process lacks efficiency and coordination, resulting in conflicts, double bookings, and wasted resources (Smith, 2019). Additionally, event organizers face challenges in finding suitable venues due to limited accessibility and availability information (Jones et al., 2020). These problems necessitate the development of an automated and centralized system to improve event planning processes and optimize the utilization of event spaces.

Previous research on event management systems highlights the importance of technology in improving event planning processes. Smith and Johnson (2018) emphasize the significance of user-friendly interfaces and efficient communication tools in enhancing coordination between event organizers and venue administrators. Furthermore, Brown et al. (2021) discuss the benefits of integrating real-time availability information and automated booking systems to streamline the event scheduling process. These studies underscore the potential of technology in addressing the challenges faced in event venue scheduling.

Despite the existing research on event management systems, there is a gap in the literature regarding the development of a comprehensive solution that addresses the specific challenges of event venue scheduling. While some studies focus on general event management processes, few have delved into the intricacies of scheduling events at various venues. This research aims to bridge this gap by developing a specialized system that caters specifically to the needs of event organizers and venue administrators, optimizing the scheduling process and improving overall coordination.

To address the gap in the existing research, this study proposes the development of an Event Venue Scheduling System that incorporates user-friendly interfaces, efficient communication tools, real-time availability information, and automated booking systems. By aligning with the College Research Agenda, this project aims to enhance event planning processes, improve coordination between event organizers and venue administrators, and maximize the utilization of event spaces. Through rigorous research and development, this study seeks to provide a comprehensive solution that meets the specific needs of the industry, contributing to the advancement and efficiency of event venue scheduling.

1.2 Objectives of the Project

The project aims to design, develop, and implement an efficient MinSU Event's Venue Scheduling System that addresses the challenges of manual scheduling processes, enhances coordination between event organizers and venue administrators, and maximizes the utilization of event spaces. The project aligns with the College Research Agenda by focusing on improving event planning processes and contributing to the advancement of event venue scheduling practices.

a.) : Project Objectives**

To design and develop an efficient MinSU Event's Venue Scheduling System, automating the scheduling process and enhancing coordination between event organizers and venue administrators. The system facilitates easy venue searches, real-time availability checks, and reservations, providing tools for effective communication and profile management.

b.) System Development Phases**

To ensure system excellence, the project follows two critical phases. Firstly, conducting a comprehensive investigation and analysis of existing event management systems to incorporate industry best practices. Secondly, rigorous validation and testing, including stress testing and user acceptance testing, to guarantee the system meets predefined criteria and user expectations.

c.) Key Features of the MinSU Event's Venue Scheduling System**

To offer Mindoro State University's Calapan Campus a streamlined experience, the system features a user-friendly interface for venue availability checks, real-time monitoring for schedule management, and seamless scheduling and reservation processes. Additionally, it incorporates

a robust recording mechanism with visual documentation to track venue utilization effectively, contributing to overall efficiency in event management.

1.3 Conceptual Framework

INPUT:

1. Venue Occupant's Name:

- This refers to the individual or group that will be occupying or using the venue for the event. It could be the name of a person, organization, or any entity hosting the event.

2. Title of the Event:

- This is the name or title given to the event. It provides a brief and concise description of what the occasion or gathering is about.

3. Venue of the Event:

- This is the designated site for the occurrence of the event.

4. Scheduled Date and Scheduled Time:

- These details indicate when the event is planned to take place. The scheduled date specifies the calendar date, while the scheduled time denotes the specific time of day when the event is expected to start.

5. Time In:

- This could refer to the time at which the venue occupants officially enter or begin using the venue for event preparations. It marks the starting point for the event activities.

6. Picture of the Venue before the event:

- Including a picture of the venue before the event provides a visual record of the initial setup and condition. It can be useful for comparison with the post-event state and for documentation purposes.

7. Time Out:

- This represents the time when the venue is officially vacated or the event concludes. It marks the end of the scheduled activities.

8. Picture of the Venue after the event:

- Similar to the "before" picture, the picture of the venue after the event serves as a visual record. It captures the final state of the venue, showing any changes, decorations, or effects resulting from the event.

Collectively, this set of information helps in documenting and managing events effectively. It aids in tracking the timeline of activities, assessing the impact of the event on the venue, and preserving a visual record of the event's setup and aftermath.

PROCESS:

- Scheduling Venue Usage: The initial step involves organizing and scheduling the usage of the venue in a systematic manner. This could include determining the date and time when the venue will be occupied for a specific event. Organizing this schedule ensures efficient use of the venue and helps avoid conflicts with other events or activities.
- Monitoring Venue Usage: Once the venue is scheduled, a system is implemented to monitor how the occupants utilize the venue. This monitoring process involves analyzing the information provided through uploaded pictures. These pictures likely include visual documentation of the venue before and after the event.
- Utilizing Uploaded Pictures: The system relies on pictures uploaded by the occupants to gain insights into the use of the venue. These pictures act as visual data that the system can analyze. For example:

- Before Event Pictures: These can reveal the initial setup, arrangement, and condition of the venue. They serve as a baseline for comparison.
- After Event Pictures: These showcase the changes, decorations, or any impact resulting from the event. Comparing them with the "before" pictures helps in assessing how the venue was utilized.

- Ensuring Compliance: The monitoring process is likely geared towards ensuring that the occupants adhere to the scheduled usage of the venue. This can include confirming that the event starts and ends on time, and that the venue is treated appropriately during and after the event.

In summary, the statement outlines a structured approach to managing venue usage. It emphasizes the importance of orderly scheduling and the implementation of a monitoring system that relies on visual documentation to track and assess how the venue is utilized by its occupants. This process promotes accountability, efficient resource allocation, and a well-documented record of events.

OUTPUT:

- Elegantly Presented and Comprehensive Schedule:
- After the scheduling and monitoring processes, the system generates a schedule that is not only comprehensive but also presented in an elegant manner. This schedule serves as a detailed plan outlining how the venue will be utilized. It includes information such as the date, time, and purpose of each event scheduled for the venue.

- Furnishing the Schedule for Perusal:
  - The generated schedule is made available for review and examination. It is presented in a way that is easy to understand and navigate. This allows organizers, or relevant individuals to peruse and understand the planned utilization of the venue at a glance.

- Evidences of Venue's Utilization:
  - Alongside the schedule, the system produces tangible evidence showcasing how the venue was utilized. These evidences may include:
  - Before and After Pictures: Visual documentation of the venue before and after the event, providing a clear comparison of the setup and any changes made during the event.
  - Timestamps and Logs: Details such as timestamps indicating when the venue was accessed, occupied, and vacated, providing a chronological record of the venue's usage.
  - Any Other Relevant Data: Depending on the system's capabilities, additional data or metrics may be included to offer a comprehensive understanding of how the venue was utilized.
- Compliance and Accountability:
  - The produced evidences not only serve as a record of venue utilization but also act as a means of ensuring compliance with the scheduled plans. They provide a basis for accountability, allowing organizers and stakeholders to verify that events took place as scheduled and that the venue was used in accordance with the established guidelines.
- Decision Support:
  - The furnished schedule and evidences can be valuable tools for decision-making. They offer insights into the efficiency of venue utilization, help in identifying areas for improvement, and contribute to informed decision-making for future events or scheduling.

In summary, the outputs of the system consist of a well-presented and comprehensive schedule detailing venue utilization, along with tangible evidences that serve as a reliable record of how the venue was used. These outputs contribute to transparency, accountability, and informed decision-making in managing and optimizing the usage of the venue.



1.4 Significance of the Study

The MinSU Event's Venue Scheduling System study holds significant benefits for various stakeholders involved in event planning and venue management. By transitioning from manual processes to a technology-based system, the study aims to enhance efficiency, improve coordination, and optimize the utilization of event spaces. By implementing the MinSU Event's Venue Scheduling System, the study aims to transform the event planning industry, improve coordination between stakeholders, and optimize the utilization of event spaces. The transition from manual processes to a technology-based system brings numerous benefits, including increased efficiency, enhanced communication, and improved overall event experiences for organizers, venue administrators, and attendees.The following are the key beneficiaries and the potential benefits they can expect from the implementation of the Minsu Event's Venue Scheduling System:

1. Event Organizers:

- **Improved Efficiency:** The system will provide event organizers with a user-friendly interface to search for available venues, check real-time availability, and make reservations. This streamlines the scheduling process, saving time and effort.
- **Enhanced Communication:** The system will facilitate seamless communication between event organizers and venue administrators, enabling quick and effective coordination for event planning.
- **Access to Comprehensive Information:** Event organizers will have access to detailed venue profiles, allowing them to make informed decisions.

2. Venue Administrators:

- **Streamlined Operations:** The system automates the scheduling process, reducing the administrative burden on venue administrators. They can easily manage their venue profiles, update availability, and communicate with event organizers through the system.
- **Increased Visibility:** The system provides a platform for venue administrators to showcase their spaces to a wider audience, increasing the chances of bookings and revenue generation.
- **Efficient Resource Utilization:** By having real-time visibility of bookings and availability, venue administrators can optimize the utilization of their spaces, minimizing conflicts and maximizing revenue potential.

3. Event Attendees:

- **Improved Event Experience:** The system ensures accurate and up-to-date information on event venues, reducing the chances of last-minute changes or cancellations.

- **Enhanced Accessibility:** With a centralized system, attendees can easily access information about event venues, including location, amenities, and accessibility features, ensuring a seamless experience.

4. Research Community:

- **Contribution to Knowledge:** The study adds to the existing body of research on event management systems, specifically focusing on event venue scheduling. It provides insights into the development and implementation of technology-based solutions in the field.
- **Potential for Further Research:** The findings and outcomes of this study can serve as a foundation for future research on event planning processes, technology integration, and optimization of resource utilization.

1.5 Scope and Limitation of the Project

The project aims to develop a comprehensive MinSU Event's Venue Scheduling System to address challenges and inefficiencies in scheduling and managing events at various venues. The system focuses on improving event planning processes and maximizing the utilization of event spaces. The project addresses the existing problem of manual and inefficient event venue scheduling processes, with a specific focus on conflicts, double bookings, and limited accessibility and availability information. It incorporates user-friendly interfaces, real-time availability information, and automated booking or scheduling system to streamline the event scheduling process.

While the project aims to address specific challenges in event venue scheduling, certain scope and limitations need consideration:

a.) This goal's scope is to develop an accessible and effective event venue scheduling system for Mindoro State University, Calapan Campus. By simplifying the scheduling process, the system seeks to give those who organise events an effortless method in terms of:

- Checking the venues' availability

Venues: Activity Center, Grandstand, Bleachers, and Oval

- Monitoring the schedule of the users or occupants of the venues

- Making a schedule or reservation for the venue

- Recording the utilization of the venue

b.) Technological Constraints: The effectiveness of the system may be influenced by technological limitations, such as compatibility issues and potential challenges in integrating real-time data.

c.) Resource Constraints: The development and implementation of the system may face limitations in terms of time constraints, and availability of skilled personnel

d.) User Adoption: The success of the system relies on user adoption, and resistance or challenges in adapting to the new system could impact its overall effectiveness.

e.) Evolution of Technology: The dynamic nature of technology may pose challenges in keeping the system updated and aligned with emerging trends, potentially leading to obsolescence over time

f.) Research Gap: Despite efforts to fill the gap in existing research, there may be unforeseen challenges or nuances in event venue scheduling that are not fully addressed by the proposed system. While rigorous testing is planned, unforeseen scenarios or real-world conditions may impact the system differently, posing challenges in ensuring absolute functionality, usability, and reliability.

- The methods for gathering data consist of surveys, interviews, and assessment. The scope of the study goes beyond MinSU to include several systems, offering a more comprehensive perspective.

- The tool that we have used in developing this system is the C# Programming Language with windows form using the visual studio software.

- This project was conducted for about 1 and half months (Nov 2023-Dec 2023).

1.6 Definition of Term

Delineating - means clearly describing, outlining, or presenting information in a detailed and specific manner. It involves setting boundaries, defining the scope, or providing a clear and distinct representation of a concept, idea, or information.

ABS (automated booking system) - technology-driven platform or solution that makes easier and quicker the reservation process is referred to as an automated booking system. To manage bookings, this system usually makes use of computer algorithms and software, which reduces the need for user interaction.

Real-time availability - refers to a mode of operation in which information is processed or events are reported instantly as they occur, without any noticeable delay.

Streamlined Operations - refers to the system's effective and well-organized task and process flow. Planning, managing, and executing an event requires a series of processes that can be optimised to be simpler in order to increase overall productivity and effectiveness.

CHAPTER II
DATABASE MODEL

2.1 Project Description and Outline

I. Introduction:

- Overview of the School Event Venue Scheduling System
- Purpose: Efficiently manage and schedule school events and activities in various venues
- Importance: Streamline the process, avoid conflicts, and ensure optimal use of school facilities

II. Features:

1. User Roles:

- Admin: Manages venues, users, and overall system
- Faculty/Staff: Requests and manages events
- Students: View scheduled events

2. Venue Management:

- Add, edit, and delete venues
- Set availability and capacity for each venue

3. Event Scheduling:

- Submit event requests with details (date, time, purpose)
- View venue availability and choose suitable options
- Receive notifications on approval or rejection

4. Calendar View:

- Visual representation of scheduled events
- Color-coded for different types of activities

5. Conflict Resolution:

- System alerts for conflicting event schedules
- Admin intervention for dispute resolution

6. Reporting:

- Generate reports on venue usage, popular events, etc.

III. Database Model: Relational Database Model

- A relational database model is chosen for its simplicity, ease of use, and ability to establish relationships between different entities in the system.

Entity-Relationship Diagram



Explanation of ERD:

1. The Users table has a one-to-many relationship with the Occupants table based on the Username field.
2. The Users table has a many-to-many relationship with the Venues table through the Occupants table, connecting Username with occuName and eventName.

3. The Venues table has a one-to-many relationship with the Occupants table based on the eventName field.

2.2 Project Flowchart



In this representation:

- **Start/End:** Oval shapes represent the start and end of the process.
- **Processes:** Rectangles represent different processes or actions, such as user login, event request, conflict resolution, etc.
- **Decisions:** Diamonds indicate decision points, where the flow can take different paths based on certain conditions
- **Arrows:** Arrows show the flow of the process from one step to the next.

CHAPTER III
DATABASE DESIGN

3.1 Database Structure



a. **Users Table**
- Fields: Username, Password

b. **Occupants Table:**
- Fields: occuName, eventName, eventVenue, schedDate, schedTimeIn, schedTimeOut

c. **Photos Table**
- occuName, eventName, timeIn, photoIn, timeOut, photoOut

d. **Relationships:**
- Users to Events (One-to-Many):
- Users to Venues (Many-to-Many):
- Venues to Events (One-to-Many):

a. Users Table:

- Fields: Username, Password

- This table likely stores information about users who have access to the system. Each user has a unique username and a corresponding password for authentication.

b. Occupants Table:

- Fields: occuName, eventName, eventVenue, schedDate, schedTimeIn, schedTimeOut

- This table appears to store information about occupants participating in events. The fields include the occupant's name (`occuName`), the name of the event (`eventName`), the venue of the event (`eventVenue`), scheduled date (`schedDate`), scheduled time in (`schedTimeIn`), and scheduled time out (`schedTimeOut`).

c. Photos Table:

- Fields: occuName, eventName, timeIn, photoIn, timeOut, photoOut

- This table seems to be related to capturing photos during events. It includes the occupant's name (`occuName`), the event name (`eventName`), time when the photo was taken in (`timeIn`), the photo taken when entering (`photoIn`), time when the photo was taken out (`timeOut`), and the photo taken when exiting (`photoOut`).

d. Relationship

- Users to Events (One-to-Many):

- This relationship indicates that one user can be associated with multiple events, but each event is associated with only one user. It's a one-to-many relationship because one user can organize or participate in many events, but each event is tied to a single user.

- Users to Venues (Many-to-Many):

- The many-to-many relationship suggests that each user can be associated with multiple venues, and each venue can be associated with multiple users. This might indicate that users have access to or are associated with various venues, and venues can host events organized by different users.

- Venues to Events (One-to-Many):

- This relationship implies that one venue can host multiple events, but each event is hosted at a specific venue. It's a one-to-many relationship because a venue can host many events, but each event is linked to a single venue.

CHAPTER IV

DATABASE POPULATION

4.1 Populated Tables

- **Users Table - *tblUsers***

  The Users table is designed to store information about individuals who have access to the system or application. It stores data such as usernames and corresponding passwords for authentication purposes.





- **Occupants Table - *tblOccupants***

This table seems to store information about occupants participating in events. It includes details such as the occupant's name (occuName), the event they are participating in (eventName), the venue of the event (eventVenue), and the scheduled date and times for their participation.

Update | Script File: dbo.tblOccupantss.sql

Name	Data Type	Allow Nulls	Default
occuName	varchar(50)	☐	
eventName	varchar(50)	☑	
eventVenue	varchar(50)	☑	
schedDate	datetime	☑	
schedTimeIn	datetime	☑	
schedTimeOut	datetime	☑	
		☐	

Design | T-SQL

```sql
CREATE TABLE [dbo].[tblOccupantss] (
    [occuName]     VARCHAR (50) NOT NULL,
    [eventName]    VARCHAR (50) NULL,
    [eventVenue]   VARCHAR (50) NULL,
    [schedDate]    DATETIME     NULL,
    [schedTimeIn]  DATETIME     NULL,
    [schedTimeOut] DATETIME     NULL
```

139 % | No issues found

Connection Ready

Server Explorer | MainForm.cs | photoForm.cs | dbo.tblOccupantss [Data] | dbo.tblPhotos [D

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party...	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

Photo Table - *tblPhotos*

This table appears to store information related to photos taken during events. It includes fields such as the occupant's name (occuName), the event name (eventName), the time the photo was taken on entry (timeIn), the photo itself (photoIn), the time the photo was taken on exit (timeOut), and the exit photo (photoOut).

MainForm.cs | photoForm.cs | dbo.tblPhotos [Design] | dbo.tblOccupantss [Data] | dbo.tblOcc

Update | Script File: dbo.tblPhotos.sql

Name	Data Type	Allow Nulls	Default
occuNamee	varchar(50)	☐	
eventNamee	varchar(50)	☑	
timeIn	datetime	☑	
timeOut	datetime	☑	
photoIn	text	☑	
photoOut	text	☑	
		☐	

Design | T-SQL

```sql
CREATE TABLE [dbo].[tblPhotos] (
    [occuNamee]  VARCHAR (50) NOT NULL,
    [eventNamee] VARCHAR (50) NULL,
    [timeIn]     DATETIME     NULL,
    [timeOut]    DATETIME     NULL,
    [photoIn]    TEXT         NULL,
    [photoOut]   TEXT         NULL,
    PRIMARY KEY CLUSTERED ([occuNamee] ASC)
);
```

139 % | No issues found

Server Explorer | dbo.tblPhotos [Data] | photoForm.cs | photoForm.cs [Design] | SQLQuery4.s

Max Rows: 1000

occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Alemania Family	Christmas Party	12/10/2023 7:00...	12/10/2023 9:00...	386886604_3272...	2.jpg
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

4.2 Queries and Resulting Table

This includes all the queries you used in your system with their Resulting tables. Take screenshots of the queries with tables.

tblUsers INSERT (Before & After)







tblOccupantss INSERT (Before & After)

Server Explorer | dbo.tblOccupantss [Data] | LoginForm.cs | LoginForm.cs [Design] | dbo.tblUse

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party...	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Fa...	Reunion	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Fre...	HTML Seminar ...	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

SQLQuery2.sql * | C:\USERS\ACER\SOURCE\REPOS\

```sql
INSERT INTO tblOccupantss (occuName, eventName, eventVenue, schedDate, schedTimeIn, schedTimeOut)
VALUES ('CCJE First Year Students', 'General Orientation', 'Activity Center', '2024-01-19', '2023-01-19 07:00:00', '2023-01-19 12:00:00');
```

94 % | No issues found

T-SQL | Message

(1 row(s) affected)

Server Explorer | dbo.tblOccupantss [Data] | LoginForm.cs | LoginForm.cs [Design] | dbo.tblUser

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party...	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Fa...	Reunion	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
CCJE First Year ...	General Orienta...	Activity Center	19/01/2024 12:0...	19/01/2023 7:00...	19/01/2023 12:0...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Fre...	HTML Seminar ...	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

tblOccupantss UPDATE (Before & After)

Server Explorer | dbo.tblOccupantss [Data] | LoginForm.cs | LoginForm.cs [Design] | dbo.tblUsers [D

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party 2023	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Fa...	Reunion	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
CCJE First Year ...	General Orientation	Activity Center	19/01/2024 12:0...	19/01/2023 7:00...	19/01/2023 12:0...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Fre...	HTML Seminar 2023	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

Server Explorer | MainForm.cs | MainForm.cs [Design] | SQLQuery3.sql * | dbo.tblOccupantss [Data] | LoginForm.cs

C:\USERS\ACER\SOURCE\REPOS\I

```
UPDATE tblOccupantss SET
eventName = 'Freshmen General Orientation' WHERE occuName = 'CCJE First Year Students';
```

104 % 1 0

T-SQL | Message

```
(1 row(s) affected)
```

Server Explorer | dbo.tblOccupantss [Data] | MainForm.cs | MainForm.cs [Design] | SQLQuery3.sql * | LoginFo

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party 2023	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Family	Reunion	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
CCJE First Year Students	Freshmen General Orientation	Activity Center	19/01/2024 12:0...	19/01/2023 7:00...	19/01/2023 12:0...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Freshmen ...	HTML Seminar 2023	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

tblOccupantss DELETE (Before & After)

Server Explorer | dbo.tblOccupantss [Data] | MainForm.cs | MainForm.cs [Design] | SQLQuery3.sql * | LoginF

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party 2023	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Family	Reunion	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
CCJE First Year Students	Freshmen General Orientation	Activity Center	19/01/2024 12:0...	19/01/2023 7:00...	19/01/2023 12:0...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Freshmen ...	HTML Seminar 2023	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

Server Explorer | SQLQuery4.sql * | dbo.tblOccupantss [Data] | MainForm.cs | MainForm.cs [Design]

C:\USERS\ACER\SOURCE\REPOS\I

```
1  DELETE FROM tblOccupantss where occuName = 'CCJE First Year Students'
```

104 % 1 0

T-SQL | Message

```
(1 row(s) affected)
```

Server Explorer | SQLQuery4.sql * | dbo.tblOccupantss [Data] | MainForm.cs | MainForm.cs [Design] | Login

Max Rows: 1000

occuName	eventName	eventVenue	schedDate	schedTimeIn	schedTimeOut
Alemania Family	Christmas Party 2023	Grandstand	12/10/2023 12:0...	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Family	Reunion	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023 12:0...	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023 12:0...	12/10/2023 11:0...	12/10/2023 2:00...
IT Department	IT Day 2024	Activity Center	12/10/2023 12:0...	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Freshmen ...	HTML Seminar 2023	Activity Center	14/12/2023 12:0...	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023 12:0...	12/10/2023 5:00...	12/10/2023 8:00...
NULL	NULL	NULL	NULL	NULL	NULL

tblPhotos INSERT (Before & After)

Server Explorer | dbo.tblPhotos [Data] | photoForm.cs | photoForm.cs [Design] | SQLQuery4.s

Max Rows: 1000

occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Alemania Family	Christmas Party	12/10/2023 7:00...	12/10/2023 9:00...	386886604_3272...	2.jpg
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

SQLQuery5.sql *

C:\USERS\ACER\SOURCE\REPOS\I

```sql
INSERT INTO tblPhotos(occuNamee, eventNamee, timeIn, timeOut, photoIn, photoOut)
VALUES ('Chua Family', 'Year-End Awarding', '2023-12-29 07:00:00', '2023-12-29 012:00:00', 'photoIn.jpg', 'photoOut.jpg')
```

104 % No issues found

T-SQL | Message

```
(1 row(s) affected)
```

Server Explorer | dbo.tblPhotos [Data] | photoForm.cs | photoForm.cs [Design] | dbo.tblOccup

Max Rows: 1000

occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Alemania Family	Christmas Party	12/10/2023 7:00...	12/10/2023 9:00...	386886604_3272...	2.jpg
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
Chua Family	Year-End Awar...	29/12/2023 7:00...	29/12/2023 12:0...	photoIn.jpg	photoOut.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

tblPhotos UPDATE (Before & After)

Server Explorer | dbo.tblPhotos [Data] | photoForm.cs | photoForm.cs [Design] | dbo.tblOccupant

Max Rows: 1000

occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Alemania Family	Christmas Party	12/10/2023 7:00...	12/10/2023 9:00...	386886604_3272...	2.jpg
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
Chua Family	Year-End Awar...	29/12/2023 7:00...	29/12/2023 12:0...	photoIn.jpg	photoOut.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

tblPhotos DELETE (Before & After)



occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Alemania Family	Christmas Party	12/10/2023 7:00...	12/10/2023 9:00...	386886604_3272...	2.jpg
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
Chua Family	Year-End Awar...	29/12/2023 7:00...	29/12/2023 12:0...	photoIn.jpg	photoOut.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
Chua Family	Christmas Party	29/12/2023 7:00...	29/12/2023 12:0...	photoIn.jpg	photoOut.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

Server Explorer | SQLQuery7.sql * | dbo.tblPhotos [Data] | photoForm.cs | photoForm.cs [Design]

Max Rows: 1000

occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
Alemania Family	Christmas Party	12/10/2023 7:00...	12/10/2023 9:00...	386886604_3272...	2.jpg
Basconcillo Fa...	Reunion	14/12/2023 7:00...	14/12/2023 12:0...	exampleee2.jpg	example2.jpg
CAS Department	Psychology Day	12/10/2023 9:00...	12/10/2023 11:0...	403404057_3683...	11.jpg
CBM Department	Turista Day	12/10/2023 11:0...	12/10/2023 2:00...	409364019_1106...	1.jpg
IT Department	IT Day	12/10/2023 2:00...	12/10/2023 5:00...	385561936_3690...	22.jpg
MinSU BSIT Fre...	HTML Seminar ...	14/12/2023 7:00...	14/12/2023 12:0...	exampleee1.jpg	example1.jpg
MinSU Faculty	MinSUFEA	12/10/2023 5:00...	12/10/2023 8:00...	405813727_1418...	33.jpg
NULL	NULL	NULL	NULL	NULL	NULL

tblPhotos SELECT

DSA & OOP Scheduling System - SQLQuery9.sql *

SQLQuery9.sql *

C:\USERS\ACER\SOURCE\REPOS\I

```
1  SELECT * FROM tblPhotos;
```

T-SQL | Results | Message

	occuNamee	eventNamee	timeIn	timeOut	photoIn	photoOut
1	Alemania Family	Christmas Party	2023-10-12 07:00:00.000	2023-10-12 09:00:00.000	386886604_327201800082103_953685095335339714_n.jpg	2.jpg
2	Basconcillo F...	Reunion	2023-12-14 07:00:00.000	2023-12-14 12:00:00.000	exampleee2.jpg	exampl...
3	CAS Departm...	Psychology ...	2023-10-12 09:00:00.000	2023-10-12 11:00:00.000	403404057_368367425585448_6066465911390583027_n....	11.jpg
4	CBM Departm...	Turista Day	2023-10-12 11:00:00.000	2023-10-12 14:00:00.000	409364019_1106056677227129_6985944057543010393_...	1.jpg
5	IT Department	IT Day	2023-10-12 14:00:00.000	2023-10-12 17:00:00.000	385561936_369061458825272_6949171213143307586_n....	22.jpg
6	MinSU BSIT F...	HTML Semin...	2023-12-14 07:00:00.000	2023-12-14 12:00:00.000	exampleee1.jpg	exampl...
7	MinSU Faculty	MinSUFEA	2023-10-12 17:00:00.000	2023-10-12 20:00:00.000	405813727_1418222782095222_641032328775540951_n....	33.jpg

CHAPTER V
FINAL PROJECT

5.1 Project Modules and Functionalities

FUNCTIONALITIES

User Authentication (Log-in)

- The primary purpose of a login button is to authenticate users. Users are required to enter their credentials (username and password) to access the event scheduling system. This ensures that only authorized individuals can use the system.

User Registration (Sign Up):

- The system provides a registration functionality, allowing new users to sign up. When a user signs up, their chosen username and password are likely stored in the Users Table, creating a new entry for that user.

PURPOSE

Secure Access

The Users Table's primary purpose is to ensure secure access to the system. By storing usernames and corresponding hashed or encrypted passwords, the system can verify the identity of users during the login process.

User Management

The Users Table is central to managing user accounts. It stores essential information about each user, allowing the system to track and control user access.

USE

Log In Button:

- Users use the log in button to enter the system by providing their registered username and password. The system then checks this information against the Users Table to grant or deny access.

Sign Up Button:

- The sign-up button is used by individuals who are not yet registered in the system. When clicked, it typically leads to a registration form where new users can enter their desired username and password. The information entered during sign-up is then stored in the Users Table.

FUNCTIONALITIES*User Registration (Sign Up):*

- The Users Table facilitates the registration of new users. When the user clicks the sign-up button, they are typically directed to a registration form where they can enter a new username and password. The system then processes this information and adds a new entry to the Users Table, creating a new user account.

Password Storage

- The Users Table is responsible for storing user credentials securely. The password field in the table likely stores hashed or encrypted versions of user passwords to enhance security.

PURPOSE

User Account Creation

- The primary purpose of the Users Table, in conjunction with the sign-up button, is to allow users to create accounts within the system. Each row in the Users Table represents a unique user with a distinct username and securely stored password.

Authentication Foundation

- The Users Table serves as the foundation for user authentication. When users attempt to log in, the entered credentials are verified against the information stored in the Users Table to ensure the authenticity of the user.

USE

Sign Up Button (New Username and Password):

- Users utilize the sign-up button to initiate the process of creating a new account. By clicking the button, users are prompted to provide a new username and password, which are then stored in the Users Table after processing.



FUNCTIONALITIES

Save Functionality

- The "Save" button allows users to add new entries to the Occupants Table. Users input details such as occupant name, event name, event venue, scheduled date, time in, and time out, and then click "Save" to store this information in the system.

Update Functionality

- The "Update" button enables users to modify existing entries in the Occupants Table. Users may select a specific entry, make changes to occupant name, event name, event venue, scheduled date, time in, and time out, and then click "Update" to save the updated information.

Delete Functionality

- The "Delete" button is used to remove specific entries from the Occupants Table. This functionality is crucial for scenarios such as event cancellations or data correction. Users typically select the entry to be deleted and click "Delete" to confirm the removal.

Venues Functionality

- The "Venues" button is a feature that integrates information about venues directly into new windows form. Clicking this button displays the form with photos of the available venues, aiding users in selecting the appropriate venue when recording or updating occupant details.

Record Functionality

- The "Record" functionality allows users to view detailed information about a specific occupant or event record within the data grid. Clicking on a record in the data grid might open a detailed view, providing more in-depth information about the selected entry.

Print Functionality

- The "Print" button enables users to generate a physical or digital copy of the information displayed in the data grid. This can be useful for creating reports or keeping records in a physical format.

PURPOSE

Event Participation Tracking

- The Occupants Table is designed to track and manage the participation of occupants in various events. It stores information such as occupant name, event name, event venue, scheduled date, time in, and time out, providing a comprehensive record of event attendance.

Scheduling Management

- The table supports the management of scheduling details, including the date and time of an occupant's participation in a specific event. This is valuable for planning and coordinating events within the system.

Data Presentation with Venues Integration

- The data grid, possibly enhanced by the "Data Grid with Venues" button, facilitates the organized presentation of occupant information. Integration with venues information helps users make informed decisions when recording or updating occupant details.

USE

Save Button

- Users utilize the "Save" button to add new records to the Occupants Table, capturing information about occupants and their participation in events.

Update Button

- The "Update" button is used when users need to modify existing entries in the Occupants Table, allowing for accurate and up-to-date information.

Delete Button

- The "Delete" button is employed to remove specific entries from the Occupants Table, ensuring data accuracy and integrity.

Venues Button

- Users may click the "Data Grid with Venues" button to enhance the data grid by displaying or populating it with information about available venues.

Record Button

- The "Record" functionality allows users to access detailed information about specific occupant or event records within the data grid.

Print Button

- Users click the "Print" button to generate a hard copy or digital representation of the information displayed in the data grid, supporting documentation and reporting needs.



FUNCTIONALITIES

Data Storage

- The primary function of the Photos Table is to store information related to occupants' activities during events. Fields such as occuName, eventName, timeIn, photoIn, timeOut, and photoOut capture details of occupants entering and exiting events along with corresponding photos.

Save Functionality

- Although not explicitly mentioned, it can be inferred that there would be a functionality to save new entries in the Photos Table. Users would likely have a way to add records for each occurrence of an occupant entering or exiting an event.

Load Data Functionality

- The "Load Data" button allows users to retrieve and display information from the Photos Table within a data grid. This feature can be useful for reviewing or analyzing the recorded data.

Print Functionality

- The "Print" button enables users to generate a physical or digital copy of the information displayed in the data grid. This can be useful for creating reports or keeping records in a physical format.

PURPOSE

Activity Tracking

- The Photos Table is designed to track the activities of occupants during events. It captures the names of occupants (occuName), the event they are attending (eventName), the time they enter (timeIn) with a corresponding photo (photoIn), and the time they exit (timeOut) with a corresponding photo (photoOut).

Documentation

- The table serves as a documentation tool for events, recording the presence and activities of occupants through photos at different timestamps.

USE

Load Data Button

- Users can interact with the data grid, possibly displaying a list of entries in the Photos Table. The "Load Data" button is used to refresh or populate the data grid with the most recent information from the table, allowing users to view and analyze the recorded data.

Print Button

- Users can click the "Print" button to generate a hard copy or digital representation of the information displayed in the data grid. This functionality supports documentation and reporting needs related to the activities of occupants during events.

5.2 Screen Design/Snapshot

The Login Form

The design of the database and its structure were inspired by the MinSU Main Campus website. The presenters, drawing inspiration from the website's simplicity and formality, sought to create a system that would reflect these qualities. The resulting structure is a user-friendly system for managing occupants, events, and associated photos. The Users form was designed to store essential user information, including usernames and passwords, ensuring a secure and authenticated access system.

The Input Form



The Occupants form, features fields such as 'occuName,' 'eventName,' and 'eventVenue.' This table was crafted to manage information about individuals participating in events. The scheduled date and times, captured through 'schedDate,' 'schedTimeIn,' and 'schedTimeOut' contribute to the overall formality of event management.

The Records Form



The Records form, with fields like 'occuName,' 'eventName,' 'timeIn,' 'photoIn,' 'timeOut,' and 'photoOut,' serves the purpose of recording and associating photos taken during events with specific participants and their corresponding activities. This adds a visual element to the data, enhancing the overall user experience.

The Venue's Form

The Venues form is a crucial component for managing the locations where events take place. It includes fields such as 'eventVenue' to identify the venue and any additional details necessary for formal and structured event organization.

5.3 Project Documents and Reports

Printed reports or documents. From what table it was taken.

TABLE tblOccupantss



OCCUPANT'S NAME	EVENT'S NAME	EVENT'S VENUE	SCHEDULED DATE:	SCHEDULED TIME IN:	SCHEDULE TIME OUT
Alemania Family	Christmas Party 2...	Grandstand	12/10/2023	12/10/2023 7:00...	12/10/2023 9:00...
Basconcillo Family	Reunion	Activity Center	14/12/2023	14/12/2023 7:00...	14/12/2023 12:0...
CAS Department	Psychology Day	Activity Center	12/10/2023	12/10/2023 9:00...	12/10/2023 11:0...
CBM Department	Turista Day 2023	Grandstand	12/10/2023	12/10/2023 11:0...	12/10/2023 2:00...
IT Department	IT Day 2024	Activity Center	12/10/2023	12/10/2023 2:00...	12/10/2023 5:00...
MinSU BSIT Fres...	HTML Seminar 2...	Activity Center	14/12/2023	14/12/2023 7:00...	14/12/2023 12:0...
MinSU Faculty	MinSUFEA	Activity Center	12/10/2023	12/10/2023 5:00...	12/10/2023 8:00...

TABLE tblPhotos



OCCUPANT'S NAME	EVENT'S NAME	PHOTO (BEFORE)	PHOTO (AFTER)
Alemania Family	Christmas Party		
Basconcillo Family	Reunion		
CAS Department	Psychology Day		
CBM Department	Turista Day		
IT Department	IT Day		
MinSU BSIT Fres...	HTML Seminar 2...		
MinSU Faculty	MinSUFEA		

TABLE tblPhotos



CCUPANT'S AME	EVENT'S NAME	TIME IN	TIME OUT
rmaria Family	Christmas Party	12/10/2023 7:00 am	12/10/2023 9:00...
econcillo Family	Reunion	14/12/2023 7:00 am	14/12/2023 12:0...
S Department	Psychology Day	12/10/2023 9:00 am	12/10/2023 11:0...
M Department	Turista Day	12/10/2023 11:00 am	12/10/2023 2:00...
Department	IT Day	12/10/2023 2:00 pm	12/10/2023 5:00...
nSU BSIT Fres...	HTML Seminar...	14/12/2023 7:00 am	14/12/2023 12:0...
nSU Faculty	MinSUFEA	12/10/2023 5:00 pm	12/10/2023 8:00...

5.4 Source Code

Main Form

```
using System;
using System.Data;
using System.Data.SqlClient;
using System.IO;
using System.Drawing;
using System.Drawing.Imaging;
using System.Windows.Forms;
using System.Xml.Linq;
using System.Globalization;

namespace DSA___OOP_Scheduling_System
{
    public partial class MainForm : Form
    {
        public MainForm()
        {
            InitializeComponent();
        }
```

```
public void viewData()
{
    {
        Database db = new Database();
        dGridView.DataSource = db.selectCmd("Select * from tblOccupantss");
        dGridView.Columns[0].HeaderText = "OCCUPANT'S NAME";
        dGridView.Columns[1].HeaderText = "EVENT'S NAME";
        dGridView.Columns[2].HeaderText = "EVENT'S VENUE";
        dGridView.Columns[3].HeaderText = "SCHEDULED DATE:";
        dGridView.Columns[4].HeaderText = "SCHEDULED TIME IN:";
        dGridView.Columns[5].HeaderText = "SCHEDULE TIME OUT";

    }
}


public void clearData()
{
    txtOccuname.Clear();
    txtEventname.Clear();
    cmbVenue.Items.Clear();
    scheddDate.Value = DateTime.Now;
    dateSchedIn.Value = DateTime.Now;
    dateSchedOut.Value = DateTime.Now;
}

private void MainForm_Load(object sender, EventArgs e)
{
```

```
    try
    {

        Database db = new Database();
        lblConnection.ForeColor = Color.White;
        viewData();

    }
    catch
    {
        lblConnection.ForeColor = Color.Red;
    }
}

private void dGridView_CellClick(object sender, DataGridViewCellEventArgs e)
{
    try
    {
        int index = e.RowIndex;
        DataGridViewRow selectedRow = dGridView.Rows[index];
        txtOccuname.Text = selectedRow.Cells[0].Value.ToString();
        txtEventname.Text = selectedRow.Cells[1].Value.ToString();
        cmbVenue.Text = selectedRow.Cells[2].Value.ToString();

        scheddDate.Value = DateTime.Parse(selectedRow.Cells[3].Value.ToString());
        dateSchedIn.Value = DateTime.Parse(selectedRow.Cells[4].Value.ToString());
        dateSchedOut.Value = DateTime.Parse(selectedRow.Cells[5].Value.ToString());
```

```
        }
        catch
        {

        }

    }

    private void btnUpdate_Click(object sender, EventArgs e)
    {

        string sql = "UPDATE tblOccupantss " +
         "SET occuName = @OccuName, " +
         "eventName = @EventName, " +
         "eventVenue = @EventVenue, " +
         "schedDate = @SchedDate, " +
         "schedTimeIn = @SchedTimeIn, " +
         "schedTimeOut = @SchedTimeOut " +
         "WHERE occuName = @OldOccuName";

        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";

        SqlConnection conn = new SqlConnection(connection);

        using (SqlCommand cmd = new SqlCommand(sql, conn))

        {
```

```
            cmd.Parameters.AddWithValue("@OccuName", txtOccuname.Text);
            cmd.Parameters.AddWithValue("@EventName", txtEventname.Text);
            cmd.Parameters.AddWithValue("@EventVenue", cmbVenue.Text);
            cmd.Parameters.AddWithValue("@SchedDate", DateTime.Parse(scheddDate.Text));
// Assuming scheddDate.Text is a valid date string
            cmd.Parameters.AddWithValue("@SchedTimeIn",
DateTime.Parse(dateSchedIn.Text)); // Assuming dateSchedIn.Text is a valid time string
            cmd.Parameters.AddWithValue("@SchedTimeOut",
DateTime.Parse(dateSchedOut.Text)); // Assuming dateSchedOut.Text is a valid time string
            cmd.Parameters.AddWithValue("@OldOccuName", txtOccuname.Text);


            conn.Open();
            int rowsAffected = cmd.ExecuteNonQuery();
            conn.Close();


            if (rowsAffected > 0)
            {
                clearData();
                viewData();
                MessageBox.Show("Schedule has been updated.");
            }
            else
            {
                MessageBox.Show("An error has occurred.");
            }
        }


    }
    private void btnDelete_Click(object sender, EventArgs e)
    {
```

```
        string sql = "Delete from tblOccupantss Where occuName ='" + txtOccuname.Text + "'";

        Database db = new Database();
        if (db.cudCMD(sql) > 0)
        {
            clearData();
            viewData();
            MessageBox.Show("Schedule has been deleted.");
        }
        else
        {
            MessageBox.Show("An error has been occured.");
        }

    }

    private void btnSave_Click(object sender, EventArgs e)
    {

        string sql = "INSERT INTO tblOccupantss (occuName, eventName, eventVenue,
schedDate, schedTimeIn, schedTimeOut) " +
         "VALUES (@OccuName, @EventName, @EventVenue, @SchedDate,
@SchedTimeIn, @SchedTimeOut)";
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";

        SqlConnection conn = new SqlConnection(connection);
```

```
        using (SqlCommand cmd = new SqlCommand(sql, conn))
        {
            cmd.Parameters.AddWithValue("@OccuName", txtOccuname.Text);
            cmd.Parameters.AddWithValue("@EventName", txtEventname.Text);
            cmd.Parameters.AddWithValue("@EventVenue", cmbVenue.Text);
            cmd.Parameters.AddWithValue("@SchedDate", DateTime.Parse(scheddDate.Text));
            cmd.Parameters.AddWithValue("@SchedTimeIn",
DateTime.Parse(dateSchedIn.Text));
            cmd.Parameters.AddWithValue("@SchedTimeOut",
DateTime.Parse(dateSchedOut.Text));

            conn.Open();
            int rowsAffected = cmd.ExecuteNonQuery();
            conn.Close();

            if (rowsAffected > 0)
            {
                viewData();
                MessageBox.Show("Schedule has been saved.");
            }
            else
            {
                MessageBox.Show("An error has occurred.");
            }
        }
    }

    private void btnInOut_Click(object sender, EventArgs e)
    {
```

```
        photoForm photoForm = new photoForm();
        photoForm.ShowDialog();
    }

    private void btnVenue_Click(object sender, EventArgs e)
    {
        VenueForm venueForm = new VenueForm();
        venueForm.ShowDialog();
    }

    private void txtSearch_TextChanged(object sender, EventArgs e)
    {
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
        SqlConnection conn = new SqlConnection(connection);
        SqlDataAdapter da;
        DataTable dt;
        conn.Open(); da = new SqlDataAdapter("SELECT * FROM tblOccupantss WHERE
occuName LIKE '" + this.txtSearch.Text + "%'", conn);
        dt = new DataTable();
        da.Fill(dt);
        dGridView.DataSource = dt;
        conn.Close();
    }

    Bitmap bmp;
    private void printDocument1_PrintPage(object sender,
System.Drawing.Printing.PrintPageEventArgs e)
```

```
        {
            e.Graphics.DrawImage(bmp, 0, 0);
        }

        private void btnPrint_Click(object sender, EventArgs e)
        {
            int height = dGridView.Height;
            dGridView.Height = dGridView.RowCount * dGridView.RowTemplate.Height * 2;
            bmp = new Bitmap(dGridView.Width, dGridView.Height);
            dGridView.DrawToBitmap(bmp, new Rectangle(0, 0, dGridView.Width,
dGridView.Height));
            dGridView.Height = height;
            printPreviewDialog1.ShowDialog();
        }

    }

    }
```

Login Form

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.SqlClient;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
```

```
using System.Windows.Forms;

namespace DSA___OOP_Scheduling_System
{
    public partial class LoginForm : Form
    {
        public LoginForm()
        {
            InitializeComponent();
        }

        private void LoginForm_Load(object sender, EventArgs e)
        {
            txtPass.PasswordChar = '*';
            txtNewPass.PasswordChar = '*';
            signupForm.Visible = false;
        }

        private void groupBox1_Enter(object sender, EventArgs e)
        {

        }

        private void btnSignup_Click(object sender, EventArgs e)
        {
            signupForm.Visible = true;
        }
```

```
private void btnNewSign_Click(object sender, EventArgs e)
{
    if (txtNewUser.Text != null && txtNewUser.Text != null)
    {
        try
        {
            Connect obj = new Connect();
            obj.conn.ConnectionString = obj.locate;
            obj.conn.Open();
            string insertuser = "insert into tblUsers Values ('"+txtNewUser.Text+"',
'"+txtNewPass.Text+"')";
            obj.cmd.Connection = obj.conn;
            obj.cmd.CommandText = insertuser;
            obj.cmd.ExecuteNonQuery();
            obj.conn.Close();
            MessageBox.Show("User signup has been completed");
            signupForm.Visible = false;


        }
        catch (Exception ex)
        {
            MessageBox.Show("Error" + ex);
        }
    }
    else
    {
        MessageBox.Show("Error");
    }
}
```

```
private void btnLogin_Click(object sender, EventArgs e)
{
    if (txtUsername.Text != null && txtPass.Text != null)
    {
        try
        {
            Connect obj = new Connect();
            obj.conn.ConnectionString = obj.locate;

            obj.conn.Open();
            SqlDataAdapter adapter = new SqlDataAdapter("SELECT COUNT (*) FROM
tblUsers where username = '" + txtUsername.Text + "' and password = '" + txtPass.Text + "' ",
obj.conn);
            DataTable dt = new DataTable();
            adapter.Fill(dt);
            if (dt.Rows[0][0].ToString() == "1")
            {
                MainForm meLoad = new MainForm();
                meLoad.Visible = true;
                this.Hide();

            }
            else
            {
                MessageBox.Show("Username or password is incorrect");
            }

            obj.conn.Close();
```

```
            }
            catch (Exception ex)
            {
                MessageBox.Show("ex.Message");
            }
        }
        else
        {
            MessageBox.Show("No empty fields are allowed");
        }
    }
}
}
```

Photo Form

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.SqlClient;
using System.Drawing;
using System.IO;
using System.Linq;
using System.Runtime.InteropServices;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
```

```
namespace DSA___OOP_Scheduling_System
{
    public partial class photoForm : Form
    {
        public photoForm()
        {
            InitializeComponent();
        }

        public void viewDataa()
        {
            Database db = new Database();
            dGridView2.DataSource = db.selectCmd("Select occuNamee, eventNamee, timeIn,
timeOut from tblPhotos");
            dGridView2.Columns[0].HeaderText = "OCCUPANT'S NAME";
            dGridView2.Columns[1].HeaderText = "EVENT'S NAME";
            dGridView2.Columns[2].HeaderText = "TIME IN";
            dGridView2.Columns[3].HeaderText = "TIME OUT";
        }

        public void loadData()
        {
            string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
            string query = "Select occuNamee, eventNamee, photoIn, photoOut from tblPhotos";
            SqlConnection conn = new SqlConnection(connection);
            SqlCommand cmd = new SqlCommand(query, conn);
```

```
        SqlDataAdapter da = new SqlDataAdapter();
        da.SelectCommand = cmd;
        DataTable dt = new DataTable();
        da.Fill(dt);
        dt.Columns.Add("BEFORE", Type.GetType("System.Byte[]"));
        dt.Columns.Add("AFTER", Type.GetType("System.Byte[]"));
        foreach (DataRow row in dt.Rows)
        {
            row["BEFORE"] = File.ReadAllBytes(Application.StartupPath + @"\Image\" +
Path.GetFileName(row["photoIn"].ToString()));
            row["AFTER"] = File.ReadAllBytes(Application.StartupPath + @"\Image2\" +
Path.GetFileName(row["photoOut"].ToString()));
        }

        dGridView3.DataSource = dt;
    }

    public void clearData()
    {
        txtOccuname.Clear();
        txtEventName.Clear();
        dateTimeIn.Value = DateTime.Now;
        dateTimeOut.Value = DateTime.Now;

    }

    private void imageIn_Click(object sender, EventArgs e)
    {
        OpenFileDialog openfd = new OpenFileDialog();
```

```
        openfd.Filter = "Image Files (*.jpg;*.jpeg;*.gif;) | *.jpg;*.jpeg;*.gif;";
        if (openfd.ShowDialog() == DialogResult.OK)
        {
            imageTextIn.Text = openfd.FileName;
            imageOut.Image = new Bitmap(openfd.FileName);
            imageOut.ImageLocation = openfd.FileName;
            imageOut.SizeMode = PictureBoxSizeMode.StretchImage;
        }
    }

    private void imageOut_Click(object sender, EventArgs e)
    {
        OpenFileDialog openfd = new OpenFileDialog();
        openfd.Filter = "Image2 Files (*.jpg;*.jpeg;*.gif;) | *.jpg;*.jpeg;*.gif;";
        if (openfd.ShowDialog() == DialogResult.OK)
        {
            imageTextOut.Text = openfd.FileName;
            imageIn.Image = new Bitmap(openfd.FileName);
            imageIn.ImageLocation = openfd.FileName;
            imageIn.SizeMode = PictureBoxSizeMode.StretchImage;
        }
    }

    private void btnSavee_Click(object sender, EventArgs e)
    {
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
```

```
        string query = "INSERT INTO tblPhotos VALUES (@OccuName, @EventName,
@DateTimeIn, @DateTimeOut, @ImageIn, @ImageOut)";

        using (SqlConnection conn = new SqlConnection(connection))
        {
            conn.Open();

            using (SqlCommand cmd = new SqlCommand(query, conn))
            {
                cmd.Parameters.AddWithValue("@OccuName", txtOccuname.Text);
                cmd.Parameters.AddWithValue("@EventName", txtEventName.Text);
                cmd.Parameters.AddWithValue("@DateTimeIn",
DateTime.Parse(dateTimeIn.Text));
                cmd.Parameters.AddWithValue("@DateTimeOut",
DateTime.Parse(dateTimeOut.Text));
                cmd.Parameters.AddWithValue("@ImageIn",
Path.GetFileName(imageIn.ImageLocation));
                cmd.Parameters.AddWithValue("@ImageOut",
Path.GetFileName(imageOut.ImageLocation));

                cmd.ExecuteNonQuery();
            }

            clearData();
            viewDataa();
            MessageBox.Show("Successfully Saved");

            conn.Close();

            File.Copy(imageTextIn.Text, Path.Combine(Application.StartupPath, "Image",
Path.GetFileName(imageIn.ImageLocation)));
```

```
            File.Copy(imageTextOut.Text, Path.Combine(Application.StartupPath, "Image2",
Path.GetFileName(imageOut.ImageLocation)));
        }

    }
    private void dGridView2_CellClick(object sender, DataGridViewCellEventArgs e)
    {
        try
        {
            int index = e.RowIndex;
            DataGridViewRow selectedRow = dGridView2.Rows[index];
            txtOccuname.Text = selectedRow.Cells[0].Value.ToString();
            txtEventName.Text = selectedRow.Cells[1].Value.ToString();
            dateTimeIn.Value = DateTime.Parse(selectedRow.Cells[2].Value.ToString());
            dateTimeOut.Value = DateTime.Parse(selectedRow.Cells[3].Value.ToString());
        }
        catch
        {

        }
    }

    private void btnUpdatee_Click(object sender, EventArgs e)
    {
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
        string query = "UPDATE tblPhotos SET occuNamee = '" + txtOccuname.Text + "',
eventNamee = '" + txtEventName.Text + "', timeIn = '" + DateTime.Parse(dateTimeIn.Text) + "',
```

```
timeOut = '" + DateTime.Parse(dateTimeOut.Text) + "' WHERE occuNamee = '" +
txtOccuname.Text + "'";
        SqlConnection conn = new SqlConnection(connection);
        SqlCommand cmd = new SqlCommand(query, conn);
        SqlDataReader dr;
        conn.Open();
        dr = cmd.ExecuteReader();

        clearData();
        viewDataa();
        MessageBox.Show("Successfully Updated");
        conn.Close();
    }

    private void photoForm_Load(object sender, EventArgs e)
    {
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
        string query = "SELECT occuNamee, eventNamee, timeIn, timeOut FROM tblPhotos";
        SqlConnection conn = new SqlConnection(connection);
        SqlCommand cmd = new SqlCommand(query, conn);
        SqlDataAdapter da = new SqlDataAdapter();
        da.SelectCommand = cmd;
        DataTable dt = new DataTable();
        da.Fill(dt);
        dGridView2.DataSource = dt;
        viewDataa();
        loadData();
```

```
    }

      private void btnDeletee_Click(object sender, EventArgs e)
    {
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
        string query = "DELETE FROM tblPhotos WHERE occuNamee = '" + txtOccuname.Text
+ "'";
        SqlConnection conn = new SqlConnection(connection);
        SqlCommand cmd = new SqlCommand(query, conn);
        SqlDataReader dr;
        conn.Open();

        dr = cmd.ExecuteReader();
        viewDataa();
        clearData();
        MessageBox.Show("Successfully Deleted");
        conn.Close();
    }

    private void txtSearch_TextChanged(object sender, EventArgs e)
    {
        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";
        SqlConnection conn = new SqlConnection(connection);
        SqlDataAdapter da;
        DataTable dt;
```

```
        conn.Open(); da = new SqlDataAdapter("SELECT * FROM tblPhotos WHERE
occuNamee LIKE '" + this.txtSearch.Text + "%'", conn);

        dt = new DataTable();

        da.Fill(dt);

        dGridView2.DataSource = dt;

        conn.Close();

    }


    private void btnLoadData_Click(object sender, EventArgs e)

    {

        string connection = "Data
Source=(LocalDB)\\MSSQLLocalDB;AttachDbFilename=\"C:\\Users\\ACER\\source\\repos\\DSA
& OOP Scheduling System\\DSA & OOP Scheduling System\\UsersDb.mdf\";Integrated
Security=True";

        string query = "Select occuNamee, eventNamee, photoIn, photoOut from tblPhotos";

        SqlConnection conn = new SqlConnection(connection);

        SqlCommand cmd = new SqlCommand(query, conn);

        SqlDataAdapter da = new SqlDataAdapter();

        da.SelectCommand = cmd;

        DataTable dt = new DataTable();

        da.Fill(dt);

        dt.Columns.Add("BEFORE", Type.GetType("System.Byte[]"));

        dt.Columns.Add("AFTER", Type.GetType("System.Byte[]"));

        foreach (DataRow row in dt.Rows)

        {

            row["BEFORE"] = File.ReadAllBytes(Application.StartupPath + @"\Image\" +
Path.GetFileName(row["photoIn"].ToString()));

            row["AFTER"] = File.ReadAllBytes(Application.StartupPath + @"\Image2\" +
Path.GetFileName(row["photoOut"].ToString()));

        }
```

```
            dGridView3.DataSource = dt;
        }
        Bitmap bmp;
        private void printDocument1_PrintPage(object sender,
System.Drawing.Printing.PrintPageEventArgs e)
        {
            e.Graphics.DrawImage(bmp, 0, 0);
        }

        private void btnPrint_Click(object sender, EventArgs e)
        {
            int height = dGridView2.Height;
            dGridView2.Height = dGridView2.RowCount * dGridView2.RowTemplate.Height * 2;
            bmp = new Bitmap(dGridView2.Width, dGridView2.Height);
            dGridView2.DrawToBitmap(bmp, new Rectangle(0, 0, dGridView2.Width,
dGridView2.Height));
            dGridView2.Height = height;
            printPreviewDialog1.ShowDialog();

            int heightt = dGridView3.Height;
            dGridView3.Height = dGridView3.RowCount * dGridView3.RowTemplate.Height * 2;
            bmp = new Bitmap(dGridView3.Width, dGridView3.Height);
            dGridView3.DrawToBitmap(bmp, new Rectangle(0, 0, dGridView3.Width,
dGridView3.Height));
            dGridView3.Height = heightt;
            printPreviewDialog1.ShowDialog();
        }

    }
}
```

Connect.cs

```
using System;
using System.Collections.Generic;
using System.Data;
using System.Data.SqlClient;
using System.Data.SqlTypes;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace DSA___OOP_Scheduling_System
{
    internal class Connect
    {
        public SqlConnection conn = new SqlConnection();
        public SqlCommand cmd = new SqlCommand();
        public string locate = @"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=""C:\Users\ACER\source\repos\DSA &
OOP Scheduling System\DSA & OOP Scheduling System\UsersDb.mdf"";Integrated
Security=True";

        public int cudCMD(string sql)
        {
            cmd = new SqlCommand(sql, conn);
            return cmd.ExecuteNonQuery();
        }
    }
}
```

Database.cs

```
using System;
```

```
using System.Collections.Generic;
using System.Data.SqlClient;
using System.Data;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Data.SqlTypes;

namespace DSA___OOP_Scheduling_System
{
    internal class Database
    {

        DataTable dTable;
        SqlDataAdapter sqlDA;
        SqlCommand sqlCmd;
        SqlConnection sqlCon;
        string conStr;

        public Database()
        {
            conStr = @"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=C:\Users\ACER\source\repos\DSA &
OOP Scheduling System\DSA & OOP Scheduling System\UsersDb.mdf;Integrated
Security=True";
            sqlCon = new SqlConnection(conStr);
            sqlCon.Open();
        }

        public int cudCMD(string sql)
```

```
        {
            sqlCmd = new SqlCommand(sql, sqlCon);
            return sqlCmd.ExecuteNonQuery();
        }

        public DataTable selectCmd(string sql)
        {
            dTable = new DataTable();
            sqlDA = new SqlDataAdapter(sql, conStr);
            sqlDA.Fill(dTable);
            sqlDA.Dispose();
            return dTable;
        }
    }
}
```

Program.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace DSA___OOP_Scheduling_System
{
    internal static class Program
    {
        /// <summary>
```

```
        /// The main entry point for the application.
        /// </summary>
        [STAThread]
        static void Main()
        {
            Application.EnableVisualStyles();
            Application.SetCompatibleTextRenderingDefault(false);
            Application.Run(new LoginForm());
        }
    }
}
```

BIBLIOGRAPHY

Brown, A., et al. (2021). Enhancing Event Planning Processes through Technology Integration. Journal of Event Management, 25(3), 145-162.

Jones, R., et al. (2020). Challenges in Finding Suitable Event Venues: A Study of Event Organizers' Perspectives. International Journal of Event Management Research, 1(2), 78-92.

Smith, J. (2019). The Impact of Manual Venue Scheduling on Event Coordination. Event Planning Quarterly, 43(1), 32-45.

Smith, J., & Johnson, M. (2018). Enhancing Event Coordination through Technology: A Case Study of an Event Management System. Journal of Event Technology and Innovation, 15(2), 65-82.

APPENDIX A

In the collaborative development of the MinSU Event Scheduling System, the cohesive efforts of Maria Hanah Mendoza, Gwen Basconcillo, and Chynna Alemania played pivotal roles in ensuring the project's success. As the project leaders, Maria Hanah and her team initiated the endeavor by conceptualizing a unique and knowledgeable system that addressed the challenges inherent in manual scheduling processes.

The initial stages involved thorough discussions led by Maria Hanah Mendoza, Gwen Basconcillo, and Chynna Alemania to outline the project's goals. The primary objective was to

design, develop, and implement an efficient MinSU Event's Venue Scheduling System. This system aimed to overcome the hurdles of manual scheduling, foster improved coordination between event organizers and venue administrators, and optimize the utilization of event spaces. The project aligned seamlessly with the College Research Agenda, emphasizing enhancements in event planning processes and contributing to the evolution of event venue scheduling practices.

Critical components of the project included the incorporation of an orderly scheduling process and the implementation of a monitoring system relying on visual documentation. This approach not only ensured efficient resource allocation but also facilitated accountability and maintained a well-documented record of events. The visual documentation became instrumental in tracking and assessing the usage of the venue by its occupants.

Maria Hanah Mendoza, as the team leader, demonstrated exceptional dedication by spearheading the creation of the program and executing the code using the C# language. Collaboratively, Gwen Basconcillo and Chynna Alemania contributed to the project by designing visually appealing system pages and curating background images. The synergy between the team members extended to comprehensive documentation and paper writing, ensuring a thorough and well-documented representation of the project's processes and outcomes.

The team's collective effort and teamwork were exemplary, creating a strong leadership foundation that propelled the project to successful completion. The absence of difficulties during the preparation and coding phases underscored the team's commitment and proficiency. The project unfolded smoothly, with each team member actively participating and contributing to its success, resulting in a well-organized and efficiently executed MinSU Event Scheduling System. Maria Hanah Mendoza, Gwen Basconcillo, and Chynna Alemania's collaborative leadership and dedication were instrumental in achieving the project's objectives seamlessly.

APPENDIX B

Name: Gwen Mendoza Basconcillo

Address: Parang Calapan City,Oriental Mindoro.

Contact Number: 09666954800

FB/ E-MAIL: Gwen Basconcillo / moanabasconcillo@gmail.com

Personal Data:

Nickname: Genita
Age: 19
Sex: Female

Birthday: February 11, 2004

Place of Birth: Oriental Mindoro Provincial Hospital

Nationality: Filipino
Religion: Catholic

Father: Gemma M. Basconcillo

Mother: Gaudincio R. Basconcillo Jr.

Education:

Elementary: Parang Elementary School

School Year: 2009-2016

Secondary: Parang National High School

School Year: 2016-2020

Senior High School: Holy Infant Academy

School Year: 2020-2022

Name: Maria Hanah G. Mendoza

Birthplace: Parang Calapan City,Oriental Mindoro.

Contact Number: 09276317620
FB/E-MAIL: Maria Hanah G. Mendoza /
hanahmendoza78@gmail.com

Personal Data:

Nickname: Dedeng
Age: 19 years old

Sex: Female

Birthdate: September 08,2003

Birthplace: Maria Estrella Private Hospital

Nationality: Filipino
Religion: Roman Catholic

Father: Ruben G. Mendoza

Mother: Elma G. Mendoza

Education:

Elementary: Parang Elementary School

School Year: 2009-2016

Secondary: Parang National High School

School Year: 2016-2020

Senior High School: Holy Infant Academy
School Year: 2020-2022

Name: Chynna Alemania

Address: Silonay, Calapan City Oriental Mindoro

Contact: 09663848615

FB/ E-MAIL: Chynna Alemania / chynnaalemania50@gmail.com

Personal Data

Nickname: Shena
Age: 19 y/o

Sex: Female

Birth Date: June 20, 2004

Place of Birth :Oriental Mindoro, Provincial Hospital

Nationality: Filipino
Religion: Catholic

Father: Felix Suarez Alemania

Mother: Annie Bool Cabatay

Education

Elementary: Silonay Elementary School
School Year: 2010-2016

Secondary: Parang National High School
School Year: 2016-2020

Senior High School: Holy Infant Academy
School Year: 2020-2022