



Generate API TCs from Swagger


Assignment 1: With Upload Link Radio button








STEP 1
Upload Swagger specification
Upload an OpenAPI YAML or JSON file, or import a document from a direct link.
Choose how to provide your specification
Upload File
Upload Link
OpenAPI document URL
https://petstore.swagger.io/v2/swagger.json
Enter a direct link to a Swagger/OpenAPI YAML or JSON document.
Import from link



Swagger imported and validated successfully.
STEP 2
Valid Specification
Validated
swagger.json
OpenAPI Version
2.0
Model
groq · openai/gpt-oss-120b
Errors
0
Warnings
0
Proceed to generate testcases



Testleaf
API Testcase Generator
Clear
3 API testcases generated.
STEP 3
Generated API testcases
Grounded in the validated OpenAPI operations and schemas.
Groq LLM · Openai/Gpt-Oss-120b
Tokens Used · 6,617
Token Limit · 3,000
Cost · $0.0023
Clear
Total Testcases
3
Positive
1
Negative
1
Boundary
1
Search ID, endpoint, method, or title
All categories
ID
METHOD
ENDPOINT
CATEGORY
TITLE
PRIORITY
STATUS
TC-API-001
GET
/pet/findByStatus
positive
Find pets by status with valid value
High
View
TC-API-002
GET
/pet/findByStatus
negative
Find pets by status with invalid value
High
View
TC-API-003
GET
/store/order/10
boundary
Get order by maximum valid ID
Medium
View

Assignment 2: With Testing Type Breakdown






localhost:5173
Google
YouTube
Welcome to HDFC B...
Gmail Mithun
Testleaf
API Testcase Generator
Clear
STEP 3
Generated API testcases
Grounded in the validated OpenAPI operations and schemas.
Groq LLM - Openai/Gpt-Oss-120b
Tokens Used - 2,736
Token Limit - 3,000
Cost - $0.0011
Clear
Total Testcases
5
Positive
1
Negative
1
Boundary
1
Validation
1
Error Handling
1
Testing type breakdown
Each testcase is assigned its best-fit testing type.
Smoke
1
Critical happy paths
Sanity
1
Focused verification
Regression
1
Existing behavior
Functional
2
Documented behavior


localhost:5173
Google
YouTube
Welcome to HDFC B...
Gmail Mithun
Testleaf
API Testcase Generator
Clear
Smoke
1
Critical happy paths
Sanity
1
Focused verification
Regression
1
Existing behavior
Functional
2
Documented behavior
Search ID, endpoint, method, or title
All categories
All testing types
ID
METHOD
ENDPOINT
CATEGORY
TESTING TYPE
TITLE
PRIORITY
STATUS
TC-API-001
GET
/booking/{id}
positive
Smoke
Retrieve existing booking with valid ID
High
View
TC-API-002
GET
/booking/{id}
negative
Sanity
Request non-existent booking ID
High
View
TC-API-003
GET
/booking/{id}
boundary
Regression
Retrieve booking using minimum valid integer ID
Medium
View
TC-API-004
GET
/booking/{id}
validation
Functional
Send non-integer ID causing schema validation error
Low
View
TC-API-005
GET
/booking/{id}
error-handling
Functional
Simulate server error by using extremely large ID
Low
View
Download results
Export the generated testcases and validated specification.
JSON
Excel
Swagger
Generate Postman