

Ya hoo Inc.  Phone: 1-866-781-9246  Webs ite: http:// s ma Ilbus ines s .ya hoo.com	Yahoo	CMS System
Current vers ion:	All Versions	Supported Versions
Level of complexity: Low  Typica I effort: 30-60 Min  Level of Rega lix rep experience: High	All Products	Supported Google Products
	No known issues	Notes
	N/A	Related Products
Sample <s cript=""> (function(i,s,o,g,r,a,m){i['GoogleAna lytics Object']=r;i[r]=i[r]  f unction(){  (i[r].q=i[r].q  []).pus h(a rguments)},i[r].l=1*new Da te();a =s .crea teElement(o),  m=s .getElements ByTa gNa me(o)[0];a .a s ync=1;a .s rc=g;m.pa re ntNode.ins ertBefore(a,m)  })(window,document,'s cript','//www.google-a na lytics .com/a n a lytics .js ','ga '); ga ('crea te', 'UA-1234567-1', 'a uto'); ga ('s end', 'pa geview');</s>	1. Login to your Yahoo Store editor. Click the "Variables" tab. 2. Paste the codein to the  Final-Text variable. Besure to hit update at the top of the page and then publish yoursite.	Google Analytics (Approx. 30 mi n)

 $\hbox{@}$  Regalix Inc., 2014. Google Tag Implementation Best Practices Series. Page 1 of 5

<pre>Sample <!-- Google Ta g Ma na ger--> <nos cript=""><ifra height="0" me="" rc="//www.googleta gma na ger.com/ns .html?id=GTM-N333SF " s="" tyle="dis pla y:none;vis ibility:hidden" width="0"></ifra></nos> <s cript="">(function(w,d,s,l,i){w[l]=w[l]  [];w[l].pus h({'gtm.s ta rt':     new Da te().getTime(),event:'gtm.js '});va r f=d.getElements ByTa gNa me(s)[0],  j=d.crea teElement(s),dl=l!='da ta La yer'?'&amp;l='+l:";j.a s ync=true;j .s rc= '//www.googleta gma na ger.com/gtm.js ?id='+i+dl;f.pa rentNod e.ins ertBefore(j,f);  })(window,document,'s cript','da ta La yer','GTM-XXXXXXX');</s> <!-- End Google Ta g Ma na ger--></pre>	1. Login to your Yahoo Store editor. Click the "Variables" tab. 2. Pastethecodein to theheaderarea of your site, be fore the opening body>tag.	Google Tag Manager (Approx. 30 mi n)
Sample <s cript="" type="text/ja va s cript"> document.write('<img a="" height="1" it="" rc="//www.googlea ds ervices .com/pa gea d/convers ion/xxxxx xx/?va lue='+ orderTota I+'&amp;a mp;la bel=kZy_CKjWqAcQgPa T1QM&amp;a mp;guid= ON&amp;a mp;s cript=0" s="" tyle="border-s tyle:none;" width="1"/>'); </s>	1. Log i n to th e Ya h oo Store Ma n a ge r a n d cl i ck on "Ord e r Form" u n d e r th e "Ord e r Se tti n gs " ca te gory. 2. Pa s te th e cod e you cop i e d i n th e "Me s s a ge " b ox u n d e r "Ord e r Con fi rma ti on ."	Conversion Tracking (Approx. 30 mi n)
Sample Google Code for Rema rketing Ta g <s cript="" type="text/ja va s cript">  /* <![CDATA[ */  va r google_convers ion_id = xxxxxxxxx;  va r google_cus tom_pa ra ms = window.google_ta g_pa ra ms;  va r google_rema rketing_only = true;</td><td>1. Login to your Yahoo Store editor. Click the "Variables" tab. 2. Paste the codein to the  Final-Text variable. Besure to hit update at the top of the pageand thenpublish your site.</td><td>Remarketing (Approx. 30 mi n)</td></tr></tbody></table>]]></s>		

© Regalix Inc., 2014. Google Tag Implementation Best Practices Series. Page 2 of 5

/* ]]> */	
<s cript="" rc="//www.googlea ds ervices&lt;br&gt;.com/pa gea d/convers ion.js" s="" type="text/ja va s cript"></s>	
<nos cript=""></nos>	
<div s="" tyle="dis pla y:inline;"></div>	
<pre><img a="" height="1" lt="" rc="//googlea ds .g.doubleclick.net/pa gea d/viewthroughconv ers ion/ xxxxxxxxx /?va lue=0&amp;a mp;guid=ON&amp;a mp;s cript=0" s="" tyle="border-s tyle:none;" width="1"/></pre>	

```
Sample
                                                                  1. Logi n to you r Ya h oo Store e d i
                                                                                                            Dynamic
ON VARIABLES ALL PAGES
                                                                  tor. Click the "Variables" tab.
                                                                                                            Remarketing
<!-- google dyna mic rema rketing s cript -->
                                                                  2. Pa s te th e cod e i n to th e
<s cript type="text/ja va s cript">
va r productNa meURL = window.loca tion.pa thna me;
                                                                  Final-Text variable. Besure
                                                                                                            (Approx. 60 mi n)
va r productID;
va r pa geType;
va r tota l;
                                                                  hit updateat the top of the
if(productNa meURL =="/"){
                          productID="; tota
                                                                  pageandthenpublishyours
                          l="; pa
                          geType='home';
                                                                  i te .
els e{
             va r tota IDiv =
                                                                  After which, login to che
document.getElementById("pitPriceBx");
             if(tota IDiv != undefined){
                                                                  ckou t e d i tor a n d a d d th e re
                          va r productIDWithHTML
                                                                  s p e cti ve cod e to th e ca rt a n
=productNa meURL.repla ce("/","");
                                                                  d con fi rma ti on p a ge.
                          productID =
productIDWithHTML.repla ce(".html","");
                          va r tota lWithDolla r =
tota lDiv.innerHTML;
                          va r tota lWithoutDolla r =
tota lWithDolla r.repla ce("$","");
                          tota I = tota lWithoutDolla r;
                          pa geType='product';
             }
             els e{
             }
if (document.getElementById ("s~ection-contenttitle") != null) \{\\
                          va r ca tegoryNa meURL =
window.loca tion.pa thna me;
                          va r ca tegoryWithHTML
=ca tegoryNa meURL.repla ce("/","");
```

© Regalix Inc., 2014. Google Tag Implementation Best Practices Series. Page 3 of 5

```
va r ca tegoryID =
ca tegoryWithHTML.repla ce(".html","");
                            productID
                            tota I = ";
                            pa geType="ca tegory";
             els e{
             }
va r google_ta g_pa ra ms = {
ecomm_prodid: productID,
ecomm_pa getype: 'product',
ecomm_tota lva lue: tota l,
ecomm_ca tegory: ca tegoryID
};
</s cript>
<s cript type="text/ja va s cript">
/* <![CDATA[ */
va r google_convers ion_id = xxxxxxxxx;
va r google_cus tom_pa ra ms = window.google_ta g_pa ra ms;
va r google_rema rketing_only = true;
/* ]]> */
</s cript>
<s cript type="text/ja va s cript" s rc="//www.googlea ds ervices
.com/pa gea d/convers ion.js ">
</s cript>
<nos cript>
<div s tyle="dis pla y:inline;">
<img height="1" width="1" s tyle="border-s tyle:none;" a lt="" s</pre>
rc="//googlea ds .g.doubleclick.net/pa gea d/viewthroughconv ers
ion/ xxxxxxxxx /?va lue=0&guid=ON&s cript=0"/>
</div>
</nos cript>
Cart Page
<s cript type="text/ja va s cript">
va r google_ta g_pa ra ms = {
ecomm_prodid: ids , ecomm_pa
getype: 'ca rt', ecomm_tota lva
lue: orderTota I, pva lue:price
};
</s cript>
<s cript type="text/ja va s cript">
/* <![CDATA[ */
va r google_convers ion_id = xxxxxxxxx;
va r google_cus tom_pa ra ms = window.google_ta g_pa ra ms;
va r google_rema rketing_only = true;
/* ]]> */
</s cript>
<s cript type="text/ja va s cript" s rc="//www.googlea ds ervices
.com/pa gea d/convers ion.js ">
</s cript>
<nos cript>
<div s tyle="dis pla y:inline;">
<img height="1" width="1" s tyle="border-s tyle:none;" a lt="" s
rc="//googlea ds .g.doubleclick.net/pa gea d/viewthroughconv ers
ion/ xxxxxxxx /?va lue=0&guid=ON&s cript=0"/>
</div>
</nos cript>
```

```
Confirmation Page
<s cript type="text/ja va s cript"> va r
google_ta g_pa ra ms = {
ecomm_prodid: ids , ecomm_pa
getype: 'purcha s e', ecomm_tota lva
lue: orderSubTota I, pva lue:price
</s cript>
<s cript type="text/ja va s cript">
/* <![CDATA[ */
va r google_convers ion_id = xxxxxxxxx;
va r google_cus tom_pa ra ms = window.google_ta g_pa ra ms ;
va r google_rema rketing_only = true;
/* ]]> */
</s cript>
<s cript type="text/ja va s cript" s rc="//www.googlea ds ervices
.com/pa gea d/convers ion.js ">
</s cript>
<nos cript>
<div s tyle="dis pla y:inline;">
<img height="1" width="1" s tyle="border-s tyle:none;" a lt="" s
rc="//googlea ds .g.doubleclick.net/pa gea d/viewthroughconv ers
ion/ xxxxxxxxx /?va lue=0&guid=ON&s cript=0"/>
</div>
</nos cript>
```