Automated QA audit · generated 2026-10-21 10:13

Does the application behave the way its specification says?

Target `http://localhost:5173` · Spec `plans/demobank_plan.json` · Run time 325s · Mode replay of saved plan (demobank_plan.json)

DemoBank: a fictional banking dashboard (one demo customer, checking + savings) with session entry/logout, account detail, transfers between owned accounts, filterable history and a profile page.

REQUIREMENTS	SCENARIOS RUN	DEFECTS FOUND	LLM COST THIS RUN	COST PER SCENARIO
26	**45**	**7**	**$0.0000**	**$0.0000**
22 pass · 4 fail · 0 unverified	21 normal · 9 negative · 15 edge	7 high	0 calls · 0 from cache	budget cap $1.00

1 · Requirement verdicts

REQ	REQUIREMENT	VERDICT	BASIS	SCENARIOS
AUTH-01 high	**Enter Demo opens the dashboard** The landing page's Enter Demo action opens the dashboard with no password. PRD: “Enter Demo action. It opens the demo dashboard”	PASSED	all 1 scenarios passed (normal)	SC-AUTH-01
AUTH-02 medium	**Header shows active customer and Log out** The header identifies the demo customer and offers Log out. PRD: “header identifies the active demo customer”	PASSED	all 1 scenarios passed (normal)	SC-AUTH-01
AUTH-03 high	**Logout returns to landing and protects views** After logout the user is on the landing page; protected views cannot be reached by direct navigation, Back or refresh. PRD: “Protected dashboard views should not remain usable after logout”	PASSED	all 3 scenarios passed (edge, negative, normal)	SC-AUTH-03, SC-AUTH-04, SC-AUTH-05
AUTH-04 medium	**Refresh preserves a valid session** Reloading during a valid session keeps the user signed in. PRD: “Refreshing while in a valid demo session should preserve that session”	PASSED	all 1 scenarios passed (normal)	SC-AUTH-02
DASH-01 medium	**Accounts listed with name, mask, type, balance** Dashboard shows checking and savings with readable name, masked id, type and USD balance. PRD: “Each account displays a readable account name, a masked account identifier”	PASSED	all 1 scenarios passed (normal)	SC-DASH-01

REQ	REQUIREMENT	VERDICT	BASIS	SCENARIOS
DASH-02 medium	**Balances shown to two decimals** Every balance is shown in USD with exactly two decimals. PRD: “Balances are displayed to two decimal places”	PASSED	all 1 scenarios passed (normal)	SC-DASH-02
DASH-03 high	**No full account identifier exposed** The UI never shows a full account identifier. PRD: “The UI must not expose a full account identifier”	PASSED	all 1 scenarios passed (negative)	SC-DASH-03
DASH-04 high	**Account detail view agrees with dashboard** Selecting an account opens its detail with the same balance and only its own history. PRD: “Selecting an account opens an account detail view”	PASSED	all 2 scenarios passed (normal)	SC-DASH-04, SC-DASH-05
XFER-01 high	**Valid transfer is atomic and exact** Source decreases and destination increases by exactly the amount. PRD: “source balance decreases by the amount and the destination balance increases by the same amount”	PASSED	all 4 scenarios passed (edge, normal)	SC-XFER-01, SC-XFER-02, SC-XFER-03, SC-XFER-07
XFER-02 high	**Transfer creates one record in both histories** One completed record appears in both account histories with amount, source, destination, status and memo. PRD: “creates one completed transfer record that can be found in both relevant account histories”	PASSED	all 1 scenarios passed (normal)	SC-XFER-04
XFER-03 high	**Same-account transfer rejected** Source and destination must differ; rejection changes nothing. PRD: “Same-account transfers must be rejected”	PASSED	all 1 scenarios passed (negative)	SC-XFER-15
XFER-04 high	**Invalid amounts rejected** Blank, zero, negative, non-numeric and >2-decimal amounts are rejected with a message and change nothing. PRD: “Blank, zero, negative, non-numeric, and over-precision values must be rejected”	FAILED	3 of 7 scenarios failed: Zero amount is rejected; Zero written as 0.00 is rejected; Negative amount is rejected	SC-XFER-08, SC-XFER-09, SC-XFER-10, SC-XFER-11, SC-XFER-12, SC-XFER-13, SC-XFER-14
XFER-05 high	**Insufficient funds rejected** An amount above the source balance is rejected; balances and history unchanged. PRD: “The amount must not exceed the source account's available	FAILED	2 of 2 scenarios failed: Amount above the available balance is rejected; Balance + $0.01 is rejected	SC-XFER-16, SC-XFER-17

REQ	REQUIREMENT	VERDICT	BASIS	SCENARIOS
	balance"			
XFER-06 medium	**Success shown only after commit; failures explained** Success appears only when committed; rejections say the transfer did not complete. PRD: "The UI reports success only after the transfer has been committed"	FAILED	4 of 10 scenarios failed: Zero amount is rejected; Zero written as 0.00 is rejected; Negative amount is rejected; Amount above the available balance is rejected	SC-XFER-01, SC-XFER-08, SC-XFER-09, SC-XFER-10, SC-XFER-11, SC-XFER-12, SC-XFER-13, SC-XFER-14, SC-XFER-15, SC-XFER-16
XFER-07 medium	**Transfer survives refresh** After a successful transfer, a reload shows the same updated balances on every view. PRD: "Refreshing after a successful transfer must preserve the updated balances"	PASSED	all 1 scenarios passed (normal)	SC-XFER-05
XFER-08 medium	**No duplicate submission** A rapid second click does not submit the transfer twice. PRD: "prevent accidental duplicate submission"	PASSED	all 1 scenarios passed (edge)	SC-XFER-06
HIST-01 medium	**Rows show required fields and direction** Each row shows date/time, description, type, account, signed amount and status. PRD: "Amount direction should be clear"	PASSED	all 1 scenarios passed (normal)	SC-HIST-01
HIST-02 high	**Filters show only matching rows** Account, type and status filters (alone or combined) show only rows matching all of them. PRD: "every displayed row must satisfy all selected filters"	PASSED	all 6 scenarios passed (edge, normal)	SC-HIST-02, SC-HIST-03, SC-HIST-04, SC-HIST-05, SC-HIST-06, SC-HIST-07
HIST-03 high	**Date range is inclusive** Transactions on the start or end date are included. PRD: "The start and end dates are inclusive"	FAILED	2 of 2 scenarios failed: Range Jan 3 – Jan 18, 2025 includes both boundary dates; Single-day range (Mar 4 – Mar 4, 2025) shows that day's transaction	SC-HIST-08, SC-HIST-09
HIST-04 medium	**Empty result shows a clear empty state** A filter with no matches shows an empty state, not an error or unrelated rows. PRD: "An empty result set must show a clear empty state"	PASSED	all 1 scenarios passed (edge)	SC-HIST-10
HIST-05 medium	**Clearing filters restores full history** Clear filters returns to the unfiltered list. PRD: "Clearing filters restores the unfiltered history"	PASSED	all 1 scenarios passed (normal)	SC-HIST-11

REQ	REQUIREMENT	VERDICT	BASIS	SCENARIOS
PROF-01 medium	**Profile shows masked synthetic details** Profile shows display name and a masked email. PRD: “display name and a masked email address”	PASSED	all 1 scenarios passed (normal)	SC-PROF-01
PROF-02 high	**Profile leaks no secrets or identifiers** No passwords, tokens or full account identifiers on the profile. PRD: “must not reveal passwords, authentication tokens, full account identifiers”	PASSED	all 1 scenarios passed (negative)	SC-PROF-02
UI-01 low	**Usable at narrow widths** At a 390px-wide window, key pages fit without sideways scrolling and controls stay visible. PRD: “remains usable at narrower widths”	PASSED	all 2 scenarios passed (edge)	SC-UI-01, SC-UI-02
UI-02 low	**Links lead to the labelled destination** Navigation links open the page they name. PRD: “Navigation links and buttons lead to the labeled destination”	PASSED	all 2 scenarios passed (normal)	SC-UI-03, SC-UI-04
UI-03 low	**Recoverable errors allow retry or return** An error state offers a way to retry or go back to the dashboard. PRD: “A recoverable error must leave the user able to retry or return to the dashboard”	PASSED	all 1 scenarios passed (negative)	SC-UI-05

2 · Defects (7)

HIGH **BUG-01 · Not met: Zero amount is rejected**

SC-XFER-09 · edge scenario · requirements XFER-04, XFER-06 · reproduced on 2 attempt(s)

Steps to reproduce

1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Read the transaction count ('Showing N transactions') as tx_before → read 20.0
4. Open Transfer (fresh page load)
5. Read Everyday Checking balance as chk_before → read 4365.15
6. Read Rainy Day Savings balance as sav_before → read 8279.6
7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15'
8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60'
9. Enter amount '0'
10. Click 'Transfer funds'
11. Read the confirmation / error shown → read 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'
12. Open Transfer (fresh page load)
13. Read Everyday Checking balance as chk_after → read 4365.15
14. Read Rainy Day Savings balance as sav_after → read 8279.6
15. Open Transactions
16. Read the transaction count ('Showing N transactions') as tx_after → read 21.0


Expected	Rejected with a clear message; balances and history unchanged.
Observed	'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'; 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'; tx_after=21.0, tx_before=20.0
Failed check	UI explains the transfer did not complete expected `msg matches /not completed|invalid|must|insufficient|error|enter/` observed `'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'`
Failed check	No success state is shown expected `msg does not match /Transfer complete/` observed `'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'`
Failed check	No transaction created expected `{tx_after} == {tx_before}` observed `tx_after=21.0, tx_before=20.0`
Captured values	`{'tx_before': 20.0, 'chk_before': 4365.15, 'sav_before': 8279.6, 'msg': 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2', 'chk_after': 4365.15, 'sav_after': 8279.6, 'tx_after': 21.0}`

API evidence (2)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a***@example.test"}}
```

```
POST http://localhost:8000/api/transfers → 201
request: {"source_account_id":"00000000-0000-0000-0000-000000000101","destination_account_id":"00000000-0000-0000-0000-000000000102","amount":"0","memo":""}
response: {"transaction":{"id":"67d23d07-fbb6-4ea5-a27a-ab04ccdc14db","type":"transfer","status":"completed","amount":"0.00","memo":null,"occurred_at":"2026-10-21T15:09:27.857495Z","source_account":{"id":"00000000-0000-0000-
```


0000-000000000101","name":"Everyday Checking","masked_number":"•••• 1042"},"destination_account":{"id":"00000000-0000-0000-0000-000000000102","name":"Rainy Day Savings","masked_number":"•••• 7781"},"account_deltas":[{"account_id":"00000000-0000-0000-0000-000000000101","amount_delta":"0.00"},{"account_id":"00000000-0000-0000-0000-000000000102","amount_delta":"0.00"}]},"accounts":[{"id":"00000000-0000-0000-0000-000000000101","name":"Everyday Checking","type":"checking","masked_number":"•••• 1042","currency":"USD","balance":"4365.15"},{"id":"00000000-0000-0000-0000-000000000102","na



after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 9: Click 'Transfer funds'



after step 15: Read the transaction count ('Showing N transactions') as tx_after

HIGH **BUG-02 · Not met: Zero written as 0.00 is rejected**

SC-XFER-10 · edge scenario · requirements XFER-04, XFER-06 · reproduced on 2 attempt(s)

Steps to reproduce

1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Read the transaction count ('Showing N transactions') as tx_before → read 22.0
4. Open Transfer (fresh page load)
5. Read Everyday Checking balance as chk_before → read 4365.15
6. Read Rainy Day Savings balance as sav_before → read 8279.6
7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15'
8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60'
9. Enter amount '0.00'
10. Click 'Transfer funds'
11. Read the confirmation / error shown → read 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'
12. Open Transfer (fresh page load)
13. Read Everyday Checking balance as chk_after → read 4365.15
14. Read Rainy Day Savings balance as sav_after → read 8279.6
15. Open Transactions
16. Read the transaction count ('Showing N transactions') as tx_after → read 23.0


Expected	Rejected with a clear message; balances and history unchanged.
Observed	'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'; 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'; tx_after=23.0, tx_before=22.0
Failed check	UI explains the transfer did not complete expected `msg matches /not completed|invalid|must|insufficient|error|enter/` observed `'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'`
Failed check	No success state is shown expected `msg does not match /Transfer complete/` observed `'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2'`
Failed check	No transaction created expected `{tx_after} == {tx_before}` observed `tx_after=23.0, tx_before=22.0`
Captured values	`{'tx_before': 22.0, 'chk_before': 4365.15, 'sav_before': 8279.6, 'msg': 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2', 'chk_after': 4365.15, 'sav_after': 8279.6, 'tx_after': 23.0}`

API evidence (2)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a***@example.test"}}
```

```
POST http://localhost:8000/api/transfers → 201
request: {"source_account_id":"00000000-0000-0000-0000-000000000101","destination_account_id":"00000000-0000-0000-0000-000000000102","amount":"0.00","memo":""}
response: {"transaction":{"id":"1af51bb4-b4e2-473a-8532-1114009b8272","type":"transfer","status":"completed","amount":"0.00","memo":null,"occurred_at":"2026-10-21T15:09:45.355056Z","source_account":{"id":"00000000-0000-0000-
```


0000-000000000101","name":"Everyday Checking","masked_number":"•••• 1042"},"destination_account":{"id":"00000000-0000-0000-0000-000000000102","name":"Rainy Day Savings","masked_number":"•••• 7781"},"account_deltas":[{"account_id":"00000000-0000-0000-0000-000000000101","amount_delta":"0.00"},{"account_id":"00000000-0000-0000-0000-000000000102","amount_delta":"0.00"}]},"accounts":[{"id":"00000000-0000-0000-0000-000000000101","name":"Everyday Checking","type":"checking","masked_number":"•••• 1042","currency":"USD","balance":"4365.15"},{"id":"00000000-0000-0000-0000-000000000102","na



after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 9: Click 'Transfer funds'



after step 15: Read the transaction count ('Showing N transactions') as tx_after

HIGH **BUG-03 · Not met: Negative amount is rejected**

SC-XFER-11 · negative scenario · requirements XFER-04, XFER-06 · reproduced on 2 attempt(s)

Steps to reproduce


1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Read the transaction count ('Showing N transactions') as tx_before → read 24.0
4. Open Transfer (fresh page load)
5. Read Everyday Checking balance as chk_before → read 4365.15
6. Read Rainy Day Savings balance as sav_before → read 8279.6
7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15'
8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60'
9. Enter amount '-5.00'
10. Click 'Transfer funds'
11. Read the confirmation / error shown → read 'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, '
12. Open Transfer (fresh page load)
13. Read Everyday Checking balance as chk_after → read 4370.15
14. Read Rainy Day Savings balance as sav_after → read 8274.6
15. Open Transactions
16. Read the transaction count ('Showing N transactions') as tx_after → read 25.0

Expected	Rejected with a clear message; balances and history unchanged.
Observed	'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, '; 'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, '; chk_after=4370.15, chk_before=4365.15; sav_after=8274.6, sav_before=8279.6; tx_after=25.0, tx_before=24.0
Failed check	UI explains the transfer did not complete expected `msg matches /not completed|invalid|must|insufficient|error|enter/` observed `'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, '`
Failed check	No success state is shown expected `msg does not match /Transfer complete/` observed `'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, '`
Failed check	Checking balance unchanged expected `{chk_after} == {chk_before}` observed `chk_after=4370.15, chk_before=4365.15`
Failed check	Savings balance unchanged expected `{sav_after} == {sav_before}` observed `sav_after=8274.6, sav_before=8279.6`
Failed check	No transaction created expected `{tx_after} == {tx_before}` observed `tx_after=25.0, tx_before=24.0`
Captured values	`{'tx_before': 24.0, 'chk_before': 4365.15, 'sav_before': 8279.6, 'msg': 'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, ', 'chk_after': 4370.15, 'sav_after': 8274.6, 'tx_after': 25.0}`


API evidence (2)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a
***@example.test"}}
```


```
POST http://localhost:8000/api/transfers → 201
request: {"source_account_id":"00000000-0000-0000-0000-000000000101","destination_account_id":"00000000-0000-000
0-0000-000000000102","amount":"-5.00","memo":""}
response: {"transaction":{"id":"13229340-06a7-467f-b605-5fe4ba509aff","type":"transfer","status":"completed","am
ount":"-5.00","memo":null,"occurred_at":"2026-10-21T15:10:02.883032Z","source_account":{"id":"00000000-0000-0000
-0000-000000000101","name":"Everyday Checking","masked_number":"•••• 1042"},"destination_account":{"id":"0000000
0-0000-0000-0000-000000000102","name":"Rainy Day Savings","masked_number":"•••• 7781"},"account_deltas":[{"accou
nt_id":"00000000-0000-0000-0000-000000000101","amount_delta":"5.00"},{"account_id":"00000000-0000-0000-0000-0000
00000102","amount_delta":"-5.00"}]},"accounts":[{"id":"00000000-0000-0000-0000-000000000101","name":"Everyday Ch
ecking","type":"checking","masked_number":"•••• 1042","currency":"USD","balance":"4370.15"},{"id":"00000000-0000
-0000-0000-000000000102","
```

after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 9: Click 'Transfer funds'



after step 15: Read the transaction count ('Showing N transactions') as tx_after

HIGH **BUG-04 · Not met: Amount above the available balance is rejected**

SC-XFER-16 · negative scenario · requirements XFER-05, XFER-06 · reproduced on 2 attempt(s)

Steps to reproduce

1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Read the transaction count ('Showing N transactions') as tx_before → read 26.0
4. Open Transfer (fresh page load)
5. Read Everyday Checking balance as chk_before → read 4375.15
6. Read Rainy Day Savings balance as sav_before → read 8269.6
7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15'
8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,269.60'
9. Enter amount {chk_before} + 100 → read entered '4475.15'
10. Click 'Transfer funds'
11. Read the confirmation / error shown → read 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'
12. Open Transfer (fresh page load)
13. Read Everyday Checking balance as chk_after → read -100.0
14. Read Rainy Day Savings balance as sav_after → read 12744.75
15. Open Transactions
16. Read the transaction count ('Showing N transactions') as tx_after → read 27.0


Expected	Rejected as insufficient funds; balances and history unchanged.
Observed	'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'; 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'; 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'; chk_after=-100.0, chk_before=4375.15; sav_after=12744.75, sav_before=8269.6; tx_after=27.0, tx_before=26.0
Failed check	UI explains the transfer did not complete expected `msg matches /not completed|invalid|must|insufficient|error|enter/` observed `'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'`
Failed check	No success state is shown expected `msg does not match /Transfer complete/` observed `'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'`
Failed check	Message mentions insufficient funds expected `msg matches /(?i)insufficient|exceed|available/` observed `'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2'`
Failed check	Checking balance unchanged expected `{chk_after} == {chk_before}` observed `chk_after=-100.0, chk_before=4375.15`
Failed check	Savings balance unchanged expected `{sav_after} == {sav_before}` observed `sav_after=12744.75, sav_before=8269.6`
Failed check	No transaction created expected `{tx_after} == {tx_before}`

	observed `tx_after=27.0, tx_before=26.0`
Captured values	`{'tx_before': 26.0, 'chk_before': 4375.15, 'sav_before': 8269.6, 'msg': 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2', 'chk_after': -100.0, 'sav_after': 12744.75, 'tx_after': 27.0}`


API evidence (2)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a***@example.test"}}
```


```
POST http://localhost:8000/api/transfers → 201
request: {"source_account_id":"00000000-0000-0000-0000-000000000101","destination_account_id":"00000000-0000-0000-0000-000000000102","amount":"4475.15","memo":""}
response: {"transaction":{"id":"d6cd43da-0681-462c-9c20-f956df878936","type":"transfer","status":"completed","amount":"4475.15","memo":null,"occurred_at":"2026-10-21T15:10:55.349848Z","source_account":{"id":"00000000-0000-0000-0000-000000000101","name":"Everyday Checking","masked_number":"•••• 1042"},"destination_account":{"id":"00000000-0000-0000-0000-000000000102","name":"Rainy Day Savings","masked_number":"•••• 7781"},"account_deltas":[{"account_id":"00000000-0000-0000-0000-000000000101","amount_delta":"-4475.15"},{"account_id":"00000000-0000-0000-0000-000000000102","amount_delta":"4475.15"}]},"accounts":[{"id":"00000000-0000-0000-0000-000000000101","name":"Everyday Checking","type":"checking","masked_number":"•••• 1042","currency":"USD","balance":"-100.00"},{"id":"00000000-0000-0000-0000-0000000
```

after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 9: Click 'Transfer funds'



after step 15: Read the transaction count ('Showing N transactions') as tx_after

HIGH **BUG-05 · Not met: Balance + $0.01 is rejected**

SC-XFER-17 · edge scenario · requirements XFER-05 · reproduced on 2 attempt(s)

Steps to reproduce


1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Read the transaction count ('Showing N transactions') as tx_before → read 28.0
4. Open Transfer (fresh page load)
5. Read Everyday Checking balance as chk_before → read -100.0
6. Read Rainy Day Savings balance as sav_before → read 12744.75
7. Choose From account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $12,744.75'
8. Choose To account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — −$100.00'
9. Enter amount {sav_before} + 0.01 → read entered '12744.76'
10. Click 'Transfer funds'
11. Read the confirmation / error shown → read 'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct '
12. Open Transfer (fresh page load)
13. Read Everyday Checking balance as chk_after → read 12644.76
14. Read Rainy Day Savings balance as sav_after → read -0.01
15. Open Transactions
16. Read the transaction count ('Showing N transactions') as tx_after → read 29.0

Expected	Rejected; nothing changes.
Observed	'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct '; 'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct '; chk_after=12644.76, chk_before=-100.0; sav_after=-0.01, sav_before=12744.75; tx_after=29.0, tx_before=28.0
Failed check	UI explains the transfer did not complete expected `msg matches /not completed|invalid|must|insufficient|error|enter/` observed `'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct '`
Failed check	No success state is shown expected `msg does not match /Transfer complete/` observed `'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct '`
Failed check	Checking balance unchanged expected `{chk_after} == {chk_before}` observed `chk_after=12644.76, chk_before=-100.0`
Failed check	Savings balance unchanged expected `{sav_after} == {sav_before}` observed `sav_after=-0.01, sav_before=12744.75`
Failed check	No transaction created expected `{tx_after} == {tx_before}` observed `tx_after=29.0, tx_before=28.0`
Captured values	`{'tx_before': 28.0, 'chk_before': -100.0, 'sav_before': 12744.75, 'msg': 'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct ', 'chk_after': 12644.76, 'sav_after': -0.01, 'tx_after': 29.0}`


API evidence (2)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a
***@example.test"}}
```


```
POST http://localhost:8000/api/transfers → 201
request: {"source_account_id":"00000000-0000-0000-0000-000000000102","destination_account_id":"00000000-0000-000
0-0000-000000000101","amount":"12744.76","memo":""}
response: {"transaction":{"id":"ca51b7f8-142e-4aa2-af66-acc23a307779","type":"transfer","status":"completed","am
ount":"12744.76","memo":null,"occurred_at":"2026-10-21T15:11:12.869893Z","source_account":{"id":"00000000-0000-0
000-0000-000000000102","name":"Rainy Day Savings","masked_number":"•••• 7781"},"destination_account":{"id":"0000
0000-0000-0000-0000-000000000101","name":"Everyday Checking","masked_number":"•••• 1042"},"account_deltas":[{"ac
count_id":"00000000-0000-0000-0000-000000000102","amount_delta":"-12744.76"},{"account_id":"00000000-0000-0000-0
000-000000000101","amount_delta":"12744.76"}]},"accounts":[{"id":"00000000-0000-0000-0000-000000000102","nam
e":"Rainy Day Savings","type":"savings","masked_number":"•••• 7781","currency":"USD","balance":"-0.01"},{"id":"0
0000000-0000-0000-0000-0000000
```

after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 9: Click 'Transfer funds'



after step 15: Read the transaction count ('Showing N transactions') as tx_after

HIGH BUG-06 · Not met: Range Jan 3 – Jan 18, 2025 includes both boundary dates

SC-HIST-08 · edge scenario · requirements HIST-03 · reproduced on 2 attempt(s)


Steps to reproduce

1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Set Start date 2025-01-03
4. Set End date 2025-01-18
5. Click 'Apply filters'
6. Read the filtered table → read 'Filtered transaction history\nDATE & TIME\tDESCRIPTION\tTYPE\tACCOUNT\tAMOUNT\tSTATUS\nJan 3, 2025, 9:00 AM PST\tDemo payroll\tDeposit\tEveryday Checking (•••• 1042)\t\nMoney in:\n+$1,200.00\tCompleted'


Expected	Both Jan 3 and Jan 18 transactions shown.
Observed	'Filtered transaction history DATE & TIME DESCRIPTION TYPE ACCOUNT AMOUNT STATUS Jan 3, 2025, 9:00 AM PST Demo payroll Deposit Everyday Checking (•••• 1042) Money in: +$1,200.00 Completed'
Failed check	End-date row (Jan 18, Demo groceries) included expected `rows matches /Demo groceries/` observed `'Filtered transaction history DATE & TIME DESCRIPTION TYPE ACCOUNT AMOUNT STATUS Jan 3, 2025, 9:00 AM PST Demo payroll Deposit Everyday Checking (•••• 1042) Money in: +$1,200.00 Completed'`
Captured values	`{'rows': 'Filtered transaction history\nDATE & TIME\tDESCRIPTION\tTYPE\tACCOUNT\tAMOUNT\tSTATUS\nJan 3, 2025, 9:00 AM PST\tDemo payroll\tDeposit\tEveryday Checking (•••• 1042)\t\nMoney in:\n+$1,200.00\tCompleted'}`

API evidence (1)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a***@example.test"}}
```



after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 4: Click 'Apply filters'



after step 5: Read the filtered table

HIGH **BUG-07 · Not met: Single-day range (Mar 4 – Mar 4, 2025) shows that day's transaction**

SC-HIST-09 · edge scenario · requirements HIST-03 · reproduced on 2 attempt(s)


Steps to reproduce

1. Open http://localhost:5173 and click 'Enter Demo'
2. Open Transactions
3. Enter '2025-03-04' into 'css=#filter-start'
4. Enter '2025-03-04' into 'css=#filter-end'
5. Click 'Apply filters'
6. Count rows shown → read 0
7. Read as msg → read 'No transactions match these filters Try a different combination, or clear the filters to see all transactions. Clear fil'


Expected	The Mar 4 'Demo utilities' row is shown.
Observed	n=0
Failed check	At least one row for Mar 4 expected `{n} >= 1` observed `n=0`
Captured values	`{'n': 0, 'msg': 'No transactions match these filters Try a different combination, or clear the filters to see all transactions. Clear fil'}`

API evidence (1)


```
POST http://localhost:8000/api/demo/session → 201
response: {"customer":{"id":"00000000-0000-0000-0000-000000000001","display_name":"Avery Demo","masked_email":"a***@example.test"}}
```



after step 0: Open http://localhost:5173 and click 'Enter Demo'



after step 4: Click 'Apply filters'



after step 6: Read as msg

3 · Unverified (0)

Scenarios the agent could not decide with evidence. They are not counted as defects, to avoid false positives.

4 · All scenarios

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
SC-AUTH-01	normal	**Enter Demo opens the dashboard for the demo customer** Gateway to every other test 1. Open http://localhost:5173 and click 'Enter Demo' ✓ Dashboard URL — http://localhost:5173/dashboard ✓ Active customer shown — visible (via testid) ✓ Customer name shown — present on page	PASSED	4/4	—	1.76s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		✓ Log out offered — visible (via role)				
SC-AUTH-02	normal	**Refreshing the dashboard keeps the session** Session stored only in memory would be lost 1. Open http://localhost:5173 and click 'Enter Demo' 2. Reload the page ✓ Still on dashboard — http://localhost:5173/dashboard ✓ Still signed in — visible (via testid)	PASSED	2/2	—	2.54s
SC-AUTH-03	normal	**Log out returns to the landing page** Logout must end the session 1. Open http://localhost:5173 and click 'Enter Demo' 2. Click 'Log out' ✓ Left the dashboard — http://localhost:5173/ ✓ Enter Demo offered again — visible (via role) ✓ No signed-in customer — not visible	PASSED	3/3	—	3.86s
SC-AUTH-04	negative	**After logout, direct navigation to protected pages is blocked** Client-only guards are often missing on deep links 1. Open http://localhost:5173 and click 'Enter Demo' 2. Click 'Log out' 3. Type /transactions in the address bar 4. Read as m1 → read 'Access required: enter the demo to view that page.' 5. Type an account detail URL in the address bar ✓ No account data shown — not visible ✓ No signed-in customer — not visible ✓ Redirected away from account page — http://localhost:5173/	PASSED	3/3	—	6.58s
SC-AUTH-05	edge	**After logout, Back and refresh do not restore access** Cached pages and stored tokens can leak sessions 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Click 'Log out' 4. Press the browser Back button 5. Reload the page ✓ No signed-in customer after Back + reload — not visible ✓ No transactions visible — not visible	PASSED	2/2	—	6.69s
SC-DASH-01	normal	**Dashboard lists checking and savings with name, type and mask** Core content 1. Open http://localhost:5173 and click 'Enter Demo' ✓ Checking account listed — present on page ✓ Savings account listed — present on page ✓ Each card shows type, masked id and USD balance — all 2 rows match	PASSED	3/3	—	1.74s
SC-DASH-02	normal	**Balances use $ and exactly two decimals** Float formatting bugs 1. Open http://localhost:5173 and click 'Enter Demo' ✓ Checking balance format — '$4,369.75USD' ✓ Savings balance format — '$8,275.00USD'	PASSED	2/2	—	1.77s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
SC-DASH-03	negative	**No full account identifier on dashboard or detail** Privacy 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open the first account's detail page ✓ No long digit sequence (full account number) — no match ✓ No internal account UUID in visible text — no match	PASSED	2/2	—	2.54s
SC-DASH-04	normal	**Checking detail: same balance as dashboard, only its own history** Detail views often read stale or unfiltered data 1. Open http://localhost:5173 and click 'Enter Demo' 2. Read Checking balance on the dashboard → read 4369.75 3. Click the Everyday Checking card 4. Read balance on the detail page → read 4369.75 ✓ Detail page opened — http://localhost:5173/accounts/00000000-0000-0000-0000-000000000101 ✓ Detail balance equals dashboard balance — detail_bal=4369.75, dash_bal=4369.75 ✓ Every history row involves Checking (•••• 1042) — all 8 rows match	PASSED	3/3	—	2.54s
SC-DASH-05	normal	**Savings detail: same balance as dashboard, only its own history** Second account exercises the per-account filter 1. Open http://localhost:5173 and click 'Enter Demo' 2. Read Savings balance on the dashboard → read 8275.0 3. Click the Rainy Day Savings card 4. Read balance on the detail page → read 8275.0 ✓ Detail balance equals dashboard balance — detail_bal=8275.0, dash_bal=8275.0 ✓ Every history row involves Savings (•••• 7781) — all 6 rows match	PASSED	2/2	—	2.57s
SC-XFER-01	normal	**Transfer $12.34 Checking → Savings moves exactly that amount** A success message is not proof; read both balances 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 12.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4369.75 6. Read Rainy Day Savings balance as sav_before → read 8275.0 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,369.75' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,275.00' 9. Enter amount '12.34' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $12.34 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4357.41 14. Read Rainy Day Savings balance as sav_after → read 8287.34 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 13.0 ✓ Checking decreased by 12.34 — chk_after=4357.41, chk_before=4369.75	PASSED	5/5	—	8.79s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		✓ Savings increased by 12.34 — sav_after=8287.34, sav_before=8275.0 ✓ Success confirmation shown — 'Transfer complete Amount $12.34 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, ' ✓ Exactly one new transaction — tx_after=13.0, tx_before=12.0 ✓ No server errors — none				
SC-XFER-02	normal	**Transfer $20.00 Savings → Checking (reverse direction)** Direction-specific bugs 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 13.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4357.41 6. Read Rainy Day Savings balance as sav_before → read 8287.34 7. Choose From account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,287.34' 8. Choose To account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,357.41' 9. Enter amount '20.00' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $20.00 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct 21, ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4377.41 14. Read Rainy Day Savings balance as sav_after → read 8267.34 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 14.0 ✓ Savings decreased by 20 — sav_after=8267.34, sav_before=8287.34 ✓ Checking increased by 20 — chk_after=4377.41, chk_before=4357.41	PASSED	2/2	—	8.84s
SC-XFER-03	edge	**Smallest amount $0.01 is transferred exactly** Rounding at the smallest unit 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 14.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4377.41 6. Read Rainy Day Savings balance as sav_before → read 8267.34 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,377.41' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,267.34' 9. Enter amount '0.01' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $0.01 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4377.4 14. Read Rainy Day Savings balance as sav_after → read 8267.35 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 15.0 ✓ Checking decreased by 0.01 — chk_after=4377.4, chk_before=4377.41	PASSED	2/2	—	8.7s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		✓ Savings increased by 0.01 — sav_after=8267.35, sav_before=8267.34				
SC-XFER-04	normal	**Transfer with memo appears in both account histories** Ledger and balances can drift apart; memo often dropped 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 15.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4377.4 6. Read Rainy Day Savings balance as sav_before → read 8267.35 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,377.40' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,267.35' 9. Enter amount '7.25' 10. Enter memo 'QA memo check' 11. Click 'Transfer funds' 12. Read the confirmation / error shown → read 'Transfer complete Amount $7.25 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' 13. Open Everyday Checking detail 14. Read the newest Checking history row → read 'Oct 21, 2026, 8:08 AM PDT\tQA memo check\tTransfer\t\nFrom Everyday Checking (•••• 1042)\nTo Rainy Day Savings (•••• 7781)\n\t\nMoney out:\n−$7.25\tCompleted' 15. Open Rainy Day Savings detail 16. Read the newest Savings history row → read 'Oct 21, 2026, 8:08 AM PDT\tQA memo check\tTransfer\t\nFrom Everyday Checking (•••• 1042)\nTo Rainy Day Savings (•••• 7781)\n\t\nMoney in:\n+$7.25\tCompleted' 17. Open Transactions 18. Read the transaction count ('Showing N transactions') as tx_after → read 16.0 ✓ Checking history has the $7.25 transfer — 'Oct 21, 2026, 8:08 AM PDT QA memo check Transfer From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Money out: −$7.25 Completed' ✓ Savings history has the $7.25 transfer — 'Oct 21, 2026, 8:08 AM PDT QA memo check Transfer From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Money in: +$7.25 Completed' ✓ Record shows Completed status — 'Oct 21, 2026, 8:08 AM PDT QA memo check Transfer From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Money out: −$7.25 Completed' ✓ Record names source and destination — 'Oct 21, 2026, 8:08 AM PDT QA memo check Transfer From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Money out: −$7.25 Completed' ✓ Memo shown in Checking history — 'Oct 21, 2026, 8:08 AM PDT QA memo check Transfer From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Money out: −$7.25 Completed' ✓ Memo shown in Savings history — 'Oct 21, 2026, 8:08 AM PDT QA memo check Transfer From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Money in: +$7.25 Completed' ✓ Exactly one record in the combined history — tx_after=16.0, tx_before=15.0	PASSED	7/7	—	10.23s
SC-XFER-05	normal	**Balances after a transfer persist on reload and match the dashboard** Optimistic UI updates may never be saved 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transfer (fresh page load) 3. Read Everyday Checking balance as chk_before → read 4370.15 4. Read Rainy Day Savings balance as sav_before → read 8274.6	PASSED	2/2	—	7.89s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		5. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,370.15' 6. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,274.60' 7. Enter amount '3.00' 8. Click 'Transfer funds' 9. Read the confirmation / error shown → read 'Transfer complete Amount $3.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' 10. Reload the page 11. Read Checking balance after reload → read 4367.15 12. Open Dashboard 13. Read Checking balance on the dashboard → read 4367.15 ✓ Reloaded balance reflects the transfer — chk_after=4367.15, chk_before=4370.15 ✓ Dashboard agrees — dash_chk=4367.15, chk_after=4367.15				
SC-XFER-06	edge	**Double-clicking Transfer submits only once** Duplicate submissions double-charge 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 17.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4367.15 6. Read Rainy Day Savings balance as sav_before → read 8277.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,367.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,277.60' 9. Enter amount '2.00' 10. Double-click 'Transfer funds' rapidly 11. Read the confirmation / error shown → read 'Transfer complete Amount $2.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4365.15 14. Read Rainy Day Savings balance as sav_after → read 8279.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 18.0 ✓ Only one transfer request sent — sent 1 time(s) ✓ Checking decreased by 2.00 once — chk_after=4365.15, chk_before=4367.15 ✓ Only one record created — tx_after=18.0, tx_before=17.0	PASSED	3/3	—	8.66s
SC-XFER-07	edge	**Transfer exactly the full Savings balance (then move it back)** Boundary: amount equal to available balance must be allowed 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transfer (fresh page load) 3. Read Everyday Checking balance as chk_before → read 4365.15 4. Read Rainy Day Savings balance as sav_before → read 8279.6 5. Choose From account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60' 6. Choose To account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15' 7. Enter amount {sav_before} → read entered '8279.60' 8. Click 'Transfer funds' 9. Read the confirmation / error shown → read 'Transfer complete Amount $8,279.60 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct 2' 10. Open Transfer (fresh page load)	PASSED	3/3	—	10.08s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		11. Read Everyday Checking balance as chk_after → read 12644.75 12. Read Rainy Day Savings balance as sav_after → read 0.0 13. Choose From: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $12,644.75' 14. Choose To: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $0.00' 15. Enter the same amount to restore Savings → read entered '8279.60' 16. Click 'Transfer funds' (restore) ✓ Full-balance transfer accepted — 'Transfer complete Amount $8,279.60 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct 2' ✓ Savings is exactly 0.00 — sav_after=0.0 ✓ Checking received the full amount — chk_after=12644.75, chk_before=4365.15, sav_before=8279.6				
SC-XFER-08	negative	**Blank amount is rejected** Required-field handling 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 20.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4365.15 6. Read Rainy Day Savings balance as sav_before → read 8279.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60' 9. Enter amount '' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Enter an amount to transfer. | aria-invalid field: amount' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4365.15 14. Read Rainy Day Savings balance as sav_after → read 8279.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 20.0 ✓ UI explains the transfer did not complete — 'Enter an amount to transfer. | aria-invalid field: amount' ✓ No success state is shown — 'Enter an amount to transfer. | aria-invalid field: amount' ✓ Checking balance unchanged — chk_after=4365.15, chk_before=4365.15 ✓ Savings balance unchanged — sav_after=8279.6, sav_before=8279.6 ✓ No transaction created — tx_after=20.0, tx_before=20.0	PASSED	5/5	—	8.71s
SC-XFER-09	edge	**Zero amount is rejected** Boundary at 0 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 20.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4365.15 6. Read Rainy Day Savings balance as sav_before → read 8279.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60' 9. Enter amount '0'	FAILED	2/5	—	17.44s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4365.15 14. Read Rainy Day Savings balance as sav_after → read 8279.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 21.0 × UI explains the transfer did not complete — 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' × No success state is shown — 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' ✓ Checking balance unchanged — chk_after=4365.15, chk_before=4365.15 ✓ Savings balance unchanged — sav_after=8279.6, sav_before=8279.6 × No transaction created — tx_after=21.0, tx_before=20.0				
SC-XFER-10	edge	**Zero written as 0.00 is rejected** Boundary at 0 with decimals 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 22.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4365.15 6. Read Rainy Day Savings balance as sav_before → read 8279.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60' 9. Enter amount '0.00' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4365.15 14. Read Rainy Day Savings balance as sav_after → read 8279.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 23.0 × UI explains the transfer did not complete — 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' × No success state is shown — 'Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, 2' ✓ Checking balance unchanged — chk_after=4365.15, chk_before=4365.15 ✓ Savings balance unchanged — sav_after=8279.6, sav_before=8279.6 × No transaction created — tx_after=23.0, tx_before=22.0	FAILED	2/5	—	17.41s
SC-XFER-11	negative	**Negative amount is rejected** A negative transfer moves money backwards 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions	FAILED	0/5	—	17.51s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		3. Read the transaction count ('Showing N transactions') as tx_before → read 24.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4365.15 6. Read Rainy Day Savings balance as sav_before → read 8279.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,365.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,279.60' 9. Enter amount '-5.00' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4370.15 14. Read Rainy Day Savings balance as sav_after → read 8274.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 25.0 × UI explains the transfer did not complete — 'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, ' × No success state is shown — 'Transfer complete Amount −$5.00 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 21, ' × Checking balance unchanged — chk_after=4370.15, chk_before=4365.15 × Savings balance unchanged — sav_after=8274.6, sav_before=8279.6 × No transaction created — tx_after=25.0, tx_before=24.0				
SC-XFER-12	negative	**Non-numeric amount is rejected** Parsing 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 26.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4375.15 6. Read Rainy Day Savings balance as sav_before → read 8269.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,269.60' 9. Enter amount 'abc' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4375.15 14. Read Rainy Day Savings balance as sav_after → read 8269.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 26.0 ✓ UI explains the transfer did not complete — 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with no more than two decimal places. | Trans' ✓ No success state is shown — 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No	PASSED	5/5	—	8.92s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		money was moved. Your ba | Amount must be a decimal string with no more than two decimal places. | Trans' ✓ Checking balance unchanged — chk_after=4375.15, chk_before=4375.15 ✓ Savings balance unchanged — sav_after=8269.6, sav_before=8269.6 ✓ No transaction created — tx_after=26.0, tx_before=26.0				
SC-XFER-13	edge	**Three decimal places are rejected** PRD caps precision at two decimals 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 26.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4375.15 6. Read Rainy Day Savings balance as sav_before → read 8269.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,269.60' 9. Enter amount '1.005' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4375.15 14. Read Rainy Day Savings balance as sav_after → read 8269.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 26.0 ✓ UI explains the transfer did not complete — 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with no more than two decimal places. | Trans' ✓ No success state is shown — 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with no more than two decimal places. | Trans' ✓ Checking balance unchanged — chk_after=4375.15, chk_before=4375.15 ✓ Savings balance unchanged — sav_after=8269.6, sav_before=8269.6 ✓ No transaction created — tx_after=26.0, tx_before=26.0	PASSED	5/5	—	8.76s
SC-XFER-14	edge	**Scientific notation is rejected** Number parsers accept 1e2 = 100 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 26.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4375.15 6. Read Rainy Day Savings balance as sav_before → read 8269.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,269.60' 9. Enter amount '1e2' 10. Click 'Transfer funds'	PASSED	5/5	—	8.76s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		11. Read the confirmation / error shown → read 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4375.15 14. Read Rainy Day Savings balance as sav_after → read 8269.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 26.0 ✓ UI explains the transfer did not complete — 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with no more than two decimal places. | Trans' ✓ No success state is shown — 'Transfer not completed Amount must be a decimal string with no more than two decimal places. No money was moved. Your ba | Amount must be a decimal string with no more than two decimal places. | Trans' ✓ Checking balance unchanged — chk_after=4375.15, chk_before=4375.15 ✓ Savings balance unchanged — sav_after=8269.6, sav_before=8269.6 ✓ No transaction created — tx_after=26.0, tx_before=26.0				
SC-XFER-15	negative	**Same source and destination is rejected** Self-transfer loops 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 26.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4375.15 6. Read Rainy Day Savings balance as sav_before → read 8269.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15' 8. Choose To account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15' 9. Enter amount '5.00' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer not completed Source and destination accounts must be different. No money was moved. Your balances are unchange | Source and destination accounts must ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 4375.15 14. Read Rainy Day Savings balance as sav_after → read 8269.6 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 26.0 ✓ UI explains the transfer did not complete — 'Transfer not completed Source and destination accounts must be different. No money was moved. Your balances are unchange | Source and destination accounts must be different. | Transfer not completed S' ✓ No success state is shown — 'Transfer not completed Source and destination accounts must be different. No money was moved. Your balances are unchange | Source and destination accounts must be different. | Transfer not completed S' ✓ Checking balance unchanged — chk_after=4375.15, chk_before=4375.15 ✓ Savings balance unchanged — sav_after=8269.6, sav_before=8269.6 ✓ No transaction created — tx_after=26.0, tx_before=26.0	PASSED	5/5	—	8.65s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
SC-XFER-16	negative	**Amount above the available balance is rejected** Overdrafts break money integrity 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 26.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read 4375.15 6. Read Rainy Day Savings balance as sav_before → read 8269.6 7. Choose From account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — $4,375.15' 8. Choose To account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $8,269.60' 9. Enter amount {chk_before} + 100 → read entered '4475.15' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read -100.0 14. Read Rainy Day Savings balance as sav_after → read 12744.75 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 27.0 × UI explains the transfer did not complete — 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2' × No success state is shown — 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2' × Message mentions insufficient funds — 'Transfer complete Amount $4,475.15 From Everyday Checking (•••• 1042) To Rainy Day Savings (•••• 7781) Date & time Oct 2' × Checking balance unchanged — chk_after=-100.0, chk_before=4375.15 × Savings balance unchanged — sav_after=12744.75, sav_before=8269.6 × No transaction created — tx_after=27.0, tx_before=26.0	FAILED	0/6	—	17.43s
SC-XFER-17	edge	**Balance + $0.01 is rejected** Off-by-one at the balance boundary 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read the transaction count ('Showing N transactions') as tx_before → read 28.0 4. Open Transfer (fresh page load) 5. Read Everyday Checking balance as chk_before → read -100.0 6. Read Rainy Day Savings balance as sav_before → read 12744.75 7. Choose From account: Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781) — $12,744.75' 8. Choose To account: Everyday Checking → read selected 'Everyday Checking (•••• 1042) — −$100.00' 9. Enter amount {sav_before} + 0.01 → read entered '12744.76' 10. Click 'Transfer funds' 11. Read the confirmation / error shown → read 'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct ' 12. Open Transfer (fresh page load) 13. Read Everyday Checking balance as chk_after → read 12644.76 14. Read Rainy Day Savings balance as sav_after → read -0.01 15. Open Transactions 16. Read the transaction count ('Showing N transactions') as tx_after → read 29.0	FAILED	0/5	—	17.45s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		× UI explains the transfer did not complete — 'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct ' × No success state is shown — 'Transfer complete Amount $12,744.76 From Rainy Day Savings (•••• 7781) To Everyday Checking (•••• 1042) Date & time Oct ' × Checking balance unchanged — chk_after=12644.76, chk_before=-100.0 × Savings balance unchanged — sav_after=-0.01, sav_before=12744.75 × No transaction created — tx_after=29.0, tx_before=28.0				
SC-HIST-01	normal	**Every row shows date/time, type, account, signed amount and status** Missing columns or ambiguous amounts 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions ✓ Date and time on every row — all 30 rows match ✓ Type on every row — all 30 rows match ✓ Amount direction on every row — all 30 rows match ✓ Status on every row — all 30 rows match	PASSED	4/4	—	2.58s
SC-HIST-02	normal	**Type = Deposit shows only deposits** Filter logic 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Set filter to Deposit → read selected 'Deposit' 4. Click 'Apply filters' 5. Count rows shown → read 5 ✓ Every row matches Deposit — all 5 rows match ✓ At least one row shown — n=5	PASSED	2/2	—	4.74s
SC-HIST-03	normal	**Type = Withdrawal shows only withdrawals** Filter logic 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Set filter to Withdrawal → read selected 'Withdrawal' 4. Click 'Apply filters' 5. Count rows shown → read 5 ✓ Every row matches Withdrawal — all 5 rows match ✓ At least one row shown — n=5	PASSED	2/2	—	4.74s
SC-HIST-04	normal	**Status = Pending shows only pending** Filter logic 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Set filter to Pending → read selected 'Pending' 4. Click 'Apply filters' 5. Count rows shown → read 2 ✓ Every row matches Pending — all 2 rows match ✓ At least one row shown — n=2	PASSED	2/2	—	4.68s
SC-HIST-05	normal	**Status = Failed shows only failed** Filter logic 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Set filter to Failed → read selected 'Failed' 4. Click 'Apply filters'	PASSED	2/2	—	4.7s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		5. Count rows shown → read 2 ✓ Every row matches Failed — all 2 rows match ✓ At least one row shown — n=2				
SC-HIST-06	normal	**Account = Savings shows only Savings rows** Filter logic 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Set filter to Rainy Day Savings → read selected 'Rainy Day Savings (•••• 7781)' 4. Click 'Apply filters' 5. Count rows shown → read 24 ✓ Every row matches Rainy Day Savings — all 24 rows match ✓ At least one row shown — n=24	PASSED	2/2	—	4.74s
SC-HIST-07	edge	**Combined filters: Deposit + Completed + Checking** Filters applied with OR instead of AND 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Select 'Deposit' in 'css=#filter-type' → read selected 'Deposit' 4. Select 'Completed' in 'css=#filter-status' → read selected 'Completed' 5. Select 'Everyday Checking' in 'css=#filter-account' → read selected 'Everyday Checking (•••• 1042)' 6. Click 'Apply filters' ✓ Every row is a Deposit — all 2 rows match ✓ Every row is Completed — all 2 rows match ✓ Every row is Checking — all 2 rows match	PASSED	3/3	—	5.75s
SC-HIST-08	edge	**Range Jan 3 – Jan 18, 2025 includes both boundary dates** Inclusive boundaries are often implemented as exclusive 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Set Start date 2025-01-03 4. Set End date 2025-01-18 5. Click 'Apply filters' 6. Read the filtered table → read 'Filtered transaction history\nDATE & TIME\tDESCRIPTION\tTYPE\tACCOUNT\tAMOUNT\tSTATUS\nJan 3, 2025, 9:00 AM PST\tDemo payroll\tDeposit\tEveryday Checking (•••• 1042)\t\nMoney in:\n+$1,200.00\tCompleted' ✓ Start-date row (Jan 3, Demo payroll) included — 'Filtered transaction history DATE & TIME DESCRIPTION TYPE ACCOUNT AMOUNT STATUS Jan 3, 2025, 9:00 AM PST Demo payroll Deposit Everyday Checking (•••• 1042) Money in: +$1,200.00 Completed' × End-date row (Jan 18, Demo groceries) included — 'Filtered transaction history DATE & TIME DESCRIPTION TYPE ACCOUNT AMOUNT STATUS Jan 3, 2025, 9:00 AM PST Demo payroll Deposit Everyday Checking (•••• 1042) Money in: +$1,200.00 Completed' ✓ No rows outside the range — all 1 rows match	FAILED	2/3	—	9.67s
SC-HIST-09	edge	**Single-day range (Mar 4 – Mar 4, 2025) shows that day's transaction** Start = end must still include the day; evening Pacific times cross UTC midnight 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Enter '2025-03-04' into 'css=#filter-start' 4. Enter '2025-03-04' into 'css=#filter-end' 5. Click 'Apply filters'	FAILED	0/2	—	21.17s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
		6. Count rows shown → read 0 7. Read as msg → read 'No transactions match these filters Try a different combination, or clear the filters to see all transactions. Clear fil' × At least one row for Mar 4 — n=0 ? Rows are dated Mar 4, 2025 — no rows to inspect				
SC-HIST-10	edge	**A range with no transactions shows a clear empty state** Empty results often render errors or stale rows 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Enter '2030-01-01' into 'css=#filter-start' 4. Enter '2030-01-31' into 'css=#filter-end' 5. Click 'Apply filters' 6. Count rows shown → read 0 ✓ No rows shown — n=0 ✓ Empty-state message — present on page ✓ Not an error state — not found on page	PASSED	3/3	—	7.21s
SC-HIST-11	normal	**Clear filters restores the full list** Filter state sticking 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Read total count → read 30.0 4. Select 'Withdrawal' in 'css=#filter-type' → read selected 'Withdrawal' 5. Click 'Apply filters' 6. Read filtered count → read 5.0 7. Click 'Clear filters' 8. Read count after clearing → read 30.0 ✓ Filter narrowed the list — filtered=5.0, all=30.0 ✓ Clearing restores the full count — after=30.0, all=30.0	PASSED	2/2	—	4.86s
SC-PROF-01	normal	**Profile shows display name and masked email** Privacy 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Profile ✓ Display name shown — present on page ✓ Email is masked — 'a***@example.test'	PASSED	2/2	—	2.47s
SC-PROF-02	negative	**Profile reveals no tokens, passwords or full identifiers** Data leakage 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Profile ✓ No password or token values — no match ✓ No full UUID-style identifiers — no match ✓ No long account numbers — no match	PASSED	3/3	—	2.47s
SC-UI-01	edge	**Transfer page at 390px width fits and keeps the submit button** Responsive layout 1. Open http://localhost:5173 and click 'Enter Demo' 2. Resize the window to 390×844 3. Open Transfer ✓ No sideways scrolling — content width 390px, window 390px ✓ Submit still visible — visible (via role)	PASSED	2/2	—	3.12s

ID	TYPE	SCENARIO	VERDICT	CHECKS	HEALING	TIME
SC-UI-02	edge	**Transactions page at 390px width fits** Wide tables overflow on small screens 1. Open http://localhost:5173 and click 'Enter Demo' 2. Resize the window to 390×844 3. Open Transactions ✓ No sideways scrolling — content width 390px, window 390px ✓ Filters still visible — visible (via role)	PASSED	2/2	—	3.21s
SC-UI-03	normal	**Header links open their pages** Broken navigation 1. Open http://localhost:5173 and click 'Enter Demo' 2. Click 'Profile' in the header ✓ Profile URL — http://localhost:5173/profile ✓ Profile content shown — visible (via testid)	PASSED	2/2	—	2.55s
SC-UI-04	normal	**Dashboard 'Transfer funds' link opens the transfer form** Broken call-to-action 1. Open http://localhost:5173 and click 'Enter Demo' 2. Click 'Transfer funds' on the dashboard ✓ Transfer URL — http://localhost:5173/transfer ✓ Transfer form shown — visible (via label)	PASSED	2/2	—	2.55s
SC-UI-05	negative	**Invalid date range shows a recoverable error with a way back** Dead-end error screens 1. Open http://localhost:5173 and click 'Enter Demo' 2. Open Transactions 3. Enter '2025-03-01' into 'css=#filter-start' 4. Enter '2025-02-01' into 'css=#filter-end' 5. Click 'Apply filters' 6. Read as msg → read "We couldn't load transactions Start date must not be after end date. Try again Back to dashboard | We couldn't load transactions\n\nStart date must not be after e" 7. Click 'Back to dashboard' ✓ Error explains the problem — "We couldn't load transactions Start date must not be after end date. Try again Back to dashboard | We couldn't load transactions Start date must not be after end date. Try again Back to dashboard" ✓ Returned to dashboard — http://localhost:5173/dashboard	PASSED	2/2	—	6.22s

5 · Cost breakdown

MODEL	CALLS (CACHED)	INPUT TOKENS	CACHED INPUT	OUTPUT TOKENS	RATE $/1M (IN / CACHED / OUT)	COST
No model calls in this run (replayed a saved plan; all checks deterministic).						

STAGE	WHAT THE MODEL DOES	CALLS (CACHED)	COST
`exploration, execution, oracles`	Playwright + deterministic checks	0	$0.0000

Token counts come from the API's own usage fields (including image tokens and prompt-cache hits). Prices from pricing.json — verify against the provider's current price list. Repeat runs of an unchanged plan are served from the local response cache at $0.

6 · Method

1. **Explore** (no LLM): enter the demo, discover views, record fields, buttons, tables and stable selectors.
2. **Plan** (plan model): extract explicit + implied requirements from the PRD, then design normal / negative / edge scenarios grounded in the explored site map.
3. **Execute**: one fresh browser context per scenario; self-healing element resolution (test id → label → placeholder → ARIA role → text → fast-model pick from live DOM); network-idle + DOM-quiet waits instead of sleeps.
4. **Verify**: deterministic oracles over captured before/after values, DOM state, validation messages and HTTP traffic. A success toast is never accepted as proof.
5. **Confirm**: failures re-run once in a clean context (flake filter), then reviewed by the judge model, which can downgrade test-design mistakes to UNVERIFIED.