



C Program to output Prediction

← Back

QUESTIONS

Q1

Reverse a list
1 mark



Q2

Reverse a string
1 mark



Q3

Searching
1 mark



3/3 answered

Q1 Reverse a list

1 mark

Write a C program that takes an array as input and returns it reversed.

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, a[100], i;
5
6     printf("Enter size: ");
7     scanf("%d", &n);
8
9     printf("Enter elements: ");
10    for(i = 0; i < n; i++)
11        scanf("%d", &a[i]);
12
13    printf("Reversed array: ");
14    for(i = n - 1; i >= 0; i--)
15        printf("%d ", a[i]);
16
17    return 0;
18 }
```

Input

5
10 20 30 40 50

Output

✓ Submitted



C Program to output Prediction

[← Back](#)

QUESTIONS

Q1

Reverse a list
1 mark

Q2

Reverse a string
1 mark

Q3

Searching
1 mark

3/3 answered

Q2 Reverse a string

1 mark

Write a C program for palindrom

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, rev = 0, temp, rem;
5
6     printf('Enter a number: ');
7     scanf('%d', &n);
8
9     temp = n;
10    while (temp > 0) {
11        rem = temp % 10;
12        rev = rev * 10 + rem;
13        temp /= 10;
14    }
15
16    if (n == rev)
17        printf('Palindrome');
18    else
19        printf('Not Palindrome');
20
21    return 0;
22 }
```

Input

121

Output

Submitted



C Program to output Prediction

[← Back](#)

QUESTIONS

Q1

Reverse a list
1 mark

Q2

Reverse a string
1 mark

Q3

Searching
1 mark

3/3 answered

Q3 Searching

1 mark

Write a C program for Searching an Element in a Sorted Array

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int a[100], n, key, i;
5
6     printf("Enter size: ");
7     scanf("%d", &n);
8
9     printf("Enter sorted array: ");
10    for(i = 0; i < n; i++)
11        scanf("%d", &a[i]);
12
13    printf("Enter element to search: ");
14    scanf("%d", &key);
15
16    for(i = 0; i < n; i++) {
17        if(a[i] == key) {
18            printf("Element found at position %d", i + 1);
19            return 0;
20        }
21    }
22
23    printf("Element not found");
24    return 0;
25 }
```

Input

```
5
10 20 30 40 50
50
```

Output

Submitted