

DRAMAMINE LESS DROWSY- meclizine hydrochloride tablet
Medtech Products Inc.

Dramamine Less Drowsy - 63029-903

Drug Facts

Active ingredient
(in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Warnings

Do not give

to children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking

sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a doctor before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take first dose 1/2 to 1 hour before starting activity
- **adults and children 12 years and over:** 1 to 2 tablets once daily, or as directed by a doctor

Other information

- store at room temperature 20 - 25°C (68 - 77°F)

Inactive ingredients

anhydrous lactose, corn starch, colloidal silicon dioxide, D&C yellow no. 10 aluminum lake, magnesium stearate, microcrystalline cellulose

Questions?

1-800-382-7219

Dramamine.com

PRINCIPAL DISPLAY PANEL

Dramamine®

MECLIZINE HYDROCHLORIDE | ANTIEMETIC | 25 MG

motion sickness

LESS DROWSY

Dual Action:

Prevents & Relieves Nausea,

Dizziness and Vomiting

4 TABLETS

(25 mg EACH)



DRAMAMINE LESS DROWSY

meclizine hydrochloride tablet

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63029-903 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------------|----------|
| MECLIZINE DIHYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) | MECLIZINE DIHYDROCHLORIDE | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | yellow | Score | 2 pieces |
| Shape | ROUND | Size | 9mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:63029-903-01 | 1 in 1 BLISTER PACK | 09/01/2011 | |
| 1 | | 8 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 2 | NDC:63029-903-10 | 2 in 1 CARTON | 09/01/2011 | |
| 2 | | 5 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 3 | NDC:63029-903-04 | 2 in 1 CARTON | 01/05/2026 | |
| 3 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M009 | 09/01/2011 | |

Labeler - Medtech Products Inc. (122715688)

Revised: 1/2026

Medtech Products Inc.