

Major interactions (continued)

Continued from the previous page.

Ibuprofen + Aspirin

antagonism

Ibuprofen occupies the COX-1 channel reversibly and blocks aspirin from reaching serine-529, so aspirin cannot acetylate it. The cardioprotective effect of low-dose aspirin is lost while this continues. This is the reason aspirin's irreversible mechanism is recorded as its own term rather than as generic COX inhibition.

Ibuprofen + Diclofenac

additive toxicity

Additive gastrointestinal, renal and cardiovascular toxicity with no additive analgesic benefit — the COX enzyme is already saturated by one agent at therapeutic dose. GI bleeding risk rises multiplicatively.

Ibuprofen + Diclofenac

duplication

Two COX inhibitors for one job.

Naproxen + Aspirin

additive toxicity

Additive gastrointestinal, renal and cardiovascular toxicity with no additive analgesic benefit — the COX enzyme is already saturated by one agent at therapeutic dose. GI bleeding risk rises multiplicatively.

Naproxen + Diclofenac

additive toxicity

Additive gastrointestinal, renal and cardiovascular toxicity with no additive analgesic benefit — the COX enzyme is already saturated by one agent at therapeutic dose. GI bleeding risk rises multiplicatively.

Naproxen + Diclofenac

duplication

Two COX inhibitors for one job.

Naproxen + Ibuprofen

additive toxicity

Additive gastrointestinal, renal and cardiovascular toxicity with no additive analgesic benefit — the COX enzyme is already saturated by one agent at therapeutic dose. GI bleeding risk rises multiplicatively.

Naproxen + Ibuprofen

duplication

Two COX inhibitors for one job.

SEDATIVE STACKING

Diphenhydramine + Daridorexant

additive CNS depression

Additive sedation, psychomotor impairment and next-day residual effect. The mechanisms differ (GABA-A, H1, orexin, MT1/MT2) so the effect is not detected by any duplication check that reasons from drug class alone.

Temazepam + Daridorexant

additive CNS depression

Additive sedation, psychomotor impairment and next-day residual effect. The mechanisms differ (GABA-A, H1, orexin, MT1/MT2) so the effect is not detected by any duplication check that reasons from drug class alone.

Temazepam + Daridorexant

duplication

Different mechanisms, same indication and same night.

Temazepam + Diphenhydramine

additive CNS depression

Additive sedation, psychomotor impairment and next-day residual effect. The mechanisms differ (GABA-A, H1, orexin, MT1/MT2) so the effect is not detected by any duplication check that reasons from drug class alone.

Triazolam + Daridorexant

additive CNS depression

Additive sedation, psychomotor impairment and next-day residual effect. The mechanisms differ (GABA-A, H1, orexin, MT1/MT2) so the effect is not detected by any duplication check that reasons from drug class alone.

Triazolam + Daridorexant

duplication

Different mechanisms, same indication and same night.

Triazolam + Diphenhydramine

additive CNS depression

Additive sedation, psychomotor impairment and next-day residual effect. The mechanisms differ (GABA-A, H1, orexin, MT1/MT2) so the effect is not detected by any duplication check that reasons from drug class alone.