NAME: MAHA SWETA A B ROLL NO :250701399

EXPERIMENT 14

Exp No:14 Experiment to understand feature scaling.

AIM:

To understand feature scaling.

DESCRIPTION:

Understand the importance of feature scaling

CODE:

```
import numpy as np

import pandas as pd

# Read the dataset

df = pd.read_csv('/content/Data.csv')

print(df)

print("\n")

# Display first 5 rows

print(df.head())

print("\n")

# Fill missing Country value with mode

df['Country'] = df['Country'].fillna(df['Country'].mode()[0])

# Separate features

features = df.iloc[:, :-1].values

print(features)

print("\n")
```

```
# Separate label
label = df.iloc[:, -1].values
print(label)
print("\n")
# Imputation for Age and Salary
from sklearn.impute import SimpleImputer
age = SimpleImputer(strategy="mean", missing_values=np.nan)
Salary = SimpleImputer(strategy="mean", missing_values=np.nan)
# Fit the imputers
age.fit(features[:, [1]])
Salary.fit(features[:, [2]])
print(age.statistics_)
print("\n")
print(Salary.statistics_)
print("\n")
# Transform missing values
features[:, [1]] = age.transform(features[:, [1]])
features[:, [2]] = Salary.transform(features[:, [2]])
print(features)
print("\n")
# One Hot Encoding
from sklearn.preprocessing import OneHotEncoder
oh = OneHotEncoder(sparse_output=False)
Country = oh.fit_transform(features[:, [0]])
```

```
print(Country)

print("\n")

# Concatenate Country + Age + Salary

final_set = np.concatenate((Country, features[:, [1, 2]]), axis=1)

print(final_set)

print("\n")

# Standard Scaler

from sklearn.preprocessing import StandardScaler

sc = StandardScaler()

sc.fit(final_set)

feat_standard_scaler = sc.transform(final_set)

print(feat_standard_scaler)

print("\n")

# Min-Max Scaler

from sklearn.preprocessing import MinMaxScaler

mms = MinMaxScaler(feature_range=(0, 1))

mms.fit(final_set)

feat_minmax_scaler = mms.transform(final_set)

print(feat_minmax_scaler)
```

OUTPUT:

	Country	Age	Salary	Purchased
0	France	44.0	72000.0	No
1	Spain	27.0	48000.0	Yes
2	Germany	30.0	54000.0	No
3	Spain	38.0	61000.0	No
4	Germany	40.0	NaN	Yes
5	France	35.0	58000.0	Yes
6	Spain	NaN	52000.0	No
7	France	48.0	79000.0	Yes
8	Germany	50.0	83000.0	No
9	France	37.0	67000.0	Yes

```
   Country   Age   Salary Purchased
0   France  44.0  72000.0        No
1    Spain  27.0  48000.0       Yes
2  Germany  30.0  54000.0        No
3    Spain  38.0  61000.0        No
4  Germany  40.0      NaN       Yes
```

```
[['France' 44.0 72000.0]
 ['Spain' 27.0 48000.0]
 ['Germany' 30.0 54000.0]
 ['Spain' 38.0 61000.0]
 ['Germany' 40.0 nan]
 ['France' 35.0 58000.0]
 ['Spain' nan 52000.0]
 ['France' 48.0 79000.0]
 ['Germany' 50.0 83000.0]
 ['France' 37.0 67000.0]]
```

```
['No' 'Yes' 'No' 'No' 'Yes' 'Yes' 'No' 'Yes' 'No' 'Yes']
```

```
[38.77777778]
```

```
[63777.77777778]
```

```
[['France' 44.0 72000.0]
 ['Spain' 27.0 48000.0]
 ['Germany' 30.0 54000.0]
 ['Spain' 38.0 61000.0]
 ['Germany' 40.0 63777.77777777778]
 ['France' 35.0 58000.0]
 ['Spain' 38.77777777777778 52000.0]
 ['France' 48.0 79000.0]
 ['Germany' 50.0 83000.0]
 ['France' 37.0 67000.0]]
```

```
[[1. 0. 0.]
 [0. 0. 1.]
 [0. 1. 0.]
 [0. 0. 1.]
 [0. 1. 0.]
 [1. 0. 0.]
 [0. 0. 1.]
 [1. 0. 0.]
 [0. 1. 0.]
 [1. 0. 0.]]
```

```
[[1.0 0.0 0.0 44.0 72000.0]
 [0.0 0.0 1.0 27.0 48000.0]
 [0.0 1.0 0.0 30.0 54000.0]
 [0.0 0.0 1.0 38.0 61000.0]
 [0.0 1.0 0.0 40.0 63777.77777777778]
 [1.0 0.0 0.0 35.0 58000.0]
 [0.0 0.0 1.0 38.77777777777778 52000.0]
 [1.0 0.0 0.0 48.0 79000.0]
 [0.0 1.0 0.0 50.0 83000.0]
 [1.0 0.0 0.0 37.0 67000.0]]
```

```
[[ 1.22474487e+00 -6.54653671e-01 -6.54653671e-01  7.58874362e-01
   7.49473254e-01]
 [-8.16496581e-01 -6.54653671e-01  1.52752523e+00 -1.71150388e+00
  -1.43817841e+00]
 [-8.16496581e-01  1.52752523e+00 -6.54653671e-01 -1.27555478e+00
  -8.91265492e-01]
 [-8.16496581e-01 -6.54653671e-01  1.52752523e+00 -1.13023841e-01
  -2.53200424e-01]
 [-8.16496581e-01  1.52752523e+00 -6.54653671e-01  1.77608893e-01
   6.63219199e-16]
 [ 1.22474487e+00 -6.54653671e-01 -6.54653671e-01 -5.48972942e-01
  -5.26656882e-01]
 [-8.16496581e-01 -6.54653671e-01  1.52752523e+00  0.00000000e+00
  -1.07356980e+00]
 [ 1.22474487e+00 -6.54653671e-01 -6.54653671e-01  1.34013983e+00
   1.38753832e+00]
 [-8.16496581e-01  1.52752523e+00 -6.54653671e-01  1.63077256e+00
   1.75214693e+00]
 [ 1.22474487e+00 -6.54653671e-01 -6.54653671e-01 -2.58340208e-01
   2.93712492e-01]]
```

```
[[1.         0.         0.         0.73913043 0.68571429]
 [0.         0.         1.         0.         0.        ]
 [0.         1.         0.         0.13043478 0.17142857]
 [0.         0.         1.         0.47826087 0.37142857]
 [0.         1.         0.         0.56521739 0.45079365]
 [1.         0.         0.         0.34782609 0.28571429]
 [0.         0.         1.         0.51207729 0.11428571]
 [1.         0.         0.         0.91304348 0.88571429]
 [0.         1.         0.         1.         1.        ]
 [1.         0.         0.         0.43478261 0.54285714]]
```

RESULT:

Thus, feature scaling was performed successfully using SimpleImputer, OneHotEncoder, StandardScaler, and MinMaxScaler. Missing values were handled, categorical data was encoded, and numerical features were scaled for data preprocessing.