



Visvesvaraya Technological University

BELGAVI, KARNATAKA

ವಿಶ್ವೇಶ್ವರಯ್ಯ ತಾಂತ್ರಿಕ ವಿಶ್ವವಿದ್ಯಾಲಯ
ಬೆಳಗಾವಿ, ಕರ್ನಾಟಕ

COMPUTER GRAPHICS MINI PROJECT REPORT ON
CROSS ROAD

Mini Project submitted in partial fulfillment of the
Requirement for the 6th semester of

COMPUTER SCIENCE AND ENGINEERING

Submitted by

Name

USN

JEEVITHA V
MAHATHI KASHYAP
NITHIN S S
ROHIT D

4JN20CS040
4JN20CS052
4JN20CS067
4JN20CS084


Under the guidance of

Mrs. Sushma R B B.E, MTech.

Asst.Prof., Dept. of CS&E
JNNCE, SHIMOGA

Mrs. Sreedevi S B.E, MTech.

Asst.Prof., Dept. of CS&E
JNNCE, SHIMOGA



Department of Computer Science & Engineering
Jawaharlal Nehru New College of Engineering

Shivamogga - 577 204

MAY-2023

National Educational Society ®



Jawaharlal Nehru National College of Engineering

Department of Computer Science & Engineering

CERTIFICATE

This is to certify that the mini project report entitled
“CROSS ROAD”
is carried out by

Name

USN

JEEVITHA V
MAHATHI KASHYAP
NITHIN S S
ROHIT D

4JN20CS040
4JN20CS052
4JN20CS067
4JN20CS084

In partial fulfillment of the requirement for the 6th semester of CSE as per the university regulations during the academic year 2016-17.

Signature of Guide

Signature of Guide

Mrs.Sushma R B B.E, M.Tech.

Asst.Prof., Dept. of CS&E
JNNCE, SHIMOGA

Mrs.Sreedevi S B.E, MTech.

Asst.Prof., Dept. of CS&E
JNNCE, SHIMOGA

Signature of HOD

Dr. Poornima K M B.E, MTech, Ph.D.
Professor & HOD, Dept of CS&E.

Signature of Examiner

Examiner 1: _____

Examiner 2: _____

ABSTRACT

Cross road game Simulation Computer Graphics Mini Project is to illustrate the concepts and usage of pre-built functions in OpenGL. The Objective of the Cross Road game is to move across each lane to reach the other side of the road by avoiding the moving obstacles. This project graphically illustrates a game called as 'CROSS ROAD' using OpenGL API'S and C & C++ as a programming language. Computer graphics is interactive method of pictorial synthesis of real or image objects from their com-based models. OpenGL (Open Graphics Library) is a standard specification defining a cross language, cross-platform API for writing application that produces 2D and 3D computer graphics. OpenGL supports visualization applications with 2D images treated as types of primitives that can be manipulated just 3D geometric objects.

ACKNOWLEDGEMENT

On presenting the report on ‘**CROSS ROAD**’, we feel great to express our humble feelings of thanks to all who have helped us directly or indirectly in the successful completion of the project.

We are grateful to our institution **Jawaharlal Nehru National College of Engineering and Department of Computer Science and Engineering** for imparting us the knowledge with which we can do our best.

We would like to thank our beloved guides **Mrs. Sushma R B. Asst Professor, Dept. of CS&E** and **Mrs. Sreedevi S. Asst Professor, Dept. of CS&E** Who has helped us a lot in making this project and for their continuous encouragement and guidance throughout the project work.

Finally, we would like to thank **Dr. Poornima K M, Professor and HOD of CS&E Dept.** and **Dr. K Nagendra Prasad, the Principal JNNCE, Shimoga** for all their support and encouragement.

We also would like to thank the whole teaching and non-teaching staff of Computer Science and Engineering Dept.

Thanking you all,

PROJECT ASSOCIATES

JEEVITHA V (4JN20CS040)

MAHATHI KASHYAP (4JN20CS052)

NITHIN S S (4JN20CS067)

ROHIT D (4JN20CS084)

CONTENTS

ABSTRACT	i
ACKNOWLEDGEMENT	ii
CONTENTS	iii-iv
LIST OF FIGURES	v
CHAPTER 1: INTRODUCTION	1
1.1 Overview of Computer Graphic	1
1.2 History	1
1.3 Application of computer Graphics	1
1.4 Problem statement	3
1.5 Objective of the report	3
1.6 Organization of the report	3
CHAPTER 2: INTRODUCTION TO OPENGL	4
2.1 Introduction	4
2.2 OpenGL as Command Syntax	5
2.3 OpenGL as State Machine	5
2.4 Pixel Operations	6
2.5 Texture Assembly	6
2.6 Rasterization	6
2.7 Immediate Mode and display lists	7
2.8 Advantages of Using OpenGL	8
CHAPTER 3: SPECIFIC TO THE PROJECT	10
3.1 History	10
3.2 Concept of the game	10
3.3 How to play the game	10

CHAPTER 4: DESIGN AND IMPLEMENTATION	11
4.1 Graphic Functions and Requirements	11
4.2 Flowchart	19
4.3 Pseudo-code	20
 CHAPTER 5: RESULTS AND SNAPSHOTS	 23
 CHAPTER 6: CONCLUSION AND FUTURE SCOPE	 28
6.1 Conclusion	28
6.2 Future Scope	28
 REFERENCES	 29

LIST OF FIGURES

Figure No.	Figure Name	Page No
2.1	Library organization	5
2.2	Block diagram showing Rasterisation	6
4.2	Flowchart	19
5.1	Front screen of the game	23
5.2	Instruction screen	24
5.3	Actual game screen	25
5.4	Level complete screen	26
5.5	Game over screen	27

Chapter 1

INTRODUCTION

1.1 Overview of Computer Graphics

Computer Graphics become a powerful tool for the rapid and economical production of pictures. There is virtually no area in which Graphical displays cannot be used to some advantage so it is not surprising to find the use of CG so widespread.

Although early application in engineering & science had to rely on expensive & cumbersome equipments, advances in computer technology have made interactive computer graphics a practical tool. Today it found Computer Graphics in a diverse area such as science, engineering, medicine, business, industry, government, art, entertainment, education and training.

1.2 History

William Fetter was credited with coining the term Computer Graphics in 1960, to describe his work at Boeing. One of the first displays of computer animation was Future World (1976), which included an animation of a human face and hand-produced by Carmull and Fred Parke at the University of Utah.

There are several international conferences and journals where the most significant results in computer-graphics are published. Among them are the SIGGRAPH and Eurographics conferences and the Association for Computing Machinery (ACM) Transactions on Graphics journals.

1.3 Applications of Computer Graphics

Nowadays Computer Graphics used in almost all the areas ranging from science, engineering, medicine, business, industry, government, art, entertainment, education and training.

- **CG in the field of CAD**

Computer Aided Design methods are routinely used in the design of buildings, automobiles, aircraft, spacecraft, computers, textiles and many other applications.

- **CG in presentation Graphics**

Another major application area presentation graphics used to produce illustrations for reports or generate slides. Presentation graphics is commonly used to summarize financial,

statistical, mathematical, scientific data for research reports and other types of reports. 2D and 3D bar chart to illustrate some mathematical or statistical report.

- **CG in computer Art**

CG methods are widely used in both fine art and commercial art applications. Artists use a variety of computer methods including special purpose hardware, artist's paintbrush program (lumina), other paint packages, desktop packages, maths packages, animation packages that provide facility for designing object motion. Ex: cartoons design is an example of computer art which uses CG.

- **Entertainment**

Computer graphics methods are now commonly used in making motion pictures, music, videos, games and sounds. Sometimes graphics objects are combined with the actors and live scenes.

- **Education and Training**

Computer generated models of physical financial, economic system is often as education aids. For some training application special systems are designed. Ex: specialized system is simulator for practice sessions or training of ship captain, aircraft pilots and traffic control.

- **Image Processing**

Although the methods used in CG image processing overlap, the 2 areas are concerned with fundamentally different operations.

In CG a computer is used to create picture. Image processing on the other hand applies techniques to modify existing pictures such as photo scans, TV scans.

- **User Interface**

It is common for software packages to provide a graphical interface. A major component of a graphical interface is a window manager that allows a user to display multiple window area. Interface also displays menus, icons for fast selection and processing.

1.4 Problem Statement

In this project the aim is to design and develop a graphical game namely “CROSS ROAD” where the player tries to cross the road. The Cross Road game is to move across each lane to reach the other side of the road by avoiding the moving obstacles.

1.5 Objective of the project

Cross road game Simulation Computer Graphics Mini Project is to illustrate the concepts and usage of pre-built functions in OpenGL. The player plays as a character where he accomplishes the game objective. With the use of arrow keys, the character moves in the appropriate direction such as Forward, Left, and Right to reach the opposite side of the Road, which is the main goal of the game.

1.6 Organization of the Report

This section deals with the Introduction and organization of the project report. Chapter 2 discusses the basic concepts OpenGL. Chapter 3 gives information about the design and implementation and the results of the project. Chapter 4 shows the result and snapshot. Chapter 5 gives the conclusion and future enhancement of the project.

Chapter2

INTRODUCTION TO OPENGL

2.1 Introduction

OpenGL is a software interface to graphics hardware. This interface consists of about 150 distinct commands that you use to specify the objects and operations needed to produce interactive three-dimensional applications. OpenGL is designed as a streamlined, hardware-independent interface to be implemented on many different hardware platforms.

Most of our application will be designed to access OpenGL directly through functions in three libraries. Functions in the main GL (or OpenGL in windows) library have names that begin with the letters gl and are stored in a library usually referred to as GL (or OpenGL in windows). The second is the OpenGL Utility Library (GLU). This library uses only GL functions but contains code for creating common objects and simplifying viewing. All functions in GLU can be created from the core GL library but application programmers prefer not to write the code repeatedly. The GLU library is available in all OpenGL implementations; functions in the GLU library begin with letters glu.

To interface with the window system and to get input from external devices into our programs, we need at least one more library. For each major window system there is a system-specific library that provides the “glu” between the window system and OpenGL. For the X window system, this library is called GLX, for windows, it is wgl, and for the Macintosh, it is a gl. Rather than using a different library for each system, we use a readily available library called the OpenGL Utility Toolkit (GLUT), which provides the minimum functionality that should be expected in any modern windowing system.

Fig.2.1 shows the organization of the libraries for an X Window System environment. For this window system, GLUT will use GLX and the X libraries. The application program, however, can use only GLUT functions and thus can be recompiled with the GLUT library for other window systems. Library organization of the OpenGL can be illustrated with the help of a figure which specifies various library functions supported by OpenGL




Fig 2.1 Library organization of OpenGL

2.2 OpenGL Command Syntax

OpenGL commands use the prefix **gl** and initial capital letters for each word making up the command name. Similarly, OpenGL defined constants begin with **GL_**, use all capital letters, and use underscores to separate words (like **GL_TRUE**).

Some extraneous letters are appended to some command names (for example, the 3f in `glColor3f()` and `glVertex3f()`). It's true that the Color part of the command name `glColor3f()` is enough to define the command as one that sets the current color. However, more than one such command has been defined so as to use different types of arguments. In particular, the 3 part of the suffix indicates that three arguments are given; another version of the Color command takes four arguments. The part of the suffix indicates that the arguments are floating-point numbers.

2.3 OpenGL as a State Machine

OpenGL is a state machine. It is put into various states (or modes) that then remain in effect until it is changed. The current color is a state variable. The current colour can be set to white, red, or any other color, and thereafter every object is drawn with that color until the current color is set to something else.

Many state variables refer to modes that are enabled or disabled with the command `glEnable()` or `glDisable()`. Each state variable or mode has a default value, and at any point the system can be queried for each variable's current value.

2.4 Pixel Operations

Pixels from an array in system memory are first unpacked from one of a variety of formats into the proper number of components. Next the data is scaled, biased, and processed by a pixel map. The results are clamped and then either written into texture memory or sent to the Rasterization step. If pixel data is read from the frame buffer, pixel-transfer operations (scale, bias, mapping, and clamping) are performed. Then these results are packed into an appropriate format and returned to an array in system memory.

There are special pixel copy operations to copy data in the frame buffer to other parts of the frame buffer or to the texture memory. A single pass is made through the pixel transfer operations before the data is written to the texture memory or back to the frame buffer.

2.5 Texture Assembly

An OpenGL application may wish to apply texture images onto geometric objects to make them look more realistic. Some OpenGL implementations may have special resources to accelerate texture performance. There may be specialized, high-performance texture memory.

2.6 Rasterization

Rasterization is the conversion of both geometric and pixel data into fragments. Each fragment square corresponds to a pixel in the frame buffer. Line and polygon stipples, line width, point size, shading model, and coverage calculations to support antialiasing are taken into consideration as vertices are connected into lines or the interior pixels are calculated for a filled polygon. Color and depth values are assigned for each fragment square.




Figure 2.2 Block diagram showing Rasterisation

2.7 Immediate Mode and Display Lists

All data, whether it describes geometry or pixels, can be saved in a display list for current or later use. When a display list is executed, the retained data is sent from the display list just as if it were sent by the application in immediate mode.

- **Transforming to Window Coordinates**

Before clip coordinates can be converted to window coordinates, they are normalized by dividing by the value of w to yield normalized device coordinates. After that, the viewport transformation applied to these normalized coordinates produces window coordinates. You control the viewport, which determines the area of the on-screen window that displays an image, with `glDepthRange()` and `glViewport()`.

- **Matrix Transformations**

Vertices and normals are transformed by the modelview and projection matrices before they're used to produce an image in the frame buffer. You can use commands such as `glMatrixMode()`, `glMultMatrix()`, `glRotate()`, `glTranslate()`, and `glScale()` to compose the desired transformations, or you can directly specify matrices with `glLoadMatrix()` and `glLoadIdentity()`. Use `glPushMatrix()` and `glPopMatrix()` to save and restore modelview and projection matrices on their respective stacks.

The basic model for OpenGL command interpretation is immediate mode, in which a command is executed as soon as the server receives it; vertex processing, for example may begin even before specification of the primitive of which it is a part has been completed. Immediate mode execution is well-suited to interactive applications in which primitives and modes are constantly altered. In OpenGL, the fine-grained control provided by immediate mode is taken as far as possible: even individual lighting parameters (the diffuse reflectance color of a material, for instance) and texture images are set with individual commands that have immediate effect. While immediate mode provides flexibility, its use can be inefficient if unchanging parameters or objects must be re-specified. To accommodate such situations, OpenGL provides display lists. A display list encapsulates a sequence of OpenGL commands and is stored on the server. The display list is given a numeric name by the application when it is specified; the application need only name the display list to cause the server to effectively execute all the commands contained within the list. This mechanism provides a straightforward, effective means for an application to transmit a group of commands to the server just once even when those same commands must be executed many times.

2.7.1 Display List Optimization

Accumulating commands into a group for repeated execution presents possibilities for optimization. Consider, for example, specifying a texture image. Texture images are often large, requiring a large, and therefore possibly slow, data transfer from client to server (or from the server to its graphics subsystem) whenever the image is re-specified. For this reason, some graphics subsystems are equipped with sufficient storage to hold several texture images simultaneously. If the texture image definition is placed in a display list, then the server may be able to load that image just once when it is specified. When the display list is invoked (or re-invoked), the server simply indicates to the graphics subsystem that it should use the texture image already present in its memory, thus avoiding the overhead of re-specifying the entire image. Examples like this one indicate that display list optimization is required to achieve the best performance. In the case of texture image loading, the server is expected to recognize that a display list contains texture image information and to use that information appropriately. It also places a burden on the application writer to know to use display lists in cases where doing so could improve performance. Another possibility would have been to introduce special commands for functions that can be poor performers in immediate mode. But such specialization would clutter the API and blur the clear distinction between immediate mode and display lists. If the texture image definition is placed in a display list, then the server may be able to load that image just once when it is specified. In the case of texture image loading, the server is expected to recognize that a display list contains texture image information and to use that information appropriately.

2.8 Advantages of Using OpenGL

- **Industry standard:** An independent consortium, the OpenGL Architecture Review Board, guides the OpenGL specification. With broad industry support, OpenGL is the only truly open, vendor-neutral, multiplatform graphics standard.
- **Stable:** OpenGL implementations have been available for more than seven years on a wide variety of platforms. Additions to the specification are well controlled, and proposed updates are announced in time for developers to adopt changes. Backward compatibility requirements ensure that existing applications do not become obsolete.
- **Reliable and portable:** All OpenGL applications produce consistent visual display results on any OpenGL API-compliant hardware, regardless of operating system or windowing system.

- **Evolving:** Because of its thorough and forward-looking design, OpenGL allows new hardware innovations to be accessible through the API via the OpenGL extension mechanism. In this way, innovations appear in the API in a timely fashion, letting application developers and hardware vendors incorporate new features into their normal product release cycles.

CHAPTER 3

SPECIFIC TO THE PROBLEM

3.1 History

Games are an integral part of all societies. Like work and relationships, they are an expression of some basic part of the human nature. Games are formalized expressions of play which allow people to go beyond immediate imagination. Games capture the ideas and behaviors of people at one period of time and carry that through time to their descendants.

Games like ludo, pagade, chennamane, etc illustrate the thinking of the people centuries ago. When archaeologists excavate an ancient society they find artifacts related to living, working, family and social activities, games often become an archival record of how individuals and groups played in earlier times. With the time the games also evolved to meet the latest technologies, as such we can see many electronic games nowadays. Like play stations, online flash games, etc.

3.2 Concept of the game

1. Game is very simple; it consists of seven lanes with moving cars and a sheep.
2. The player can move the sheep upward, downward, left and right.
3. Aim is to bring the sheep to the other side of the road by avoiding the cars.
4. When the player moves the sheep to the next lane, next level is unlocked.
5. If the sheep gets hit by the car, then the game is over.

3.3 How to play

The user interaction is as follows:

- Q/q - To quit.
- L/l – To go to the next level.
- Up arrow - To move forward.
- Down arrow - To move backward.
- Right arrow - To move right
- Left arrow - To move left
- Spacebar - To continue to the next screen.

CHAPTER 4

DESIGN AND IMPLEMENTATION

The design and Implementation part is consider with coding of the algorithms and analyzed portion of project.

The Game is presented by using various Standard openGL and user defined functions. The following list gives an overview of the functions used and an implementation section defines how actually the project is implemented.

4.1 Graphic Functions and Requirements

4.1.1 Header Files

The Header files used in OpenGL are

- GL**, for which the commands begin with GL;
- GLUT**, the GL Utility Toolkit, opens windows, develops menus, and manages events.
- The code includes several header files, including `stdlib.h`, `math.h`, `time.h`, `string.h`, and `GL/glut.h`. These header files provide various functions and definitions used in the program.
- stdlib.h** - The header file `stdlib. h` stands for Standard Library. It has the information of memory allocation/freeing functions.
- math.h** - It is a header file in the standard library of the C programming language designed for basic mathematical operations. Most of the functions involve the use of floating point numbers.
- time.h** - In C programming language `time. h` (used as `ctime` in C++) is a header file defined in the C Standard Library that contains time and date function declarations to provide standardized access to time/date manipulation and formatting
- string.h** - contains macro definitions, constants and declarations of functions and types used not only for string handling but also various memory handling functions.

4.1.2 Functions

- | | |
|--|---|
| 1.void glBegin (GLenum mode) | Initiates a new primitive of type mode and starts the collection of vertices. Values of mode include GL_POINTS, GL_LINES and GL_POLYGON. |
| 2.void glEnd () | Terminates a list of vertices. |
| 3.glRasterPos2f(GLfloat x, GLfloat y) | This function takes two parameters, x and y, which represent the coordinates of the raster position in the current window or viewport. |
| 4.glutBitmapCharacter(void *font, int char) | Renders the character with ASCII code char at the current raster position using the raster font given by font. Fonts include GLUT_BITMAP_TIMES_ROMAN_10 and GLUT_BITMAP_TIMES_ROMAN_8_Y_13. The raster position is incremented by the width of the character. |
| 5.glVertex3fv | This function in OpenGL that is used to specify a vertex position in 3D space using an array of three floating-point values. |
| 6.glVertex2fv | This function in OpenGL that is used to specify a vertex position in 2D space using an array of two floating-point values. |
| 7.glColor3f | This function in OpenGL that is used to set the current color for subsequent drawing operations. It specifies the RGB (Red, Green, Blue) components of the color using floating-point values. |

8.glTranslate

This function in OpenGL that applies a translation transformation to the current matrix. It is used to move or shift objects in the scene along the x, y, and z axes.

9.glColor3fv

This function in OpenGL that sets the current color for subsequent rendering operations. It is used to specify the RGB color components of the current color in floating-point format.

10.glClearColor

This function in OpenGL that sets the clear color for the color buffer. It specifies the RGBA values that will be used to clear the color buffer when the glClear function is called with the GL_COLOR_BUFFER_BIT flag.

11.glRotatef

This function in OpenGL that applies a rotation transformation to the current matrix. It rotates an object in the three-dimensional space around a specified axis by a given angle.

12.glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT)

This function in OpenGL is used to clear buffers. It is commonly used at the beginning of each frame to clear the color buffer and depth buffer, ensuring a clean slate for rendering the next frame.

13.glLoadIdentity

This function in OpenGL is used to replace the current matrix with the identity matrix. It is typically used to reset the current transformation matrix to its default state.

14. glFlush

This function in OpenGL is used to force the execution of all previously issued OpenGL commands. It ensures that all commands are processed by the rendering pipeline and that their effects are visible on the screen.

15. glutPostRedisplay

This function is used in GLUT (OpenGL Utility Toolkit) to mark the current window as needing a redisplay. It essentially requests the window system to trigger a display callback function, which is registered using glutDisplayFunc, in order to update the contents of the window.

16. glutSwapBuffers

This function is used in GLUT (OpenGL Utility Toolkit) to swap the front and back buffers of the current window. In double-buffered rendering, there are two buffers: the front buffer and the back buffer.

17. glViewport

This function is used to set the viewport dimensions within the window. It defines the mapping of the normalized device coordinates (NDC) to the window coordinates.

18. glMatrixMode

This function is used to specify the current matrix mode in OpenGL. It determines whether subsequent matrix operations affect the projection matrix, modelview matrix, or other matrix modes.

- 19. glOrtho** This function is used to set up an orthographic projection matrix in OpenGL. It defines a 2D orthographic viewing volume that is used for rendering objects without any perspective distortion. The function glOrtho takes six parameters: left, right, bottom, top, near, and far. These parameters define the coordinates of the viewing volume in the x, y, and z dimensions.
- 20. void glutInit (int argc, char **argv)** Initializes GLUT. The arguments from main are passed in and can be used by the application.
- 21. void glutInitDisplayMode (unsigned int mode)** Request a display with the properties in mode. The value of mode is determined by the logical OR of operation including the color model (GLUT_RGB, GLUT_INDEX) and buffering (GLUT_SINGLE, GLUT_DOUBLE).
- 22. void glutInitWindowSize (int width, int height)** Specifies the initial height and width of the window in pixels.
- 23. void glutInitWindowPosition (int x, int y)** Specifies the initial position of the top-left corner of the window in pixels.
- 24. int glutCreateWindow (char *title)** Creates a window on the display. The string title can be used to label the window. The return value provides a reference to the window that can be used where there are multiple windows.

25. glutReshapeFunc

This is a function in the GLUT (OpenGL Utility Toolkit) library that allows you to specify a callback function to handle window reshape events. When the window is resized, the specified callback function will be called to handle the reshaping of the viewport.

26. void glutDisplayFunc(void(*func)(void))

Registers the display function func that is executed when the window needs to be redrawn.

27. void glutMainLoop ()

Cause the program to enter an event processing loop. It appears at the end of main.

4.1.3 User-Defined Functions

The user-defined functions in the given code are:

1. void movmt(): This function is declared but not defined in the provided code.

2. void move_key(int key, int x, int y): This function handles the movement of the car based on the arrow keys. It is called when an arrow key is pressed.

3. void keyboard(unsigned char key, int x, int y): This function handles keyboard inputs other than arrow keys. It is called when a key is pressed.

4. void output1(int x, int y, const char* string): This function displays text on the window using GLUT's bitmap fonts. It takes the position (x, y) and the string to be displayed as parameters.

5. void output(int x, int y, const char* string): This function is similar to output1(), but it uses a different font.

6. void sqr(GLfloat* a, GLfloat* b, GLfloat* c, GLfloat* d): This function draws a square using OpenGL's GL_QUADS primitive. It takes four vertex coordinates (a, b, c, d) as parameters.

7. void carmirror(): This function draws the car's side mirrors using sqr() function.

8. void carlight(): This function draws the car's lights using GL_QUADS.

9. void wheel(): This function draws the car's wheels using GL_QUADS.

10. void circle(GLfloat r, GLfloat kx, GLfloat ky): This function draws a circle with radius r and center coordinates (kx, ky). It is used to draw the sheep's body and other circular shapes in the code.

11. void sheep(): This function draws a sheep using circle() function. It is called to draw the sheep on the road.

12. void car1(): This function draws the car using OpenGL primitives and transformations. It is called to draw the moving cars on the road.

13. void drawroad(GLfloat x, GLfloat y): This function draws the road with white and black squares using `sqr()` function. It takes the starting coordinates (x, y) of the road as parameters.

14. void delay(int n1): This function introduces a delay in the program execution. It is used to display the "GAME OVER" message for a certain duration before exiting the program.

15. void life(): This function is called when the player loses all their lives. It displays the "GAME OVER" message and calls the `delay()` function.

16. void vehicle(): This function is called to draw the moving vehicles on the road. It calls the `car1()` function to draw the cars at different positions.

17. void myReshape(): This function is a user-defined callback function that is typically registered with GLUT (OpenGL Utility Toolkit) using the `glutReshapeFunc` function. It is called whenever the window is resized.

4.2 Flowchart




Fig 4.1 Flowchart

Shows how the flow of control will go in project.

4.3 Pseudo-code

```
int main(){
    //Execution begins from here

    Initialize GLUT library
    Initialize Display Mode
    Initialize Window size
    Initialize initial Window position
    Creates a window with the title "CROSSYROADS"
    Sets the reshape callback function for the current window
    Display Callback Function
    keyboard callback function for the current window
    Sets the special key callback function
    Sets the clear color for the color buffer
    GLUT event processing loop
}

void move_key(int key, int x, int y) {
    //This function handles the movement of the car based on the arrow keys. It is called when
    an arrow key is pressed.
}

void keyboard(unsigned char key, int x, int y) {
    //This function handles keyboard inputs other than arrow keys. It is called when a key is
    pressed.
}

void output1(int x, int y, const char* string) {
    // Output text on the screen using GLUT bitmap fonts
}

void output(int x, int y, const char* string) {
    // Output text on the screen using GLUT bitmap fonts
```

```
}
```

```
void sqr(GLfloat* a, GLfloat* b, GLfloat* c, GLfloat* d) {
```

```
    // Draw a square using the provided vertices
```

```
}
```

```
void carmirror() {
```

```
    // Draws the car's side mirrors using sqr() function.
```

```
}
```

```
void carlight() {
```

```
    // Draw the car's lights using GL_QUADS
```

```
}
```

```
void wheel() {
```

```
    // Draw the car's wheels using `GL_QUADS
```

```
}
```

```
void circle(GLfloat r, GLfloat kx, GLfloat ky) {
```

```
    // Draw a circle with the given radius and center coordinates
```

```
}
```

```
void sheep() {
```

```
    // Draw a sheep shape
```

```
}
```

```
void car1() {
```

```
    // Draw the car
```

```
}
```

```
void drawroad(GLfloat x, GLfloat y) {
```

```
    // Draw the road with given coordinates
```

```
}
```

```
void delay(int n1) {  
    // Delay the program execution  
}
```

```
void life() {  
    // Handle the life event i.e This function is called when the player loses all their lives. It  
    displays the "GAME OVER" message and calls the delay() function  
}
```

```
void vehicle() {  
    // Draw the moving vehicles on the road  
}
```

```
void movmt(){  
    //Handle the movement of an object based on the value of the flag variable.  
}
```

```
void check(){  
    //checks various conditions and calls the life() function based on those conditions.  
}
```

```
void display() {  
    // GLUT display function  
}
```

```
void reshape(int w, int h) {  
    //sets the reshape callback for the current window  
}
```

Chapter 5

RESULTS AND SNAPSHOTS




Fig 5.1 Front screen of the game

This screen shot shows the front screen of the project.




Fig 5.2 Instruction screen of the game

This screen gives the instructions for user to start the game.




Fig. 5.3 Actual game screen

This screen shows the starting interface of the game where the sheep is trying to cross the road.




Fig 5.4Level complete screen

This screen shows when the sheep crosses the road successfully.



Fig 5.5Game over screen

This screen shows when the sheep gets hit by the car.

Chapter 6

CONCLUSION AND FUTURE SCOPE

6.1 Conclusion

The above developed game is a simpler version with easily understandable code. It can be advanced more with lot more levels.

The project helped know about the proper utilization of various graphics library functions. It provides user friendly interfaces like mouse, keyboard interactions.

The game is simple and interesting and the player requires logical thinking to play the game.

6.2 Future Scope

Further development in the project can be done by illustrating graphically some other conditions other than what we have illustrated and some more advanced techniques that are recently used can be implemented. It can be made still more attractive using 3D implementation. The project is widely open to anyone who wishes to improve it further on graphical way.

REFERENCES

- [1] Edward Angel, *Interactive Computer Graphics A Top-Down Approach with OpenGL* –5th Edition, Addison-Wesley,2008.
- [2] F S Hill, Jr. *Computer Graphics Using OpenGL* — 2nd Edition, Pearson education, 2001
- [3] Donald Hearn and Pauline Baker: *Computer Graphics Using Opengl*, Pearson Education ,2004
- [4] James D Foley, Andries Van Dam, Steven K Feiner, John F Hughes, *ComputrGraphics*, Pearson Education 1997
- [5] www.opengl.org/