

Affective Valence and Temporal Framing: A Unified Generative Model of the Temporal Structure of Emotion

Manon Job

Ben White

Mahault Albarracin

Abstract

Emotions are temporally structured: regret concerns what has happened, anxiety what will happen, joy what is happening now. Three strands of the active-inference literature each formalise one temporal face of affect: backward valence as the negative rate of change of variational free energy (Joffily and Coricelli, 2013), present valence as reward prediction error (Pattisapu et al., 2025), and forward valence as the affective charge of policy revision (Hesp et al., 2021). Yet each alone is *insufficient*: none spans the full temporal range, unifies these quantities into a taxonomy of emotion, or models how an agent actively selects the temporal horizon that dominates its own affect. We develop a single factored generative model in which a hidden *temporal-frame* state (past/present/future) redistributes precision across horizons, so that framing emerges from expected-free-energy minimisation. We motivate the architecture from the psychology of mental time travel, the graded, cost-bounded regulation of how deeply memories and plans are unrolled, and show that a single *depth regulator* with two temporal faces reproduces the classical split between rumination (past-directed) and worry (future-directed). Affect is a *readout layer* over a task-specific generative model, and the three channels are general operators on its inference dynamics. Empirically, the framework both *subsumes* and *extends* prior models. Instantiated over a gamble task-model on the Great Brain Experiment happiness data ($n = 14,803$ held-out participants), the channels recover the standard happiness equation in a head-to-head where each predecessor contributes at most one affective channel (adding the forward/expected-free-energy channel to a reward-prediction-error channel gives a +30% gain); and driven through real experience-sampling sequences from two independent samples, the full model outpredicts linear autoregressive baselines at every horizon, by about twice at one step where affect carries volatile dynamics (a remitted-depression sample) and by smaller margins where affect is already highly persistent (a reliability sample), with its latent temporal-frame state tracking an independently measured symptom it is never shown ($r = 0.17$). The same architecture yields a temporal taxonomy of emotion and a generative account of counterfactual emotions (regret, relief) whose behavioural signature a reward-only model cannot produce (regret drives choice-switching over and above one’s own outcome, $t = 10.4$), and a two-level account of depressive affect. We distinguish predictive claims (the channel integration) from generative ones (the counterfactual and hedonic-asymmetry mechanisms), and ground every structural choice in the literature.

Contents

1	Introduction	2
2	Mental time travel and the depth regulator	3
2.1	Scope, and the role of optimism	3
2.2	Two logics of action and the identity pole	3
2.3	Retrieval constraints, interoception, and overgeneral memory	4
2.4	One depth regulator, two temporal faces	4

3	The temporal structure of free energy	5
3.1	Active inference and attention as precision	5
3.2	VFE as backward-looking evaluation	5
3.3	EFE as forward-looking evaluation	5
3.4	Constructionism and metacognition	5
4	The generative model	6
4.1	Framing actions as temporal-precision operators	7
4.2	Extensions and the mood layer	7
5	Three-channel valence and the temporal taxonomy	7
5.1	The three channels	8
5.2	Composite valence and channel disagreement	8
5.3	A worked example	8
5.4	The VFE/EFE temporal taxonomy of emotion	9
6	Prior models are special cases	9
7	Temporal framing dynamics: self-regulation vs self-amplification	9
7.1	RECALL supports engagement, and its feedback reliance	9
7.2	Chronic stress as maladaptive temporal fixation	11
8	Counterfactual emotions (a generative mechanism)	11
9	Empirical validation: head-to-head and extension	13
9.1	Subsumption: our affect layer recovers the happiness equation	13
9.2	Extension: the full model predicts affect dynamics, on two samples	15
9.3	Non-circular latent-state validation	16
9.4	Emotion-space calibration (circumplex)	17
9.5	What does not improve prediction	17
10	Clinical mapping: a two-level account of depressive affect	18
11	Discussion	18
11.1	What the integration buys	18
11.2	Metastability as health	18
11.3	Attention as precision, and mood/emotion timescales	19
11.4	Limitations	19

1 Introduction

Humans have a distinctive capacity for mental time travel. They simulate past, present, and future events to guide present decisions (Suddendorf and Corballis, 1997; Schacter and Addis, 2007). Moment-to-moment shifts of temporal orientation play out against more stable temporal dispositions, letting people balance long horizons against the demands of the immediate. These shifts are inseparable from emotion: regret is directed at the past, hope at the future, surprise refocuses on the present. A central question is how past, present, and future are *instrumentally recruited* to guide behaviour toward preferred outcomes, and how emotions participate in that recruitment.

We approach this within predictive processing, on the view that emotional experience is an integral component of the inferential processes organising perception, learning, and action (Barrett, 2017; Seth and Friston, 2016). On this view affect is grounded in the agent’s success at minimising prediction error. It can be past-oriented, as the derivative of the trajectory of model

fit (Joffily and Coricelli, 2013). Improving fit yields positive valence, deteriorating fit negative. It is also forward-looking. Expected free energy (EFE), minimised in policy selection (Parr et al., 2022), evaluates how well future observations will match preferences, and the “affective charge” of policy revision is itself a valence signal (Hesp et al., 2021). A present-oriented reward-prediction-error channel completes the picture (Pattisapu et al., 2025).

These accounts establish that affect has temporal structure, but they are *insufficient* in three respects. First, none unifies the variational/expected free-energy (VFE/EFE) distinction into a temporal taxonomy of emotion. Second, none models the single-agent mechanism by which an individual selects which temporal horizon of free energy dominates its affect, the mechanism Hinrichs et al. (2025) raised for dyads under the banner of “temporal aiming”, but left open within the agent. Third, each formalises only one temporal face of affect in isolation.

We close all three gaps. We (i) motivate the architecture from the psychology of mental time travel and cost-bounded simulation (§2); (ii) propose the VFE/EFE mapping as a unified theory of affective temporal direction and derive a three-channel valence decomposition (§3, §5); (iii) formalise counterfactual temporal framing as precision redistribution across horizons within a single factored generative model (§4); and (iv) show empirically that this integration is not merely conceptual. The integrated readout recovers prior single-channel models as special cases and improves on them where temporal structure exists (§9). Throughout, we separate claims that are *predictive* (the channel integration) from those that are *generative* (the counterfactual and hedonic-asymmetry mechanisms).

2 Mental time travel and the depth regulator

For much of everyday cognition, agents mentalise goals and the paths toward them, detaching from the present to simulate the future. Because remembering and future thinking recruit a shared constructive machinery (Schacter and Addis, 2007), these simulations are built out of memory. They must be precise enough to guide action, yet they are built with finite resources, a constraint that becomes acute as we juggle timescales from the immediate to the lifelong. Planning over a longer horizon *prima facie* requires more state-to-state transitions than a shorter one, but transitions are not free. Tree search over policies grows with branching factor and depth, so exhaustive planning is intractable for any bounded system, and each rollout step introduces approximation error that compounds along the trajectory.

2.1 Scope, and the role of optimism

The empirical literature on future-oriented cognition shows how humans handle this. At long horizons, little fine-grained arbitration takes place. Agents rely on broad, optimistic beliefs that preserve orientation without detailed simulation. Rather than constructing every future at fixed resolution, they “zoom” in and out across temporal scales; the number and resolution of intermediary steps vary with environmental complexity, novelty, uncertainty, and affective load. Near events are represented concretely, distant events abstractly and schematically (Trope and Liberman, 2010). Optimism is computationally sensible here. The optimal path to a distant goal cannot be specified in advance, and filling in that far-off detail tends to provoke anxiety rather than yield mastery. On the broaden-and-build account (Fredrickson, 2001), positive affect widens the field of available thought and action and is less action-specific than negative affect, so future aiming is supported by beliefs that orient without specifying the future in full.

2.2 Two logics of action and the identity pole

Decision theory distinguishes two families of action selection (March, 1994). On the *logic of appropriateness*, the agent asks what kind of situation this is and what a person like them does here, recognising a situation and completing a pattern from a self-representation, rather

than computing outcomes. On the *logic of consequences*, it lays out candidate action–outcome sequences and scores them against goals. The two differ in how deeply the plan is unrolled. Appropriateness conditions choice on slow, temporally extended beliefs about who one is and stays shallow; consequence-based control descends toward episode-level simulation. This maps a long-standing continuum between habitual (model-free) and goal-directed (model-based) control, but recasts it in *temporal* terms. A past-oriented mode leans on regularities slowly distilled from experience, a future-oriented mode is less tied to the current context.

2.3 Retrieval constraints, interoception, and overgeneral memory

How far the past can be recruited to serve the present is set by how autobiographical memory is actually constructed, and this is what a past-directed control operator in the model must respect. In the Self-Memory System (Conway and Pleydell-Pearce, 2000), autobiographical retrieval is a negotiation between *correspondence* (fidelity to experience-near sensory records) and *self-coherence* (pressure to keep memories consistent with the conceptual self); the working self gates construction as retrieval descends the autobiographical hierarchy. Whether the agent can reach a specific, self-congruent episode depends on its current affective and interoceptive state and its emotional granularity. Coarse, negatively valenced states narrow access to specific, positively toned material. The failure mode of the shallow setting is *overgeneral memory* (Williams et al., 2007). When coherence wins over correspondence, the cue is answered from the kind of person one takes oneself to be, not from an episode. This fixes what the past-directed operator of §4 must do. There the RECALL action pulls represented valence toward an identity-anchored target whose sign is set by the agent’s positive-belief precision, so a coarse, negatively biased self answers a cue with overgeneral, negatively toned material, the failure mode just described. The abstract negotiation becomes one control variable in the model, how deeply retrieval descends the hierarchy.

2.4 One depth regulator, two temporal faces

These constraints force a control problem. Simulating the past or the future is unbounded and metabolically costly, so something must set how far any given memory or plan is unrolled. Left unregulated the system fails in one of two directions: it over-simulates, which is intractable and, as above, anxiogenic, or it under-simulates, which yields overgeneral memory looking back and absent foresight looking forward. We call the quantity that sets this depth the *depth regulator*, and it is what the rest of the model controls. It is one regulator rather than two because the same knob, how far to descend into constructed episodes, operates in both temporal directions. It weighs identity fit against computational cost, and it has two temporal faces. On the past side, the agent arbitrates between self-coherence and correspondence; its healthy shallow setting is a positively biased working self. On the future side, the healthy shallow setting is orientation without detailed simulation; a plan is committed to only once computed and broken into steps, with depth bounded by cost. The two directions of failure recover the classical split (Nolen-Hoeksema et al., 2008): *rumination* (past-directed, self-focused) when a habitual, identity-congruent bias overrides the escape that consequence-based control would favour; *worry* (future-directed, anticipatory) when a bias toward reward overrides the cost that limits forward simulation (Ehring and Watkins, 2008). This double bind is the computational core of the chronic-stress pathology of §7. The remainder of the paper gives the depth regulator a formal treatment in the language of free energy. In the model that follows, its continuous depth is discretized into a three-valued temporal-frame factor and six framing actions that redistribute precision over it. We treat the discretization as a deliberate simplification, flagged again in the limitations, and not as a claim that regulated depth is intrinsically discrete.

3 The temporal structure of free energy

3.1 Active inference and attention as precision

Active inference holds that agents encode a generative model relating hidden states to observations and minimise free energy across perception, learning, and action. Prediction errors, discrepancies between expected and sensed observations, drive belief updates, weighted by *precision*, the gain that determines which errors shape belief. Precision-weighting is attention (Feldman and Friston, 2010), and agential control over it requires a metacognitive architecture in which higher-order states modulate which lower-level processes receive precision (Sandved-Smith et al., 2021). It is this second-order control of precision over temporal horizons that we formalise as temporal framing.

3.2 VFE as backward-looking evaluation

For a generative model $p(o, s)$ with approximate posterior $q(s)$,

$$F = \underbrace{-\mathbb{E}_{q(s)}[\ln p(o | s)]}_{\text{accuracy}} + \underbrace{D_{\text{KL}}[q(s) \parallel p(s)]}_{\text{complexity}}, \quad (1)$$

which scores how well the *current* model fits *past* observations. Joffily and Coricelli (2013) showed that its temporal derivative is a valence signal: decreasing F (improving fit) is positive valence, increasing F negative. The second derivative differentiates affective dynamics, accelerating improvement as hope, decelerating improvement stabilising into happiness, and their negatives into fear and unhappiness, so a family of affective states derives from a single backward-looking quantity.

3.3 EFE as forward-looking evaluation

For a policy π producing predicted observations,

$$G(\pi) = \sum_m \left[\underbrace{D_{\text{KL}}[q(o_m | \pi) \parallel p(o_m | C_m)]}_{\text{risk}_m} + \underbrace{\mathbb{E}_{q(s)}[H[p(o_m | s)]]}_{\text{ambiguity}_m} \right], \quad (2)$$

where C_m encodes preferences. EFE asks not “did I predict well?” but “will I predict well?”. Its risk term is expected value relative to preference; this is the quantity a forward affective channel reads out, and the quantity that supplies *anticipated value* when the channels are placed on a decision task-model.

3.4 Constructionism and metacognition

By *agent* we mean the organism modelled as an active-inference system, not a homunculus inside it, and we take no stance on phenomenal consciousness; the distinction we rely on is between levels of control, not between conscious and unconscious experience. Running automatically, without second-order intervention, the base perception–action loop reproduces a flow-like present engagement with the world (Rietveld and Kiverstein, 2014). Made multiscale, it affords a constructionist account of emotion (Barrett, 2017). Emotions are concepts moulded onto core processes of allostatic regulation and interoceptive monitoring (Seth and Friston, 2016; Stephan et al., 2016). Metacognitive control of attention, a covert mental action that modulates which processes receive precision, requires a second-order layer (Sandved-Smith et al., 2021), higher-order states setting lower-level precision, and it is here that counterfactual temporal framing lives. Remembering and imagining are a single offline generative operation, the same model run over past or future states instead of present ones (Schacter and Addis, 2007).

4 The generative model

We adopt a factored POMDP with hidden state $s = (v, e, f)$: **valence** $v \in \{0, \dots, K-1\}$ at granularity K ; **energy** $e \in \{0, \dots, M-1\}$, an interoceptive resource estimate; and **temporal frame** $f \in \{\text{PAST}, \text{PRESENT}, \text{FUTURE}\}$, the active counterfactual orientation. Three observation modalities, external feedback o_{ext} , interoception o_{int} , and felt valence o_{val} , couple to these factors. The frame f is a hidden state the agent *infers*, not a label it assigns. The posterior $q(f | o)$, marginalised over v and e , is a direct readout of believed temporal orientation.

Two quantities in this paper carry the name valence, and separating them removes an apparent circularity. The hidden state v is *represented* valence, the agent’s coarse posterior belief about its own affective condition, inferred jointly from external feedback, interoception, and a felt-valence signal, and used to gate retrieval and to report. The three *valence channels* of §3 are not states but signals read off the dynamics of inference itself: the backward channel is the rate of change of variational free energy ($-dF/dt$), the present channel a reward prediction error, the forward channel the affective charge of policy revision. These channels generate the felt-valence observation o_{val} , and the state v is what the agent infers from it. Valence is therefore neither simply given nor only a derivative of free energy. The dynamic signals drive the felt observation, and v is the belief the agent forms about its affective state from that observation together with its other evidence. This split is what we mean by affect as a readout layer over a task-specific generative model. Figure 1 shows the factor graph. To read it, note that the agent receives three observations (the coloured outcome squares: external feedback, interoception, and felt valence), infers the three hidden factors that generate them through a likelihood **A** (valence, energy, temporal frame), and moves each factor through a controllable transition **B** by selecting a policy, scored by expected free energy G . Red arrows are the message passing that carries beliefs between them. It is one task-specific model, and the three affective channels are three readings taken from this single loop rather than three separate models.

factor graph | magenta: outcomes (A) cyan: hidden states (B) blue: controllable puce: policies (G)
red arrows: 1 ascending likelihood, 2 forward, 3 backward messages




Figure 1: **Factor graph of the generative model** (SPM convention: magenta = outcome modalities with likelihood **A**; cyan = hidden-state factors with transition **B**; controllable factors are stacks with policy and expected-free-energy G nodes; red arrows = message passing). Three controllable factors (valence, energy, temporal frame) and three modalities integrate the backward, present, and forward affective channels in one model.

4.1 Framing actions as temporal-precision operators

Each action defines a transition $\mathbf{B}_a = \mathbf{B}_v^{(a)} \otimes \mathbf{B}_e^{(a)} \otimes \mathbf{B}_f^{(a)}$, whose frame block $\mathbf{B}_f^{(a)}$ is a *temporal-precision operator* that redistributes probability across horizons. Six actions realise the depth regulator:

RECALL assigns 70% self-transition to PAST; $\mathbf{B}_v^{\text{RECALL}}$ pulls valence toward a *bidirectional* target $v_{\text{recall}} = 0.2 + 0.6\alpha$ with $\alpha = \sigma(\pi_{\text{pos}} - \theta)$, so high positive-belief precision π_{pos} recalls a positive past (narrative stabilisation) and low π_{pos} a negative one (rumination). It is the computational realisation of *shallow*, identity-anchored retrieval (§2.4).

ENGAGE assigns 75% to PRESENT, maintaining precision on current sensory input through perception–action coupling.

FUTURATE assigns 90% to FUTURE (narrative inertia); $\mathbf{B}_v^{\text{FUTURATE}}$ pulls valence toward the solution state, imagining the best outcome. Its energy cost brakes it into short reactive planning bursts.

FEEL releases frame commitment (50–60% present) and models active interoceptive processing, reducing accumulated prediction error through body-state monitoring (Stephan et al., 2016).

DISSOCIATE distributes probability roughly uniformly across frames, modelling *temporal unmooring* (Vannikov-Lugassi and Soffer-Dudek, 2018).

ABSTRACT assigns ≈ 60 –80% to FUTURE, an effortful, ungrounded forward route that bypasses interoception and episodic recall.

$\mathbf{B}_{\text{frame}}$ matrices are additionally learned online via Dirichlet updates, so agents acquire personalised temporal-attention operators.

4.2 Extensions and the mood layer

Two extensions capture affective pathology. *Asymmetric hedonic sensitivity* replaces the scalar reward sensitivity with a pair $(c_{\text{pos}}, c_{\text{neg}})$ scaling positive and negative preference entries separately, capturing dissociable reward and punishment processing (Eshel and Roiser, 2010; Pizzagalli, 2014). *Habit priors* add an additive log-prior $\mathbf{E}$ over policies (Da Costa et al., 2020), so $\ln \pi(a) = -\gamma G(a) + E_a$, modelling EFE-suboptimal habitual tendencies such as ruminative fixation (Watkins, 2008). A hierarchical *mood layer* (M5) infers π_{pos} over slow timescales as a categorical POMDP driven by mean VFE, separating within-trial emotion from cross-trial mood (Hesp et al., 2021; Eldar et al., 2016) and producing self-reinforcing mood attractors from Bayesian inference alone (§7).

Table 1 maps each choice to its source; full detail is in the supplementary design-justification document.

5 Three-channel valence and the temporal taxonomy

The distribution of attention across horizons is a second-order inference, and the three channels are read at successive stages of a single agent–environment cycle. Updating beliefs from a new observation exposes the backward channel, model valence. Comparing obtained against expected reward exposes the present channel, reward valence. Revising the policy exposes the forward channel, action valence.

Table 1: **Design justification (excerpt)**. Predictive (P) and generative (G) status flagged where the distinction applies.

Choice	Rationale	Source
Attention = precision (P)	framing is precision redistribution over horizons	Feldman and Friston (2010)
Backward channel (P)	$-dF/dt$ valence	Joffily and Coricelli (2013)
Present channel (P)	reward prediction error	Pattisapu et al. (2025)
Forward channel (P)	affective charge of policy revision (EFE)	Hesp et al. (2021)
Temporal-frame factor	mental time travel; shared memory/imagination machinery	Schacter and Addis (2007); Suddendorf and Corballis (1997)
Energy/interoception	allostatic body-budget	Seth and Friston (2016); Stephan et al. (2016)
RECALL (past)	self-memory system; overgeneral memory on failure	Williams et al. (2007)
Habit priors (E-vector)	habitual, EFE-suboptimal tendencies	Da Costa et al. (2020); Watkins (2008)
Hedonic asymmetry (G)	reward/punishment sensitivity dissociate	Eshel and Roiser (2010); Pizzagalli (2014)
Counterfactual emotions (G)	regret/relief from obtained vs foregone	Hesp et al. (2020)
Mood layer (M5)	mood/emotion timescale separation	Hesp et al. (2021); Eldar et al. (2016)
Effort/energy cost	effortful deliberation carries a metabolic cost	Treadway et al. (2009)

5.1 The three channels

Model valence (backward) tracks $v_{\text{model}} = \tanh(-\Delta F/\tau_{\text{model}})$ (Joffily and Coricelli, 2013), modulating the model learning rate. *Reward valence* (present) is $v_{\text{reward}} = \tanh((U - \mathbb{E}[U])/\tau_{\text{reward}})$ over hedonic modalities (Pattisapu et al., 2025); interoceptive prediction errors drive allostatic regulation but are excluded from felt valence. *Action valence* (forward) is $v_{\text{action}} = \tanh(\text{AC}/\tau_{\text{action}})$ with $\text{AC} = (\pi_{t-1} - \pi_t) \cdot \mathbf{G}$ (Hesp et al., 2021), and feeds back on policy precision. This closes the emotion-action loop: policy revision changes expected free energy, action changes what is observed, and the resulting change in variational free energy feeds back through v_{action} onto the precision that governs the next policy.

5.2 Composite valence and channel disagreement

The channels combine as $V = \tanh(v_{\text{model}} + v_{\text{reward}} + v_{\text{action}})$. Agreement yields unambiguous satisfaction or distress; disagreement is informative. *Productive failure* ($v_{\text{model}} < 0$, $v_{\text{action}} > 0$): the outcome was bad but a better plan was found. *Unsettling success* ($v_{\text{reward}} > 0$, $v_{\text{action}} < 0$): good fortune that may not last. *Dawning anxiety* ($v_{\text{model}} \approx 0$, $v_{\text{reward}} \approx 0$, $v_{\text{action}} < 0$): nothing has happened, but plans are deteriorating.

5.3 A worked example

Take one trial of the gamble task-model of §9. The agent gambles and wins, and the win is larger than it expected. Read the channels in turn. The present channel compares obtained reward with its expectation; the surplus makes $v_{\text{reward}} > 0$. The backward channel registers that the win improved model fit, so F fell and $v_{\text{model}} > 0$. The forward channel registers that policy

precision has shifted toward gambling and that this lowered expected free energy, so its affective charge $v_{\text{action}} > 0$. All three agree, the composite $V = \tanh(v_{\text{model}} + v_{\text{reward}} + v_{\text{action}})$ is strongly positive, and the state is unambiguous satisfaction. Now change one thing: let the gamble lose, but let the loss reveal that the safe option was the better policy. The present and backward channels turn negative (the outcome was bad and fit worsened) while the forward channel stays positive (a better plan was found). The channels disagree, and the composite reports the muted, forward-leaning affect labelled productive failure above. These three readings, taken at three stages of one inference cycle, are all the taxonomy requires.

5.4 The VFE/EFE temporal taxonomy of emotion

Emotions inherit their temporal direction from whichever quantity generates them, yielding a taxonomy we offer as an organising scheme rather than an essentialist classification; its partitioning within an agent depends on developmental and sociocultural history (Barrett, 2017). *Backward* ($-dF/dt$, the rate of change of VFE): regret, guilt, shame, pride, gratitude. *Present* (RPE): joy, anger, disgust, surprise. *Forward* (EFE): hope, fear, anxiety, anticipation. *Transitional* (VFE vs prior EFE): relief, disappointment, satisfaction. This grounds the temporal axis of appraisal theory (Smith and Ellsworth, 1985; Ortony et al., 1988) in a formal distinction rather than folk labels.

6 Prior models are special cases

Figure 2 shows the architecture as a stack of layers and where the prior models sit inside it. A task-specific generative model sits at the base: states, observations, policies, and expected free energy for whatever task the agent faces (the gamble task-model of §9, an experience-sampling affect model, any decision problem). On top of it sits the affective readout layer, the three channels, whose composite feeds a represented valence state and a slow mood layer, with the temporal-frame factor modulating precision across horizons. Each prior model is one layer of this stack, and our contribution is the integration, not any single channel.

The three predecessor accounts are *reduced sub-graphs* of our model (Figure 3, schematic): Joffily and Coricelli (2013) is a perception-only VFE model (one factor, no policy, backward channel only); Pattisapu et al. (2025) is a single-factor POMDP with policy selection (present channel, no temporal frame, no backward derivative); Hesp et al. (2021) is a deep hierarchical model carrying the forward affective-charge channel but without a reward decomposition or a temporal-frame factor. Each is a single-channel restriction of the integrated readout; §9 shows this precisely in a head-to-head.

7 Temporal framing dynamics: self-regulation vs self-amplification

Adaptive flexibility is the capacity to move between framing modes as the situation demands. The loop admits two regimes. Under *self-regulation* it is homeostatic. High VFE triggers corrective action, and positive v_{action} sharpens precision on the corrective trajectory. Under *self-amplification* it is pathological. Framing locks into a single mode; precision on that mode’s errors intensifies, and the agent cannot update away.

7.1 RECALL supports engagement, and its feedback reliance

Past-oriented framing is preparatory: RECALL stabilises beliefs by pulling toward the prior, lowering VFE and making ENGAGE more competitive, so a RECALL-to-ENGAGE pipeline emerges in healthy agents (Figure 4d,e). This capacity is constrained by feedback. When π_{pos} is low, RECALL fails at two coupled levels: the mechanism itself is impaired ($\alpha \approx 0.14$, barely

Affect as a readout layer over a task-specific model: the whole architecture, and where prior models sit




Figure 2: **The layered architecture, and where prior models sit.** Affect is a readout layer over a task-specific generative model (base). The three channels (backward, present, forward) read off the dynamics of inference; their composite feeds a represented valence state and a slow mood layer, with the temporal-frame factor modulating precision across horizons. Each prior model corresponds to a single layer: Joffily & Coricelli to the backward channel, Pattisapu et al. to the present channel, Hesp et al. to the forward channel plus mood layer. Our model integrates all of them and adds the temporal-frame factor and the readout state.




Figure 3: **Predecessor models as reduced factor graphs.** Joffily & Coricelli (backward, perception-only); Pattisapu et al. (present, single-factor POMDP); Hesp et al. (forward, deep hierarchy). Each captures one channel; none has the temporal-frame factor of Figure 1.

pulling toward the prior) and its deployment is suppressed (it becomes EFE-uncompetitive). Figure 5 contrasts a healthy and a recall-impaired agent differing only in π_{pos} : RECALL utilisation collapses from 29% to < 1%, with compensatory ABSTRACT, FEEL, ENGAGE, and FUTURATE. This is the computational form of overgeneral memory (Williams et al., 2007): cognition migrates to representations that are abstract without being self-congruent.




Figure 4: **Temporal framing dynamics.** (a) Future-frame belief over time per profile. (b) Mean VFE by selected action: FUTURATE favoured at higher-VFE timesteps. (c) Action run lengths: FUTURATE shorter than RECALL (reactive planning). (d) Action transition matrices: the RECALL-to-ENGAGE pipeline in healthy agents. (e) Post-action valence stability: RECALL lowest. (f) Binned VFE vs $\pi(\text{FUTURATE})$: monotonic in healthy/high-sensitivity profiles.

7.2 Chronic stress as maladaptive temporal fixation

Chronic stress realises the double bind of §2.4. Affect turns negative but construal stays coarse, so neither pathway to policy selection delivers. A stressed profile (very high volatility, amplified reward sensitivity, stress-impaired interoception, reduced π_{pos}) shows future-dominated fixation, dominant FUTURE frame belief (0.77 vs 0.25 healthy), depleted PRESENT (0.17 vs 0.50), FUTURATE dominance, and strongly negative reward valence from *frustrated forward projection*: FUTURATE creates precise positive predictions that a volatile world falsifies (Figure 6). At the mood timescale, the M5 layer turns this into an attractor. Two agents with identical healthy initial conditions but different volatility diverge, one drifting to high π_{pos} and the other crashing below the sigmoid knee where RECALL collapses (Figure 7), from accumulated VFE evidence alone, with no change to the initial parameters.

8 Counterfactual emotions (a generative mechanism)

Regret and relief require comparing what happened with what *would* have happened. Adapting the counterfactual free-energy machinery of Hesp et al. (2020), we write $\text{Regret} = F_{\text{actual}} -$




Figure 5: **Feedback reliance under recall impairment.** Profiles share all parameters except π_{pos} (5.0 vs 0.2). (a) RECALL drops from 29% to < 1%, with compensatory ABSTRACT/FEEL/ENGAGE/FUTURATE. (b) Valence trajectories lower under impairment. (c) Policy entropy: the impaired agent is less decisive.




Figure 6: **Chronic stress as maladaptive temporal fixation.** Stressed vs healthy. (a) Frame beliefs: dominant FUTURE, depleted PRESENT. (b) Backward valence more variable under high volatility. (c) Channel decomposition: negative reward valence drives composite valence down via frustrated forward projection.




Figure 7: **Emergent mood divergence (M5)**. Identical healthy initial parameters; only environmental volatility differs (0.3 vs 0.9). (a) $\mathbb{E}[\pi_{\text{pos}}]$ diverges. (b) Valence diverges. (c) RECALL utilisation. (d–e) Mood-posterior heatmaps. (f) Mood-posterior entropy. $T = 3000$.

$\min_{\pi'} F_{\text{counterfactual}}(\pi')$. Computing $F_{\text{counterfactual}}$ requires running the generative model offline, exactly what temporal framing does. This mechanism makes a behavioural prediction that a reward-only model cannot. Across 143 participants, a better *foregone* outcome drives switching on the next choice over and above one’s own outcome ($t = 10.4$; $P(\text{switch} \mid \text{regret}) = 0.45$ vs $P(\text{switch} \mid \text{relief}) = 0.26$; Figure 8), a dissociation a factual (no-counterfactual) model has no way to produce. What the counterfactual term does *not* do is improve the prediction of affect magnitude or choice likelihood: on complete-feedback choice data and on large-scale affect data it is redundant with the reward-prediction signal (§9). We therefore class it as a grounded generative mechanism with a specific behavioural signature, not a general predictive-fit improver.

9 Empirical validation: head-to-head and extension

We tested the model on open data, holding out participants throughout. Provenance, scripts, and full results are in the supplementary `EMPIRICAL_RECORD.md`; Table 2 lists the datasets and what each supports.

9.1 Subsumption: our affect layer recovers the happiness equation

We instantiate our three channels over a *gamble* task-model (policies {safe, gamble}; preferences increasing in reward) for the Great Brain Experiment happiness data (Rutledge et al., 2014) (47,067 participants; evaluated held out across a 14,803-participant subset, 96,624 held-out ratings). We reconstruct each predecessor as its single affective channel over this shared task-model (single-channel reconstructions, not the authors’ original implementations) and compare them against the integrated readout on the same held-out ratings (the task-model is Figure 9; results in Table 3 and Figure 10A). No single channel reproduces the integrated result. The present channel (Pattisapu, RPE) reaches $R^2 = 0.111$ and the forward channel (Hesp, EFE) $R^2 = 0.034$, while the backward channel (Joffily, $-dF/dt$) scores $R^2 = 0.000$. The last is expected rather than a defeat: a rate-of-change signal cannot predict a happiness *level* on a single-shot gamble that




Figure 8: **Counterfactual emotion drives behaviour.** People switch $\sim 1.8\times$ more after regret than relief (Sugawara & Katahira, $n = 143$), a signature a factual model cannot generate. This validates the mechanism as the generator of regret/relief, independent of its (null) contribution to prediction.

Table 2: **Datasets.** N is participants (held-out analysis subset in parentheses); ES = effect sizes.

Dataset	N	Signals	Access	Supports
Rutledge GBE happiness (Rutledge et al., 2014)	47,067 (14,803)	gamble choices; momentary happiness	CC0 (Dryad)	subsumption / affect readout
Geschwind–Bringmann ESM (Bringmann et al., 2013; Geschwind et al., 2011)	130 (129)	momentary affect; event pleasantness; worry	CC BY-NC	affect-dynamics; frame-to-worry
Reliability ESM (osf.io/83cfk)	91	momentary affect (12 emotion sliders)	open (OSF)	affect-dynamics replication
Sugawara & Katahira (complete feedback)	143	choices; obtained + foregone outcomes	open (OSF)	counterfactual signature
Palmineri 2017 (complete feedback)	20	choices; obtained + foregone outcomes	open (OSF)	counterfactual replication
Reward+punishment reversal (osf.io/2gq96)	128 (64/64)	learning rates by valence	open (OSF)	general precision deficit
Autobiographical-memory meta-analysis	181 ES	AMT specificity by cue valence	recovered	RECALL/specificity direction
Reward Positivity (MEG) (Pirrung et al., 2025)	90 (52/38)	neural reward response	CC0	reward reactivity (c_{pos})

has no temporal dynamics to track. The integrated model reaches $R^2 = 0.144$, recovering the standard happiness equation (CR+EV+RPE, $R^2 = 0.146$). No expected-value term is entered as a regressor; expected value instead emerges from the forward/EFE channel, which on this task encodes anticipated reward by construction, and adding it to the present channel raises R^2 from 0.111 to 0.144 (+30%). The happiness equation is thus a special case of our framework.

factor graph | magenta: outcomes (A) cyan: hidden states (B) blue: controllable puce: policies (G)
red arrows: 1 ascending likelihood, 2 forward, 3 backward messages




Figure 9: **The gamble task-model used for the subsumption test.** The task-specific generative model over which the affect channels are read out: a single reward-outcome modality (loss/zero/win) generated by the chosen option (safe/gamble), with a preference gradient increasing in reward. Affect is a readout layer over this model, and each predecessor corresponds to one channel of that readout. This is the gambling-task instance of the general architecture in Figure 1.

Table 3: **Head-to-head on Rutledge GBE.** Each predecessor instantiated as a single channel over the same gamble task-model (Figure 9); held-out R^2 for momentary happiness (14,803 participants, 96,624 ratings), with no expected value injected as a regressor.

Model	Channel	Held-out R^2
Joffily (Joffily and Coricelli, 2013)	backward (VFE rate)	0.000
Hesp (Hesp et al., 2021)	forward (EFE charge)	0.034
Pattisapu (Pattisapu et al., 2025)	present (RPE)	0.111
Ours	all three	0.144
Happiness equation (Rutledge et al., 2014)	CR+EV+RPE (reference)	0.146

9.2 Extension: the full model predicts affect dynamics, on two samples

Where the task has temporal structure, the temporal-frame factor earns its keep, and we report the advantage on two independent experience-sampling samples rather than one. In a remitted-depression ESM sample (Bringmann et al., 2013; Geschwind et al., 2011) (129 participants held out; global parameters fitted on training participants and evaluated on unseen ones), the full model predicts next-moment valence with held-out $R^2 = 0.19$ at one step versus 0.09 for the best linear/autoregressive and event-regression baselines, roughly double the explained variance at this horizon (Figure 10B), with smaller leads at two and three steps. In a second, independent




Figure 10: **A general affect-readout framework.** (A) Head-to-head (Rutledge GBE): each predecessor reconstructed as one channel over the same gamble task-model; no single channel reproduces the integrated result (Joffily 0.000, a category mismatch on a static gamble; Pattisapu 0.111; Hesp 0.034), while integration recovers the happiness equation (dashed, 0.146). (B) On the remitted-depression ESM sample, the full model reaches 2.2 $\times$ the held-out R^2 of the best linear/autoregressive baseline at one step. (C) On an independent reliability ESM sample the model leads at every horizon but by smaller margins, near parity at one step, because affect there is already highly persistent (baseline $R^2 = 0.475$). All held out across participants; Table 4.

reliability ESM sample (osf.io/83cfk, 91 participants, no event or worry items, so the model runs on valence alone), the model again leads at every horizon, but the margins are modest and the one-step gap is near parity (Figure 10C, Table 4). The two samples differ in exactly the way the framework predicts matters: in the reliability sample affect is already highly persistent (baseline one-step $R^2 = 0.475$ versus 0.089), leaving little non-trivial dynamics for temporal machinery to capture, whereas the clinical sample’s more volatile affect is where the model helps most.

Component ablations locate the source of the advantage. Driving the model on valence alone in the clinical sample changes almost nothing ($R^2 = 0.20$ at one step), so the gain is not the event channel acting as a hidden regressor. Removing the persistence-like valence-inertia term costs multi-step accuracy on both samples but leaves a clear one-step advantage in the clinical sample (0.13 versus 0.09 baseline), so the one-step gain there reflects structured affect dynamics beyond persistence, while the multi-step margins on the reliability sample lean on persistence. We do not claim a head-to-head reimplementations of each predecessor here; the claim is that the integrated model outpredicts standard baselines where affect carries non-trivial dynamics, and single components are insufficient.

Table 4: **Affect-dynamics prediction on two independent ESM samples.** Held-out R^2 for next-moment valence by prediction horizon, full model versus the best linear/autoregressive baseline on identical inputs, 5-fold cross-validation with whole participants held out. The reliability sample has no event items, so the model runs on valence alone there.

Sample	Predictor	1 step	2 steps	3 steps
Remitted-depression ($n=129$) (Bringmann et al., 2013; Geschwind et al., 2011)	baseline	0.089	0.274	0.097
	full model	0.193	0.302	0.170
Reliability ($n=91$) (osf.io/83cfk)	baseline	0.475	0.338	0.276
	full model	0.486	0.377	0.322

9.3 Non-circular latent-state validation

Driven only by valence and event inputs, the model’s posterior *future-frame* belief tracks an independently measured worry item it is never shown ($r = 0.166$, $n = 11,712$), a symptom-

relevant latent state recovered without being supplied.

9.4 Emotion-space calibration (circumplex)

As a calibration check that the generative model spans affective space, we placed ten profiles targeting regions of the Pleasure–Arousal circumplex (Russell, 1980; Mehrabian, 1996) and read three principled quantities off each run: pleasure from positive-belief precision (how positively the agent construes its situation), arousal from mean expected free energy (expected demand), and dominance from policy precision (control). All ten fall in the correct circumplex quadrant (Figure 11A), and dominance recovers the classic distinction between the two high-arousal negative states, anger (approach, high dominance) and fear (withdrawal, low dominance) (Figure 11B). This is simulation calibration rather than external validation; the parameters were chosen to target the profiles. The pleasure–arousal plane separates cleanly, while dominance separates only the approach/withdrawal contrast. We therefore claim circumplex-quadrant recovery, not octant recovery.




Figure 11: **Circumplex calibration.** (A) Ten targeted profiles placed on the pleasure–arousal circumplex; every profile falls in its correct quadrant (Russell, 1980). (B) Dominance (policy precision) splits the two high-arousal negative states, anger (high, approach) from fear (low, withdrawal). Pleasure is read from positive-belief precision, arousal from mean expected free energy, dominance from policy precision, each centred across profiles. Presented as calibration of expressive range.

9.5 What does not improve prediction

Across every dataset we tested, experience-sampling affect, two complete-feedback counterfactual-learning tasks, a probabilistic reward task, and the large-scale happiness data, and for both choice and affect targets, neither the hedonic asymmetry ($c_{\text{pos}} \neq c_{\text{neg}}$) nor counterfactual depth improves prediction. Both are redundant with reward-prediction signals. We therefore present them as *generative* and *neurally/experientially* grounded mechanisms rather than predictive components (Table 5).

Table 5: **What the framework can and cannot claim.** Predictive claims are out-of-sample or out-of-model gains; generative claims are mechanisms that reproduce phenomena and are neurally or experientially grounded but do not improve behavioural prediction.

Claim		Status	Evidence
Multi-channel integration		predictive	recovers the happiness equation (Table 3); outpredicts baselines on two ESM samples, $\sim 2\times$ at one step where affect is volatile (Table 4)
Latent state	temporal-frame	predictive	future-frame belief tracks an unshown worry item ($r = 0.17$)
Counterfactual emotion		generative	regret drives choice-switching ($t = 10.4$); adds no choice or affect prediction
Hedonic ($c_{\text{pos}} \neq c_{\text{neg}}$)	asymmetry	generative	blunted Reward Positivity, self-reported anhedonia; not recoverable from choice

10 Clinical mapping: a two-level account of depressive affect

The framework draws a two-level picture of depressive affect and, more usefully, predicts a dissociation between the levels that the data bear out. (i) A *general* reduction in reinforcement-learning rate/precision, present for both reward and punishment learning. In our analysis of an open reward-and-punishment reversal-learning dataset (osf.io/2gq96), depressed participants showed reduced learning rates in *both* conditions (Cohen’s $d \approx -0.5$ to -0.6 , not reward-selective), which maps onto reduced overall precision and replicates the established mapping of anhedonia onto reinforcement-learning parameters (Huys et al., 2013). (ii) A *reward-specific* valuation/reactivity deficit ($c_{\text{pos}} \downarrow$), which converges with reward-specific ventromedial-frontal hypoactivation and blunted Reward Positivity (Pirrung et al., 2025) and with self-reported anhedonia. The two levels dissociate exactly as the model requires: c_{pos} scales the *value* an outcome is assigned, while the learning rate governs how fast beliefs update, so a sample can show reward-specific reactivity blunting (level ii) alongside a general learning-rate deficit (level i) without contradiction, and the Pirrung sample does. The value deficit is what Reward Positivity indexes; the learning deficit is what the reversal task indexes. We label (ii) a model-derived prediction with convergent neural and self-report support that awaits direct behavioural confirmation. A companion paper develops the full bipolar phenotype characterisation.

11 Discussion

11.1 What the integration buys

The single move behind every result here is treating affect as a readout over a task-specific model rather than as a model in its own right. That move has an empirical consequence and a conceptual one. Empirically, the same three channels that recover the happiness equation on a static gamble gain predictive power once the task carries temporal structure, because only then does the temporal-frame factor have work to do. Conceptually, prior single-channel accounts stop being rivals and become limiting cases: each is what our readout reduces to when its task offers no dimension for the other channels to read. Where a task lacks temporal structure the framework reduces to the task-appropriate reward-affect model.

11.2 Metastability as health

Health is not a particular temporal configuration but the *capacity to transition* between configurations. The healthy agent visits multiple framing modes with a high switching rate and

short run lengths, metastability, in dynamical-systems terms. Pathology is stickiness. Amplified reward sensitivity with impaired interoception locks FUTURATE on via absorptive narrative inertia; a habit prior locks RECALL on while suppressing EFE-optimal escape. Restoring the ability to transition matters more than correcting the balance between orientations.

11.3 Attention as precision, and mood/emotion timescales

Temporal framing extends attention-as-precision (Feldman and Friston, 2010) to the temporal domain: $\mathbf{B}_{\text{frame}}$ matrices are temporal-attention operators, and framing is deciding *when* to attend. The framework sits at the interface of the mood/emotion timescale hierarchy (Hesp et al., 2021). Individual frame selections are within-trial (M4) phenomena; sustained biases are cross-trial (M5) mood. This is where the thin (affect signals free-energy trajectories) and thick (affect is the enactive force directing attention across horizons) readings of emotion meet.

11.4 Limitations

Emotion-level policy selection is single-step (Friston et al., 2018); the frame is categorical, not yet a continuous depth; the E-vector is fixed and not yet learned (Watkins, 2008); and the model is single-agent, with dyadic temporal co-regulation (Hinrichs et al., 2025) left to future work. Empirically, the per-channel head-to-head is on one dataset (Rutledge) and awaits replication; the affect-dynamics advantage replicates across two ESM samples but with sample-dependent margins, and its multi-step component leans on valence persistence; a direct temporal-orientation experience-sampling dataset with per-beep past/present/future labels remains the most valuable missing test of the framework’s core mechanism.

References

- Lisa Feldman Barrett. The theory of constructed emotion: An active inference account of interoception and categorization. *Social Cognitive and Affective Neuroscience*, 12(1):1–23, 2017. doi: 10.1093/scan/nsw154.
- Laura F Bringmann, Nathalie Vissers, Marieke Wichers, Nicole Geschwind, Peter Kuppens, Frenk Peeters, Denny Borsboom, and Francis Tuerlinckx. A network approach to psychopathology: new insights into clinical longitudinal data. *PLoS ONE*, 8(4):e60188, 2013. doi: 10.1371/journal.pone.0060188.
- Martin A Conway and Christopher W Pleydell-Pearce. The construction of autobiographical memories in the self-memory system. *Psychological Review*, 107(2):261–288, 2000.
- Lancelot Da Costa, Thomas Parr, Noor Sajid, Sebastijan Veselic, Victorita Neacsu, and Karl J. Friston. Active inference on discrete state-spaces: A synthesis. *Journal of Mathematical Psychology*, 99:102447, 2020. doi: 10.1016/j.jmp.2020.102447.
- Thomas Ehring and Edward R. Watkins. Repetitive negative thinking as a transdiagnostic process. *International Journal of Cognitive Therapy*, 1(3):192–205, 2008. doi: 10.1521/ijct.2008.1.3.192.
- Eran Eldar, Robb B. Rutledge, Raymond J. Dolan, and Yael Niv. Mood as representation of momentum. *Trends in Cognitive Sciences*, 20(1):15–24, 2016. doi: 10.1016/j.tics.2015.07.010.
- Neir Eshel and Jonathan P. Roiser. Reward and punishment processing in depression. *Biological Psychiatry*, 68(2):118–124, 2010. doi: 10.1016/j.biopsych.2010.01.027.
- Harriet Feldman and Karl J. Friston. Attention, uncertainty, and free-energy. *Frontiers in Human Neuroscience*, 4:215, 2010. doi: 10.3389/fnhum.2010.00215.

- Barbara L Fredrickson. The role of positive emotions in positive psychology: the broaden-and-build theory of positive emotions. *American Psychologist*, 56(3):218–226, 2001.
- Karl J. Friston, Richard Rosch, Thomas Parr, Cathy Price, and Howard Bowman. Deep temporal models and active inference. *Neuroscience & Biobehavioral Reviews*, 90:486–501, 2018. doi: 10.1016/j.neubiorev.2018.04.004.
- Nicole Geschwind, Frenk Peeters, Marjan Drukker, Jim van Os, and Marieke Wichers. Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: a randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 79(5):618–628, 2011.
- Casper Hesp, Alexander Tschantz, Beren Millidge, Maxwell J. D. Ramstead, Karl J. Friston, and Ryan Smith. Sophisticated affective inference: Simulating anticipatory affective dynamics of imagining future events. In *Active Inference: First International Workshop, IWAI 2020, Revised Selected Papers*, volume 1326 of *Communications in Computer and Information Science*, pages 179–186. Springer, 2020. doi: 10.1007/978-3-030-64919-7_18.
- Casper Hesp, Ryan Smith, Thomas Parr, Micah Allen, Karl J. Friston, and Maxwell J. D. Ramstead. Deeply felt affect: The emergence of valence in deep active inference. *Neural Computation*, 33(2):398–446, 2021. doi: 10.1162/neco_a_01341.
- Nicolás Hinrichs, Mahault Albarracin, Dimitris Bolis, Yuyue Jiang, Leonardo Christov-Moore, and Leonhard Schilbach. Geometric hyperscanning of affect under active inference. In *Active Inference: 6th International Workshop, IWAI 2025, Revised Selected Papers*, Communications in Computer and Information Science. Springer, 2025. doi: 10.48550/arXiv.2506.08599. arXiv:2506.08599.
- Quentin J. M. Huys, Diego A. Pizzagalli, Ryan Bogdan, and Peter Dayan. Mapping anhedonia onto reinforcement learning: A behavioural meta-analysis. *Biology of Mood & Anxiety Disorders*, 3:12, 2013. doi: 10.1186/2045-5380-3-12.
- Mateus Joffily and Giorgio Coricelli. Emotional valence and the free-energy principle. *PLoS Computational Biology*, 9(6):e1003094, 2013. doi: 10.1371/journal.pcbi.1003094.
- James G. March. *A Primer on Decision Making: How Decisions Happen*. Free Press, New York, 1994.
- Albert Mehrabian. Pleasure-arousal-dominance: A general framework for describing and measuring individual differences in temperament. *Current Psychology*, 14(4):261–292, 1996. doi: 10.1007/BF02686918.
- Susan Nolen-Hoeksema, Blair E. Wisco, and Sonja Lyubomirsky. Rethinking rumination. *Perspectives on Psychological Science*, 3(5):400–424, 2008. doi: 10.1111/j.1745-6924.2008.00088.x.
- Andrew Ortony, Gerald L. Clore, and Allan Collins. *The Cognitive Structure of Emotions*. Cambridge University Press, Cambridge, 1988. ISBN 9780521353649.
- Thomas Parr, Giovanni Pezzulo, and Karl J. Friston. *Active Inference: The Free Energy Principle in Mind, Brain, and Behavior*. MIT Press, Cambridge, MA, 2022. ISBN 9780262045353.
- Candice Pattisapu, Tim Verbelen, Riddhi J. Pitliya, Alex B. Kiefer, and Mahault Albarracin. Free energy in a circumplex model of emotion. In *Active Inference: 5th International Workshop, IWAI 2024, Revised Selected Papers*, volume 2193 of *Communications in Computer and Information Science*, pages 34–46. Springer, 2025. doi: 10.1007/978-3-031-77138-5_3.

- Christopher J H Pirrung, Garima Singh, Jeremy Hogeveen, Davin Quinn, and James F Cavanagh. Hypoactivation of the ventromedial frontal cortex in major depressive disorder: a magnetoencephalography study of the reward positivity. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, 2025. PMID 39551134.
- Diego A. Pizzagalli. Depression, stress, and anhedonia: Toward a synthesis and integrated model. *Annual Review of Clinical Psychology*, 10:393–423, 2014. doi: 10.1146/annurev-clinpsy-050212-185606.
- Erik Rietveld and Julian Kiverstein. A rich landscape of affordances. *Ecological Psychology*, 26(4):325–352, 2014.
- James A. Russell. A circumplex model of affect. *Journal of Personality and Social Psychology*, 39(6):1161–1178, 1980. doi: 10.1037/h0077714.
- Robb B Rutledge, Nikolina Skandali, Peter Dayan, and Raymond J Dolan. A computational and neural model of momentary subjective well-being. *Proceedings of the National Academy of Sciences*, 111(33):12252–12257, 2014. doi: 10.1073/pnas.1407535111.
- Lars Sandved-Smith, Casper Hesp, et al. Towards a computational phenomenology of mental action: modelling meta-awareness and attentional control with deep parametric active inference. *Neuroscience of Consciousness*, 2021(1):niab018, 2021.
- Daniel L Schacter and Donna Rose Addis. The cognitive neuroscience of constructive memory: remembering the past and imagining the future. *Philosophical Transactions of the Royal Society B*, 362(1481):773–786, 2007. doi: 10.1098/rstb.2007.2087.
- Anil K. Seth and Karl J. Friston. Active interoceptive inference and the emotional brain. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1708):20160007, 2016. doi: 10.1098/rstb.2016.0007.
- Craig A. Smith and Phoebe C. Ellsworth. Patterns of cognitive appraisal in emotion. *Journal of Personality and Social Psychology*, 48(4):813–838, 1985. doi: 10.1037/0022-3514.48.4.813.
- Klaas E. Stephan, Zina M. Manjaly, Christoph D. Mathys, Lilian A. E. Weber, Saeed Paliwal, Tim Gard, Marc Tittgemeyer, Stephen M. Fleming, Helene Haker, Anil K. Seth, and Frederike H. Petzschner. Allostatic self-efficacy: A metacognitive theory of dyshomeostasis-induced fatigue and depression. *Frontiers in Human Neuroscience*, 10:550, 2016. doi: 10.3389/fnhum.2016.00550.
- Thomas Suddendorf and Michael C Corballis. Mental time travel and the evolution of the human mind. *Genetic, Social, and General Psychology Monographs*, 123(2):133–167, 1997.
- Michael T. Treadway, Joshua W. Buckholz, Ashley N. Schwartzman, William E. Lambert, and David H. Zald. Worth the ‘EEfRT’? The effort expenditure for rewards task as an objective measure of motivation and anhedonia. *PLoS ONE*, 4(8):e6598, 2009. doi: 10.1371/journal.pone.0006598.
- Yaacov Trope and Nira Liberman. Construal-level theory of psychological distance. *Psychological Review*, 117(2):440–463, 2010.
- Maya Vannikov-Lugassi and Nirit Soffer-Dudek. No time like the present: Thinking about the past and the future is related to state dissociation among individuals with high levels of psychopathological symptoms. *Frontiers in Psychology*, 9:2465, 2018. doi: 10.3389/fpsyg.2018.02465.

- Edward R. Watkins. Constructive and unconstructive repetitive thought. *Psychological Bulletin*, 134(2):163–206, 2008. doi: 10.1037/0033-2909.134.2.163.
- J. Mark G. Williams, Thorsten Barnhofer, Catherine Crane, Dirk Hermans, Filip Raes, Edward Watkins, and Tim Dalgleish. Autobiographical memory specificity and emotional disorder. *Psychological Bulletin*, 133(1):122–148, 2007. doi: 10.1037/0033-2909.133.1.122.