

MINISTRY OF MSME · NATIONAL DIVISION FOR INDUSTRY EXCELLENCE

Capacity Building Management System

Process flows, as the system is built: who does what, in what order, what each tier may and may not do, and every letter the system sends.

1

The applicant's journey,
end to end

2

A programme: raised,
permitted, run, reported

3

What each kind of user
does

4

Roles and permissions

5


E-mail and notifications

Drawn from the system itself — statuses, guards, templates and permission keys are the ones in the code, not a description of them.

The applicant's journey — registering and being accepted

From opening the app to a profile a manager has decided. Nothing below is reachable until the profile for that track has been accepted.

Step somebody takes Decision What the system does by itself Outcome Stops here Dashed = a letter or a notice



A rejected profile can be answered and sent again.
The attempt is numbered, and the reason given stays on the record.

The identity is the Applicant ID

Not the e-mail. An applicant may change their e-mail without becoming somebody else.

A half-filled form is kept

Sections save as they are typed and survive signing out, so a form started on a bus is still there that evening.

Scrutiny is the Operation Manager's


A profile is placed on one manager's desk by the track and the applicant's state, and only that manager decides it.

The applicant's journey — taking a programme

FLOW 1 OF 5 · PAGE 2

What an accepted applicant can do: find a batch, pay for it where there is a fee, attend, sit the paper and be certified.

Step somebody takes
Decision
What the system does by itself
Outcome
Stops here
Dashed = a letter or a notice



Only what you were accepted for

Programmes open to an applicant are the ones on tracks whose profile has been accepted. Everything else stays shut.

Seats close themselves

The maximum set when the batch was raised is the cap. A batch can be reopened for a stated number of places up to the day before it starts.


Certificates are verifiable

Each one is numbered and can be checked without signing in, which is what makes it worth anything to an employer.

A programme: raised, permitted, run, conducted

The agency raises and runs it, the manager permits and postpones it, the coordinator records the day.

Step somebody takes Decision What the system does by itself Outcome Stops here Dashed = a letter or a notice



Raising and permitting are different jobs

An agency holds `programs.create` and `programs.manage`; permitting is `programs.approve`, held by the manager that empanelled it.

Putting a batch off is asked for, not done


The agency sends a reason in writing and the batch does not move. The manager decides, and granting it answers the request.

The exam time is the manager's

The agency running the batch cannot set when the paper is sat.

From a conducted programme to a report

What a finished batch leaves behind, and what can be drawn out of it.



Everything in a report is scoped to the reader: an agency sees its own batches, a manager those in the States/UTs and programme types allocated to them, the Ministry and the Super Admin the whole estate.

Five sections, one workbook

Summary, participants, attendance, trainers and monitoring.
Pick any of them; up to 25 programmes go into a single file.

Filtered the way the work is organised

Category, programme type, agency, State/UT and a date range — the same axes the scheme is allocated on.

A report never shows more than the reader may see

The scoping is on the query, not the screen, so a narrower account cannot reach a wider report by changing the address.

The portal, tab by tab


Every entry in the navigation, what it is gated on, and which tiers it appears for. The entry and the route carry the same key, so a tab somebody cannot see is one they cannot reach by typing the address either.

The portal, tab by tab, and who sees each one

Group	Tab	Gated on	Super Admin	Ministry	Admin	Operation Manager	Implementing Agency	Coordinator
Overview	Dashboard	—	✓	✓	✓	✓	✓	✓
Delivery	Programs	programs.view	✓	✓	✓	✓	✓	✓
	Applicants	applications.view + tier	✓	✓	✓	✓	—	—
	Profile scrutiny	applications.view + tier	✓	✓	✓	✓	—	—
	Qualified professionals	professionals.view	✓	✓	✓	✓	—	—
People and access	Portal users	users.view	✓	✓	✓	✓	✓	—
	Notifications	notifications.view	✓	—	✓	—	—	—
	Roles & permissions	roles.view	✓	—	—	✓	✓	—
	Implementing agencies	agencies.view	✓	✓	✓	✓	—	—
	Coordinators	coordinators.view	✓	✓	✓	✓	✓	—
Reports	View reports	reports.view	✓	✓	✓	✓	✓	✓
	Trainers	trainers.view	✓	✓	✓	✓	✓	✓
Program setup	Categories, sub-categories, program types	masters.manage	✓	—	—	—	—	—
	Sign-up form, profile forms	masters.manage	✓	—	—	—	—	—
	Feedback forms, curriculum	curriculum.manage	✓	—	—	—	—	—
	Fee structures	fees.view	✓	✓	✓	—	—	—
	Choice lists, qualifications, skills	masters.manage	✓	—	—	—	—	—
	Exam papers	exams.view	✓	✓	✓	—	—	—
	Training material	materials.view	✓	✓	✓	✓	✓	✓
Configuration	Branding, site text, e-mail, system settings	settings.manage	✓	—	—	—	—	—

Who the users are, and what each one is for

Six portal tiers and one app account. Each is created by the tier above it, and each is allocated a slice of the scheme to work inside.



Two rules hold the chain together



Super Admin owns the system, not the operation

The masters, the roles, the portal. It does not empanel, appoint managers' coordinators, raise batches, permit them or decide profiles — it reads all of it.

The Ministry changes nothing

Oversight by design: every view permission, no write permission, and no way to be granted one.

A coordinator is capped, not merely ungranted

The narrowest tier is held to a ceiling — its batches, its faculty, its material and its reports — so a mis-saved role cannot hand it the scheme.

A permission says what a screen offers. The allocation says whom it may be used on — and an account allocated nothing on an axis reaches nothing on it.

Allocation: the axes each tier is given, and what they narrow

Tier	Allocated on	Which narrows
Super Admin	Nothing — unscoped	The whole estate
Ministry of MSME	Nothing — unscoped	The whole estate, read only
Admin	Category, sub-category, State/UT	Managers, agencies and batches inside them
Operation Manager	Programme type, State/UT	The agencies it empanelled and their batches
Implementing Agency	Programme type, State/UT	Its own coordinators, batches and candidates
Coordinator	Programme type, State/UT, district	The batches it was given

An empty allocation means nothing, not everything

A scoped account with no states allocated covers no states. The opposite reading is how a narrow account quietly becomes a wide one.

Where the person sits is not what they cover


An officer posted in Delhi may be allocated fifteen States/UTs. The two are separate fields and the second is the one that governs.

The district axis is the coordinator’s alone

It is the narrowest rung, and the only one that works at district level.

A coordinator's day on the handset

From signing in to sealing the record. A workshop opens on four tabs: registration, program, submission and exit. Everything recorded is queued on the phone and sent when the signal comes back.



Only the batches in their name

The list is the server's answer about who the batch was given to, not a filter applied on the screen.

The server says what is still missing

No venue photograph, no geo-tag, no trainer, a session with nobody marked. The submit button stays shut until that list is empty.

Sealing cannot be undone

Not by the agency and not by the back office. That is what makes the record evidence rather than a draft.


What the two apps do

The applicant's app and the coordinator's, feature by feature. Two builds, two sign-ins, one API behind both.

Applicant app — CBMS Applicant	Coordinator app — CBMS Coordinator
Sign up and verify Register with name, e-mail, mobile and PAN; verify by a code.	My workshops Only the batches put in this coordinator's name.
Your profile One form per track, section by section, saved as it is typed.	Venue registration Photographs inside and out, geo-tagged where taken.
Programmes What is open on the tracks you were accepted for, near you.	Trainer registration Who actually delivered, against the batch.
Register and pay Take a seat in a batch; pay the fee where there is one.	Sessions Named, timed, and photographed one by one.
Your batches Dates, venue or joining link, and where each one stands.	On-spot registration Somebody who turned up without enrolling.
Examinations Sit the paper on the phone, with a photograph at the start.	Participant photos One per candidate, against their name.
Certificates Downloaded, shareable, and verifiable by number.	Attendance Per session, not once for the whole day.
Training material Documents and videos released for your track.	Attendance sheet The signed paper, photographed in the room.
Invoices and payments Every receipt, kept.	Marksheet Marks against the skills the type evaluates.
Feedback On the programme and the trainer, after the day.	Feedback collection From the candidates who were present.
Notifications A list and an unread count; a push where one is set up.	Final submission Sealed once nothing is missing. Not editable after.
Both apps, on installing Notifications, camera, photos and media, and location are asked for together and required to go on; at least 500 MB has to be free, because a day of photographs taken out of signal is held on the phone.	

The form an applicant fills in is not written in code. It is built per track in the portal, and one definition drives the app, the server's checking and the scrutiny screen.

Step somebody takes
 Decision
 What the system does by itself
 Outcome
 Stops here
 Dashed = a letter or a notice



A key and a label, every time

The key is what the answer is stored against; the label is what the applicant reads. A field missing either is refused by name, and the row is marked.

Scrutiny is set per track

Turn it off and the programmes under that sub-category open without a profile having to be decided first.

Forms carry a version

Answers stay against the version they were given under, so a question added in March does not make February's profiles incomplete.

What every tier may do, by permission key. Read this with the chain two pages back: the key says what the screen offers, the chain says whom it may be used on.

Masters, access and the people — the seeded roles, after the rules no role record can override

Area	Permission key	Super Admin	Ministry	Admin	Operation Manager	Implementing Agency	Coordinator
Masters — categories, types, forms, fee structures	masters.view / .manage	✓ read & edit	✓ read	✓ read	✓ read	✓ read	—
Curriculum and exam papers	curriculum.* / exams.*	✓ read & edit	✓ read	✓ read	✓ read	✓ read	—
Training material	materials.view / .manage	✓ read & edit	✓ read	✓ read	✓ read	✓ read	✓ read
Roles & permissions	roles.view / .manage	✓ read & edit	—	—	✓ read & edit	✓ read & edit	—
Portal users	users.view / .manage / .status	✓ read	✓ read	✓ read & edit	✓ read, on/off	✓ read & edit	—
Implementing agencies — empanelment	agencies.view / .manage	✓ read	✓ read	✓ read	✓ read & edit	—	—
Coordinators	coordinators.view / .manage	✓ read	✓ read	✓ read	✓ read	✓ read & edit	—
Trainers	trainers.view / .manage	✓ read	✓ read	✓ read	✓ read	✓ read	✓ read & edit
Applicants and the scrutiny queue	applications.view	✓ read	✓ read	✓ read	✓ read	—	—
Deciding a profile	applications.scrutinise	—	—	—	✓ do it	—	—

Withheld, not just left out

Some keys can never be held by a tier whatever a role record says — empanelling by an Admin, approving by an agency, scrutiny by a Super Admin. They are refused on the roles screen and dropped when the permission set is read.

Allocation narrows on top of the key

Holding `agencies.manage` lets a manager empanel — but only inside the programme types and States/UTs they were allocated.

Roles are shaped by whoever owns them

A role can only be given permissions its shaper holds, and only the shaper may reshape it. Two Admins each appoint managers; neither settles the other’s role.

The second half of the same table: running the work, and the parts of the portal that sit above it.

Programmes, reports and portal settings

Area	Permission key	Super Admin	Ministry	Admin	Operation Manager	Implementing Agency	Coordinator
Programmes — reading	programs.view	✓ read	✓ read	✓ read	✓ read	✓ read	✓ read
Raising a programme	programs.create	—	—	—	—	✓ do it	—
Running one — sessions, attendance, marks	programs.manage	—	—	—	—	✓ do it	✓ do it
Permitting one	programs.approve	—	—	—	✓ do it	—	—
Reports	reports.view	✓ read	✓ read	✓ read	✓ read	✓ read	✓ read
Qualified professionals register	professionals.view	✓ read	✓ read	✓ read	✓ read	—	—
Portal branding and settings	settings.manage	✓ do it	—	—	—	—	—
Notifications — reading the log	notifications.view	✓ read	—	✓ read	—	—	—
Notifications — sending one	notifications.send	✓ do it	—	✓ do it	—	—	—

Raising, running and permitting are three keys

programs.create, programs.manage and programs.approve. The agency holds the first two, the manager the third, and a permission you grant yourself is not a permission.


A coordinator is held to a ceiling

Its batches, its faculty, the material it teaches from and its own reports. Anything else is dropped when the permission set is read, whatever a role record says.

Sending to every handset is its own key

notifications.send is separate from reading the log, because a notice to every applicant in the country is not something to hand out with a read permission.

Three channels out of one event: a letter by e-mail, a push to the two apps, and a list inside them that is fetched rather than remembered.



Every letter is logged with its outcome. A send that fails does not fail the thing that caused it: an account is still created when the server will not take the mail, and the credentials can be sent again from the portal.

The server holds no password in the repository

SMTP host, port, user and sender are set in the portal; the password is write-only — it can be replaced but never read back.

Templates are editable without a release

Subject and body are rows in the database with named placeholders, so wording is corrected in the portal rather than in a deployment.

Push needs one credential of yours

The apps report an Expo push token. Delivery to Android needs a Firebase server key uploaded to the Expo project — not to this server, and not into the repository.

Eleven of the twenty-one templates. Each is raised by one thing happening, goes to one person, and is logged with whether the server took it.

Getting in, and being told about it

Template	Name	Raised by	Goes to	Carries
otp	Email verification code	Sign-up, and any change of e-mail	The applicant, at the address being verified	Six digits, ten minutes
applicant-welcome	Applicant registered	Sign-up accepted	The applicant	—
applicant-credentials	Applicant sign-in details	Account opened or reset	The applicant	Applicant ID and a first-time password
portal-credentials	Portal user credentials	Fallback where no tier-specific letter fits	The new portal user	—
admin-credentials	Admin credentials	Super Admin appoints an Admin	The Admin	—
ministry-credentials	Ministry of MSME credentials	Super Admin appoints the Ministry account	The Ministry user	—
ops-manager-credentials	Operation Manager credentials	An Admin appoints a manager	The manager	Carries the allocation they were given
agency-credentials	Implementing Agency credentials	A manager empanels an agency with a login	The agency	—
coordinator-credentials	Coordinator credentials	An agency appoints a coordinator	The coordinator	—
agency-empanelled	Agency empanelled	An agency is taken onto the register	The agency	Says what it is empanelled for
password-reset	Password reset code	Forgot password, portal or app	The account holder	Code, valid for a set window

The remaining ten: what the scheme writes to somebody because of something that happened to their profile, their batch or their certificate.

Profiles, programmes and certificates

Template	Name	Raised by	Goes to	Carries
password-changed	Password changed	A password is changed or reset	The account holder	Says which of the two it was
account-updated	Account updated	A portal account's particulars are edited	The account holder	—
account-status-changed	Account switched on or off	An account is enabled or disabled	The account holder	Carries the reason given
application-submitted	Application received	An applicant applies to a programme	The applicant	—
scrutiny-outcome	Profile scrutiny outcome	A manager accepts or rejects a profile	The applicant	A rejection carries the reason
programme-raised	A batch is waiting on you	An agency raises a batch	The Operation Manager answerable for it	Added with the permission split
postponement-requested	A batch is asked to be put off	An agency asks for a postponement	The Operation Manager	Carries the agency's written reason
programme-schedule	Joining details	Registration confirmed, or the calendar set	The registered candidate	Dates, venue or joining link
certificate-issued	Certificate issued	A certificate is issued or re-sent	The candidate	Attached, and verifiable by number
applicant-access-changed	Access changed	An applicant is blocked or unblocked	The applicant	Carries the reason