
UBUNTU PC 2: PASSWORDLESS GIT PUSH SETUP GUIDE

Target Email: bdsmrahman@gmail.com
GitHub Profile: mahbub-it
Repository: e-Commerce-using-Lara-React

This guide ensures your second Ubuntu PC pushes code seamlessly without prompting for usernames or passwords.

STEP 1: Generate a Unique SSH Key for PC 2

Run this command to create a key explicitly isolated for this machine:

```
ssh-keygen -t ed25519 -C "bdsmrahman@gmail.com" -f ~/.ssh/id_ed25519_pc2
```

* Press Enter twice when prompted to leave the passphrase blank.

STEP 2: Force Ubuntu to Use the Custom Key

Open your system's SSH configuration file:

```
nano ~/.ssh/config
```

Paste the following exact lines at the top of the file:

```
Host github.com
  IdentityFile ~/.ssh/id_ed25519_pc2
```

* Save and exit the text editor by pressing: Ctrl+O, Enter, Ctrl+X.

STEP 3: Register Key into the Session Agent

Manually introduce the newly named key identity to your current session:

```
eval "$(ssh-agent -s)"
ssh-add ~/.ssh/id_ed25519_pc2
```

STEP 4: Copy and Link Public Key to GitHub

Display your complete public key text output:

```
cat ~/.ssh/id_ed25519_pc2.pub
```

1. Highlight and copy the entire string shown in the terminal.
2. Go to GitHub -> Settings -> SSH and GPG keys -> New SSH Key.
3. Name it "Ubuntu - PC 2", paste the key, and click Save.

STEP 5: Switch Local Project Remote Target to SSH

Navigate inside your project folder and swap out the old HTTPS link:

```
git remote set-url origin git@github.com:mahbub-it/e-Commerce-using-Lara-React.git
```

STEP 6: Run Connection Diagnostics

Test the live handshake directly against the server:

```
ssh -T git@github.com
```

- * Type "yes" if asked to confirm host authenticity.
- * Success output: "Hi mahbub-it! You've successfully authenticated..."

STEP 7: Execute Passwordless Push

Deploy your codebase up safely without passwords:

git push -u origin main
=====