Wide Table Issue

Some Good People

2023-06-08

Table of contents

```
import pandas as pd
# Global parameters
GEO_NAME = "Bronx"
SUBSTANCE_NAME = "Ozone (03)"
AIR_QUALITY_LINK = "https://data.cityofnewyork.us/api/views/c3uy-2p5r/rows.csv?accessType=DOWNLOAD"
# Read data
df = pd.read_csv(AIR_QUALITY_LINK)
df.head(10)
```

/Users/mkooshkb/workspace/dsa-go/venv-ci/lib/python3.8/site-packages/IPython/core/formatters.py:342: Fu

In future versions `DataFrame.to_latex` is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base implementation of `Styler.to_latex' is expected to utilise the base im

0 2164 1 2164	98 386	- /- >					
-		Ozone (O3)	Mean	ppb	CD	313	Cone
	199 386	Ozone (O3)	Mean	ppb	CD	313	Cone
2 2199	386	Ozone (O3)	Mean	ppb	Borough	1	Bron
3 2199	386	Ozone (O3)	Mean	ppb	Borough	1	Bron
4 1648	383	Sulfur Dioxide (SO2)	Mean	ppb	CD	211	Morr
5 1648	383	Sulfur Dioxide (SO2)	Mean	ppb	CD	212	Willi
6 2199	386	Ozone (O3)	Mean	ppb	Borough	2	Broo
7 2199	386	Ozone (O3)	Mean	ppb	Borough	2	Broo
8 1648	383	Sulfur Dioxide (SO2)	Mean	ppb	CD	301	Gree
9 1648	383	Sulfur Dioxide (SO2)	Mean	ppb	CD	302	Fort