

MODULE 5 SESSION 4

1. Create a table called Playlist with columns: id, song_name, artist, genre, and play_count. Insert at least 5 sample records representing your favorite songs from Spotify.

Run SQL query/queries on database **restaurant**: ?

```
1 CREATE TABLE Playlist (  
2     id INT AUTO_INCREMENT PRIMARY KEY,  
3     song_name VARCHAR(100),  
4     artist VARCHAR(100),  
5     genre VARCHAR(50),  
6     play_count INT  
7 );
```

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)

```
SELECT * FROM `playlist`
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

id	song_name	artist	genre	play_count
----	-----------	--------	-------	------------

Run SQL query/queries on table **restaurant.playlist**: ?

```
1 INSERT INTO Playlist (song_name, artist, genre, play_count)  
2 VALUES  
3 ('Blinding Lights', 'The Weeknd', 'Pop', 250),  
4 ('Shape of You', 'Ed Sheeran', 'Pop', 180),  
5 ('Gods Plan', 'Drake', 'Hip-Hop', 150),  
6 ('HUMBLE.', 'Kendrick Lamar', 'Hip-Hop', 120),  
7 ('Believer', 'Imagine Dragons', 'Rock', 90);
```

Extra options							
				id	song_name	artist	genre play_count
☐				1	Blinding Lights	The Weeknd	Pop 250
☐				2	Shape of You	Ed Sheeran	Pop 180
☐				3	Gods Plan	Drake	Hip-Hop 150
☐				4	HUMBLE.	Kendrick Lamar	Hip-Hop 120
☐				5	Believer	Imagine Dragons	Rock 90

2. Write a SELECT query to display only the song_name and artist from the Playlist table, but show the artist column as 'Singer' using an alias.

						
Browse	Structure	SQL	Search	Insert	Export	Import

Run SQL query/queries on table restaurant.playlist:

```

1 SELECT song_name, artist AS Singer
2 FROM Playlist;

```

Extra options							
					song_name	Singer	
☐					Blinding Lights	The Weeknd	
☐					Shape of You	Ed Sheeran	
☐					Gods Plan	Drake	
☐					HUMBLE.	Kendrick Lamar	
☐					Believer	Imagine Dragons	

3. Write a SELECT query to find all songs in the Playlist table where the genre is 'Pop' and play_count is greater than 100. Sort the results by play_count in descending order.

Run SQL query/queries on table restaurant.Playlist: ?

```
1 SELECT *
2 FROM Playlist
3 WHERE genre = 'Pop'
4 AND play_count > 100
5 ORDER BY play_count DESC;
```

Extra options

				id	song_name	artist	genre	play_count	1
☐	Edit	Copy	Delete	1	Blinding Lights	The Weeknd	Pop	250	
☐	Edit	Copy	Delete	2	Shape of You	Ed Sheeran	Pop	180	

4. Use the COUNT aggregate function to find out how many songs in your Playlist table belong to the genre 'Hip-Hop'.

Run SQL query/queries on table restaurant.Playlist: ?

```
1 SELECT COUNT(*) AS Hip_Hop_Songs
2 FROM Playlist
3 WHERE genre = 'Hip-Hop';
```

Extra options

Hip_Hop_Songs

2

5. Write a SELECT query that shows the total number of plays (SUM of play_count) for each genre in your Playlist table, grouped by genre.
Hint: Use GROUP BY with the SUM function to aggregate play counts by genre.

Run SQL query/queries on table restaurant.Playlist: ?

```
1 SELECT genre, SUM(play_count) AS Total_Plays
2 FROM Playlist
3 GROUP BY genre;
```

Extra options

				genre	Total_Plays
☐	 Edit	 Copy	 Delete	Hip-Hop	270
☐	 Edit	 Copy	 Delete	Pop	430
☐	 Edit	 Copy	 Delete	Rock	90