



[Course](#) > [Modul...](#) > [Graded...](#) > Graded...

Graded Review Questions

Instructions for Graded Review Questions

1. Time allowed: **Unlimited**

- We encourage you to go back and review the materials to find the right answer
- Please remember that the Review Questions are worth 50% of your final mark.

2. Attempts per question:

- One attempt - For True/False questions
- Two attempts - For any question other than True/False

3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again

4. Check your grades in the course at any time by clicking on the "Progress" tab

Review Question 1

1/1 point (graded)

In K-Nearest Neighbors, which of the following is true:

- ☒ A very high value of K (ex. $K = 100$) produces an overly generalised model, while a very low value of k (ex. $k = 1$) produces a highly complex model. ✓
- ☐ A very high value of K (ex. $K = 100$) produces a model that is better than a very low value of K (ex. $K = 1$)

- ☐ A very high value of k (ex. $k = 100$) produces a highly complex model, while a very low value of K (ex. $K = 1$) produces an overly generalized model.

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Review Question 2

1/1 point (graded)

A classifier with lower log loss has better accuracy.

☒ True ✓

☐ False

Submit

You have used 1 of 1 attempt

✓ Correct (1/1 point)

Review Question 3

1/1 point (graded)

When building a decision tree, we want to split the nodes in a way that decreases entropy and increases information gain.

☒ True ✓

☐ False

Submit

You have used 1 of 1 attempt

✓ Correct (1/1 point)