


Coffee Shop Sales Analysis using SQL

MySQL Workbench – Project Screenshots

1. SQL Project and Coffee Sales Data



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

coffee_shop_sales_db

- Tables
 - coffee
- Views
- Stored Procedures
- Functions
- customer_behaviour
- layoffs
- mahli
- mahli2
- sys

Administration Schemas

Information

No object selected

Object Info Session

Query 1 coffee project

Limit to 1000 rows

```
53
54
55 -- changing the column name --
56 SELECT * FROM coffee;
57
58 ALTER TABLE coffee
59 RENAME COLUMN transaction_id TO Transaction_id;
60
61 -- changing the column name --
62 ALTER TABLE coffee
63 CHANGE COLUMN transaction_id Transaction_id INT;
64
```

Result Grid

	transaction_id	transaction_date	transaction_time	transaction_qty	store_id	store_location	product_id	unit_price	product_category	product_type
1	2023-01-01	07:06:11	2	5	Lower Manhattan	32	3	Coffee	Gourmet brewed coffee	
2	2023-01-01	07:08:56	2	5	Lower Manhattan	57	3.1	Tea	Brewed Chai tea	
3	2023-01-01	07:14:04	2	5	Lower Manhattan	59	4.5	Drinking Chocolate	Hot chocolate	
4	2023-01-01	07:20:24	1	5	Lower Manhattan	22	2	Coffee	Drip coffee	
5	2023-01-01	07:22:41	2	5	Lower Manhattan	57	3.1	Tea	Brewed Chai tea	
6	2023-01-01	07:22:41	1	5	Lower Manhattan	77	3	Bakery	Scone	
7	2023-01-01	07:25:49	1	5	Lower Manhattan	22	2	Coffee	Drip coffee	
8	2023-01-01	07:33:34	2	5	Lower Manhattan	28	2	Coffee	Gourmet brewed coffee	
9	2023-01-01	07:39:13	1	5	Lower Manhattan	39	4.25	Coffee	Barista Espresso	

Output

coffee 1 x

Action Output

#	Time	Action	Message	Duration / Fetch
1	18:07:59	SELECT * FROM coffee LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.016 sec

Read Only Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

2. Total Sales Analysis

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

coffee_shop_sales_db

- Tables
- Views
- Stored Procedures
- Functions
- customer_behaviour
- layoffs
- mahii
- mahil2
- sys

Administration Schemas

Information

No object selected

Query 1 coffee project

Limit to 1000 rows

```
86
87
88 -- 1. Total Sales Analysis --
89 -- * calculate total sales for each respective month --
90 • SELECT round(SUM(unit_price * transaction_qty),2) AS total_sales
91 FROM coffee
92 WHERE
93     month(transaction_date) = 5 -- May Month --
94
95
96 -- * Determine the month on month increase or decrease in sale &
97 -- * calculate the difference in sales between the selected month and the previous month --
```

Result Grid

total_sales
156727.76

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	18:07:59	SELECT * FROM coffee LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.016 sec
2	18:08:40	SELECT round(SUM(unit_price * transaction_qty),2) AS total_sales FROM coffee WHERE month(transa...	1 row(s) returned	0.312 sec / 0.000 sec

Object Info Session

3. Monthly Sales and MoM Analysis

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

coffee_shop_sales_db

- Tables
- Views
- Stored Procedures
- Functions
- customer_behaviour
- layoffs
- mahil
- mahil2
- sys

Query 1 coffee project

```
98 SELECT
99     month(transaction_date) AS MONTH, -- number of month
100     round(SUM(unit_price * transaction_qty)) AS total_sales, -- total sales column
101     sum(unit_price * transaction_qty) - LAG(sum(unit_price * transaction_qty),1) -- month sales difference
102     OVER(ORDER BY MONTH(transaction_date)) / LAG(sum(unit_price * transaction_qty),1) -- dividing by previous month
103     OVER(ORDER BY MONTH(transaction_date)) * 100 AS mom_increase_percentage -- converting into percentage
104 FROM
105     coffee
106 WHERE
107     MONTH(transaction_date) in (4,5) -- for month of april and may
108 GROUP BY
109     MONTH(transaction_date)
110 ORDER BY
111     MONTH(transaction_date);
112
113
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

No object selected

Result Grid

	MONTH	total_sales	mom_increase_percentage
▶	4	118941	100%
	5	156728	156627.7600000045

Result 3

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	18:08:40	SELECT round(SUM(unit_price * transaction_qty),2) AS total_sales FROM coffee WHERE month(trans...	1 row(s) returned	0.312 sec / 0.000 sec
3	18:09:04	SELECT month(transaction_date) AS MONTH, -- number of month round(SUM(unit_price * transa...	2 row(s) returned	0.297 sec / 0.000 sec

Object Info Session

4. Monthly Orders and MoM Analysis

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

coffee_shop_sales_db

Tables

Views

Stored Procedures

Functions

customer_behaviour

layoffs

mahii

mahii2

sys

Query 1 coffee project

Limit to 1000 rows

```
123 -- * Calculate the difference in the number of rows between the selected month and previous month --
124 SELECT
125     MONTH(transaction_date) AS MONTH, -- present month
126     ROUND(COUNT(transaction_id)) AS total_orders, -- total orders
127     (COUNT(transaction_id) - LAG(COUNT(transaction_id),1)) -- order sales difference
128     OVER(ORDER BY MONTH(transaction_date))) / LAG(COUNT(transaction_id),1) -- dividing by previous month
129     OVER(ORDER BY MONTH(transaction_date)) * 100 AS mom_increase_percentage -- converting into percentage
130 FROM
131     coffee
132 WHERE
133     MONTH(transaction_date) IN (4, 5) -- for april and May month
134 GROUP BY
135     MONTH(transaction_date)
136 ORDER BY
137     MONTH(transaction_date);
138
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

No object selected

Result Grid

	MONTH	total_orders	mom_increase_percentage
▶	4	25335	0.000
	5	33527	32.3347

Result 4

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	18:09:04	SELECT	month(transaction_date) AS MONTH, -- number of month round(SUM(unit_price * transa...	2 row(s) returned 0.297 sec / 0.000 sec
4	18:09:30	SELECT	MONTH(transaction_date) AS MONTH, -- present month ROUND(COUNT(transacti...	2 row(s) returned 0.235 sec / 0.000 sec

Object Info Session

5. Monthly Quantity Sold and MoM Analysis

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

coffee_shop_sales_db

- Tables
- Views
- Stored Procedures
- Functions
- customer_behaviour
- layoffs
- mahii
- mahii2
- sys

Query 1 coffee project

Limit to 1000 rows

```
150 SELECT
151     MONTH(transaction_date) AS MONTH, -- present month
152     ROUND(SUM(transaction_qty)) AS total_qty_sold, -- total qty sold
153     (sum(transaction_qty) - LAG(sum(transaction_qty),1) -- total qty sold difference
154     OVER(ORDER BY MONTH(transaction_date))) / LAG(sum(transaction_qty),1) -- dividing by previous month
155     OVER(ORDER BY MONTH(transaction_date)) * 100 AS mom_increase_percentage -- converting into percentage
156
157 FROM coffee
158 WHERE
159     MONTH(transaction_date) IN (4,5) -- for April and May month
160 GROUP BY
161     MONTH(transaction_date)
162 Order BY
163     MONTH(transaction_date);
164
165 -- 4. Charts required --
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

No object selected

Result Grid

	MONTH	total_qty_sold	mom_increase_percentage
▶	4	36469	NA
	5	48233	32.2575

Result 5 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 4	18:09:30	SELECT	MONTH(transaction_date) AS MONTH, -- present month ROUND(COUNT(transacti...	2 row(s) returned 0.235 sec / 0.000 sec
✓ 5	18:09:55	SELECT	MONTH(transaction_date) AS MONTH, -- present month ROUND(SUM(transaction...	2 row(s) returned 0.281 sec / 0.000 sec

Object Info Session

6. Daily KPI Analysis

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- coffee_shop_sales_db
 - Tables
 - Views
 - Stored Procedures
 - Functions
- customer_behaviour
- layoffs
- mahii
- mahii2
- sys

Query 1 coffee project

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
162 Order BY
163     MONTH(transaction_date);
164
165 -- 4. Charts required --
166 -- * To find total sales, total orders and total qty sold Deal with calender heat map--
167 • SELECT
168     CONCAT(ROUND(SUM(unit_price * transaction_qty)/1000,1), 'K') AS total_sales,
169     CONCAT(ROUND(COUNT(transaction_id)/1000,1), 'K') AS total_orders,
170     CONCAT(ROUND(SUM(transaction_qty)/1000,1), 'K') AS total_qty_sold
171 FROM coffee
172 WHERE
173     transaction_date = '2023-03-27';
174
175 -- * To find sales analysis by weekdays & weekends --
176 -- weekends - saturday and sunday --
177 -- weekdays - monday to friday --
```

Administration Schemas

Information

No object selected

Result Grid

	total_sales	total_orders	total_qty_sold
▶	3.7K	0.8K	1.2K

Result 6 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	18:09:55	SELECT	MONTH(transaction_date) AS MONTH, -- present month ROUND(SUM(transaction...	2 row(s) returned 0.281 sec / 0.000 sec
6	18:10:32	SELECT	CONCAT(ROUND(SUM(unit_price * transaction_qty)/1000,1), 'K') AS total_sales, CO...	1 row(s) returned 0.219 sec / 0.000 sec

Object Info Session

7. Hourly Sales and Weekday Analysis

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

coffee_shop_sales_db

- Tables
- Views
- Stored Procedures
- Functions
- customer_behaviour
- layoffs
- mahil
- mahil2
- sys

Administration Schemas

Information

No object selected

Query 1 coffee project

Limit to 1000 rows

```
286
287
288 -- to find the total sales by hours --
289 • SELECT
290     HOUR(transaction_time),
291     CONCAT(ROUND(SUM(unit_price * transaction_qty)/1000,1), 'K') AS total_slas
292 FROM coffee
293 WHERE
294     MONTH(transaction_date) = 5
295 GROUP BY HOUR(transaction_time)
296 ORDER BY HOUR(transaction_time);
297
298 -- To find the total sales by weekdays --
299 • SELECT
300     CASE
301     WHEN DAYOFWEEK(transaction_date) = 2 THEN 'Monday'
302     WHEN DAYOFWEEK(transaction_date) = 3 THEN 'Tuesday'
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

HOUR(transaction_time)	total_slas
6	4.9K
7	14.4K
8	18.8K
9	19.1K
10	19.6K

Result 7

Output

#	Time	Action	Message	Duration / Fetch
6	18:10:32	SELECT	CONCAT(ROUND(SUM(unit_price * transaction_qty)/1000,1), 'K') AS total_slas, CO...	1 row(s) returned 0.219 sec / 0.000 sec
7	18:11:27	SELECT	HOUR(transaction_time), CONCAT(ROUND(SUM(unit_price * transaction_qty)/1000...	15 row(s) returned 0.250 sec / 0.000 sec

Object Info Session