

Cucumber Report

25 Aug, 2022 6:44:34 PM

Start : Aug 25, 6:44:03.592 PM

End : Aug 25, 6:44:33.217 PM

Duration : 29.625 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 3

FAILED - 1

SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Sign in feature</u>	29.625 s	1	0	1	0	4	3	1	0

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Smoke	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Sign in feature</u>	1	0	1	0	29.625 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Sign in feature</u>	<u>Sign in into monster job portal</u>	4	3	1	0	29.622 s

Sign in feature

FAILED	DURATION - 29.625 s	Scenarios		Steps	
/ 6:44:03.592 PM // 6:44:33.217 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Sign in into monster job portal

<div>FAILED</div> <div>DURATION - 29.622 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:44:03.595 PM // 6:44:33.217 PM /</div>				
<div>Sign in feature</div>				
<div>@Smoke</div>				

#	Step / Hook Details	Status	Duration				
1	Given User is in login Page	PASSED	0.021 s				
2	When User click on jobseeker login button	PASSED	4.761 s				
3	When User enter credential	PASSED	0.194 s				
	<table><tr><td>Value</td><td>Email</td><td>Password</td></tr><tr><td>0</td><td>Test@gmail.com</td><td>Cap</td></tr></table>			Value	Email	Password	0
Value	Email	Password					
0	Test@gmail.com	Cap					
4	When User enter enabled login button.	FAILED	0.033 s				
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //input[@value='Login'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//input[@value='Login'] is not a valid XPath expression. (Session info: chrome=104.0.5112.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'DESKTOP-AGANBU3', ip: '192.168.43.248', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_171' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb87483435aa14a9165ee363cbd7faee, findElement {using=xpath, value="//input[@value='Login']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 104.0.5112.79 (3cf3e8c8a07d..., userDataDir: C:\Users\SURANJ~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:57288}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57288/devtoo..., se.cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,						

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: cb87483435aa14a9165ee363cbd7faee</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)</p> <p>at stepDefinition.SignInPage.user_enter_enabled_login_button(SignInPage.java:63)</p> <p>at ?.User enter enabled login button.(file:///C:/Users/suranjan%20banerjee/Mahesh/CucumberE2E/.src/test/resources/features/SignInPage.feature:10)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - appHooks.ApplicationHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
			