

RKSK APIs

API End Point

End point or Base url is: - <https://rkskpeereducator.in/api>

API Status Code

Code	Message
100	REQUEST_METHOD_NOT_VALID
101	REQUEST_CONTENTTYPE_NOT_VALID
102	REQUEST_NOT_VALID
103	VALIDATE_PARAMETER_REQUIRED
104	VALIDATE_PARAMETER_DATATYPE
106	UNABLE_TO_CREATE
107	API_DOST_NOT_EXIST
108	INVALID_USER_PASS
109	USER_NOT_ACTIVE
105	USER_NOT_FOUND
200	SUCCESS_RESPONSE
300	JWT_PROCESSING_ERROR
301	ATHORIZATION_HEADER_NOT_FOUND
302	ACCESS_TOKEN_ERRORS

Any custom response or change in the above-mentioned code must be notified.

Validation Protocol

To develop a secure system of data exchange, it is important to have well-defined protocol. The suggested steps are as follows

1. The calling system to send a token request message with the username and the password to the target API Server
2. Upon successful authentication, the target server would give a JWT token with a validity of predefined time. It is recommended to keep it 30 second.
3. The API to pull the data must be sent with the JWT Token. Without the JWT Token, the request should be ignored.
4. The API to send the desired data with appropriate code. 5. In case of any error, the defined return code must be returned.

API Specification in Details

API: /public/index.php

API Description: To get JWT Token from the target server

API Name	GetToken
HTTP Method	POST
Content-Type/ Response Format	Application/JSON
Input Parameter(s)	username (Char), password (Char)
Output Parameter	JWT Token
Response Code	200
Response Format	JSON

API: app/location.php

API Description: To get all states from the target server

API Name	Get States
HTTP Method	POST
Content-Type/ Response Format	Application/JSON
Input Parameter(s)	need (Char), lang (Char)
Authorization	JWT Token
Output Parameter	state_id (Char), state_name (Char)
Response Code	200
Response Format	JSON

API Description: To get all district from the target server

API Name	Get District
HTTP Method	POST
Content-Type/ Response Format	Application/JSON
Authorization	JWT Token
Input Parameter(s)	need (Char), state_id(Int), lang (Char),
Output Parameter	district_id (int), district_name (Char), district_desc(Char)
Response Code	200
Response Format	JSON

API Description: To get all Blocks from the target server

API Name	Get Blocks
HTTP Method	POST
Content-Type/ Response Format	Application/JSON
Authorization	JWT Token
Input Parameter(s)	need (Char), district_id (Int), lang (Char),
Output Parameter	city_id (int), city_name (Char)
Response Code	200
Response Format	JSON

API: app/ Get_PE_Activity_Data.php

API Description: To get all Get_PE_Activity_Data from the target server

API Name	Get all active PE
HTTP Method	POST
Content-Type/ Response Format	Application/JSON
Authorization	JWT Token
Input Parameter(s)	api (Char)
Output Parameter	Period (date), PE_ID (int), PE_name(Char), no_of_adolescent_attended(Int), no_of_adolescent_referr(Int), afc_meeting(Date), no_of_afc_meeting_attended(Int), state_lgd_code(Int), district_lgd_code(int), block_lgd_code(int), theme_for_PE_session(Int)
Response Code	200
Response Format	JSON

API: app/ Get_PE_Activity.php

API Description: To get all Get_PE_Activity from the target server

API Name	Get all active PE Data
HTTP Method	POST
Content-Type/ Response Format	Application/JSON
Authorization	JWT Token
Input Parameter(s)	api (Char)
Output Parameter	Trained(Int), referred(Int), themes(Int), clients(Int), afc(Int), ahwd(Int)
Response Code	200
Response Format	JSON