FORM 3

MALE HORMONAL IMBALANCE ASSESSMENT

INSTRUCTIONS: Please rate each symptom or factor based on your experience using the point scale below. Write the corresponding number in the "SCORE" column.

POINT SCALE:

- **0 = Never or almost never have the symptom**
- **1 = Occasionally have it, effect is not severe**
- **2 = Occasionally have it, effect is severe**
- **3 = Frequently have it, effect is not severe**
- **4 = Frequently have it, effect is severe**

PART 1: PHYSICAL SYMPTOMS

Sr. No	Symptom Details	SCORE (0-4)
1	Erectile Dysfunction: Difficulty achieving or maintaining an erection.	
2	Loss of Morning Erections: Decrease in frequency or firmness of spontaneous morning erections.	
3	Decreased Libido: Reduced sexual desire or sex drive.	
4	Gynecomastia: Enlarged breast tissue or chest tenderness.	
5	Hair Loss (Scalp): Thinning hair or receding hairline.	
6	Reduction in Body or Facial Hair: Thinning of chest, arm, leg hair, or slower beard growth.	

7	**Muscle Loss: Noticeable decrease in muscle mass or physical strength.**	
8	**Weight Gain: Unexplained weight gain, particularly increased abdominal fat.**	
9	**Joint & Bone Health: Unexplained joint aches or bone stiffness.**	
	SECTION 1 TOTAL	**[ ]**

PART 2: EMOTIONAL & MENTAL SYMPTOMS

Sr. No	Symptom Details	SCORE (0-4)
10	**Fatigue: Persistent tiredness, lack of energy, or feeling sluggish.**	
11	**Brain Fog & Poor Concentration: Difficulty focusing, mental cloudiness, or memory lapses.**	
12	**Mood Swings: Rapid or unpredictable changes in mood.**	
13	**Irritability: Easily frustrated, angered, or annoyed.**	
14	**Depression: Persistent feelings of sadness, emptiness, or lack of motivation.**	
15	**Anxiety: Feelings of nervousness, restlessness, or tension.**	

	SECTION 2 TOTAL	**[ ]**

PART 3: OTHER SYMPTOMS

Sr. No	Symptom Details	SCORE (0-4)
16	**Night Sweats: Waking up sweating excessively during the night.**	
17	**Hot Flashes: Sudden feelings of intense heat in the face, neck, or chest.**	
18	**Sleep Disturbances: Insomnia, difficulty falling asleep, or waking up frequently.**	
	SECTION 3 TOTAL	**[ ]**

PART 4: LIFESTYLE FACTORS

(Note: Select the option that best describes your lifestyle and enter the corresponding score)

Sr. No	Factor Details	SCORE (0-4)
19	**Dietary Habits:** **0 = Balanced, nutrient-dense, home-cooked** **1 = Mostly balanced, occasional junk food** **2 = Frequently eat processed or unhealthy foods** **3 = Highly imbalanced, poor nutritional intake**	

	4 = Completely dependent on fast food/junk food	
20	**Physical Activity:** **0 = Highly Active (Regular intense exercise)** **1 = Moderately Active (Regular light/moderate exercise)** **2 = Lightly Active (Occasional movement)** **3 = Inactive / Sedentary (Rarely exercise)** **4 = Completely Immobile / Bedridden**	
21	**Current Stress Levels:** **0 = Minimal to None** **1 = Low (Easily manageable)** **2 = Moderate (Noticeable but manageable)** **3 = High (Difficult to manage, impacts daily life)** **4 = Severe / Overwhelming**	
	SECTION 4 TOTAL	**[ ]**

GRAND TOTAL & INTERPRETATION

Add the totals from Sections 1, 2, 3, and 4 to calculate your final score.

(Maximum possible score = 84)

GRAND TOTAL SCORE:	**[ ]**

HOW TO INTERPRET THE SCORE:

SCORE RANGE	CLINICAL INDICATION
< 10	**OPTIMAL: Hormones are likely balanced. Healthy lifestyle factors.**
10 - 25	**MILD: Early signs of imbalance. May be corrected with lifestyle and dietary adjustments.**
26 - 50	**MODERATE: Significant symptoms present. Requires clinical investigation and potential treatment.**
> 50	**SEVERE: Strong indication of clinical hormonal imbalance. Immediate medical evaluation recommended.**