

Q1. List all books along with their author name and publisher name.

SELECT b.title, a.author_name, p.publisher_name

FROM Books b

JOIN Authors a ON b.author_id = a.author_id

JOIN Publishers p ON b.publisher_id = p.publisher_id;

	title character varying (150)	author_name character varying (100)	publisher_name character varying (100)
1	Malgudi Days	R.K. Narayan	Penguin Books
2	Harry Potter and the Sorcerer's Stone	J.K. Rowling	Bloomsbury
3	Half Girlfriend	Chetan Bhagat	Rupa Publications
4	Murder on the Orient Express	Agatha Christie	Random House
5	The Alchemist	Paulo Coelho	Penguin Books
6	The Da Vinci Code	Dan Brown	Random House
7	The Blue Umbrella	Ruskin Bond	Rupa Publications
8	Five Point Someone	Chetan Bhagat	Rupa Publications
9	And Then There Were None	Agatha Christie	Random House
10	Harry Potter and the Chamber of Secr...	J.K. Rowling	Bloomsbury
11	Inferno	Dan Brown	Random House
12	Veronika Decides to Die	Paulo Coelho	Penguin Books

Q2. Find all books priced above 300.

SELECT title, price

FROM Books

WHERE price > 300;

	title character varying (150)	price numeric (10,2)
1	Harry Potter and the Sorcerer's Stone	499.00
2	Murder on the Orient Express	350.00
3	The Da Vinci Code	450.00
4	And Then There Were None	320.00
5	Harry Potter and the Chamber of Secr...	520.00
6	Inferno	399.00

Q3. Find books that are out of stock (stock_quantity = 0).

```
SELECT title, stock_quantity
```

```
FROM Books
```

```
WHERE stock_quantity = 0;
```

	title character varying (150) 	stock_quantity integer 
1	Harry Potter and the Sorcerer's Sto...	0
2	The Blue Umbrella	0
3	Veronika Decides to Die	0

Q4. Count the total number of books written by each author.

```
SELECT a.author_name, COUNT(b.book_id) AS total_books
```

```
FROM Authors a
```

```
JOIN Books b ON a.author_id = b.author_id
```

```
GROUP BY a.author_name;
```

	author_name character varying (100) 	total_books bigint 
1	Dan Brown	2
2	Ruskin Bond	1
3	R.K. Narayan	1
4	Paulo Coelho	2
5	Agatha Christie	2
6	J.K. Rowling	2
7	Chetan Bhagat	2

Q5. Find the average price of books in each genre.

```
SELECT genre, ROUND(AVG(price),2) AS avg_price
```

```
FROM Books
```

```
GROUP BY genre;
```

	genre character varying (50) 	avg_price numeric 
1	Thriller	424.50
2	Romance	199.00
3	Fantasy	509.50
4	Mystery	335.00
5	Fiction	230.80

Q6. List customers who have placed more than 1 order.

```
SELECT c.customer_name, COUNT(o.order_id) AS total_orders
```

```
FROM Customers c
```

```
JOIN Orders o ON c.customer_id = o.customer_id
```

```
GROUP BY c.customer_name
```

```
HAVING COUNT(o.order_id) > 1;
```

	customer_name character varying (100) 	total_orders bigint 
1	Amit Sharma	3
2	Priya Verma	2

Q7. Find the total revenue generated from all delivered orders.

```
SELECT ROUND(SUM(od.quantity * od.unit_price),2) AS total_revenue
FROM OrderDetails od
JOIN Orders o ON od.order_id = o.order_id
WHERE o.status = 'Delivered';
```

	total_revenue  numeric
1	4474.00

Q8. Find the top 3 best-selling books by quantity sold.

```
SELECT b.title, SUM(od.quantity) AS total_sold
FROM OrderDetails od
JOIN Books b ON od.book_id = b.book_id
GROUP BY b.title
ORDER BY total_sold DESC
LIMIT 3;
```

	title  character varying (150)	total_sold  bigint
1	Half Girlfriend	5
2	Five Point Someone	4
3	Malgudi Days	3

Q9. Find customers who have never placed an order.

```
SELECT c.customer_name
FROM Customers c
LEFT JOIN Orders o ON c.customer_id = o.customer_id
WHERE o.order_id IS NULL;
```

	customer_name character varying (100)	🔒
--	--	---

Q10. Find books that have never been ordered.

```
SELECT b.title
FROM Books b
LEFT JOIN OrderDetails od ON b.book_id = od.book_id
WHERE od.order_id IS NULL;
```

	title character varying (150)	🔒
1	Veronika Decides to Die	
2	Harry Potter and the Sorcerer's Sto...	
3	The Blue Umbrella	

Q11. Find the customer who has spent the most money overall.

```
SELECT c.customer_name, ROUND(SUM(od.quantity * od.unit_price),2) AS total_spent
FROM Customers c
JOIN Orders o ON c.customer_id = o.customer_id
JOIN OrderDetails od ON o.order_id = od.order_id
GROUP BY c.customer_name
ORDER BY total_spent DESC
LIMIT 1;
```

	customer_name character varying (100) 🔒	total_spent numeric 🔒
1	Amit Sharma	2187.00

Q12. Find the publisher who has published the maximum number of books.

```
SELECT p.publisher_name, COUNT(b.book_id) AS books_published
FROM Publishers p
JOIN Books b ON p.publisher_id = b.publisher_id
GROUP BY p.publisher_name
ORDER BY books_published DESC
LIMIT 1;
```

	publisher_name character varying (100) 🔒	books_published bigint 🔒
1	Random House	4

Q13. Find the second highest priced book.

```
SELECT title, price
FROM Books
ORDER BY price DESC
LIMIT 1 OFFSET 1;
```

	title character varying (150) 🔒	price numeric (10,2) 🔒
1	Harry Potter and the Sorcerer's Sto...	499.00

Q14. List all books published after the year 2000.

```
SELECT title, published_year  
FROM Books  
WHERE published_year > 2000;
```

	title character varying (150) 	published_year integer 
1	Half Girlfriend	2014
2	The Da Vinci Code	2003
3	Five Point Someone	2004
4	Inferno	2013

Q15. Display order details showing customer name, book title, quantity and total amount for each order item.

```
SELECT c.customer_name, b.title, od.quantity,  
       ROUND(od.quantity * od.unit_price,2) AS total_amount  
FROM OrderDetails od  
JOIN Orders o ON od.order_id = o.order_id  
JOIN Customers c ON o.customer_id = c.customer_id  
JOIN Books b ON od.book_id = b.book_id  
ORDER BY o.order_id;
```


	customer_name character varying (100) 🔒	title character varying (150) 🔒	quantity integer 🔒	total_amount numeric 🔒
1	Amit Sharma	Malgudi Days	2	500.00
2	Amit Sharma	The Alchemist	1	299.00
3	Priya Verma	Half Girlfriend	3	597.00
4	Amit Sharma	Murder on the Orient Express	1	350.00
5	Amit Sharma	And Then There Were None	2	640.00
6	Rahul Singh	The Da Vinci Code	1	450.00
7	Sneha Iyer	Five Point Someone	4	720.00
8	Vikram Rao	Inferno	1	399.00
9	Priya Verma	The Alchemist	2	598.00
10	Priya Verma	Malgudi Days	1	250.00
11	Anjali Gupta	Harry Potter and the Chamber of Secr...	1	520.00
12	Amit Sharma	Half Girlfriend	2	398.00