Web Security

PART II: TLS/SSL

Dr. Bheemarjuna Reddy Tamma

IIT HYDERABAD

Note: This is revised version of slide deck of Prof. Dan Boneh (Stanford) with material from various Internet sources

Outline

- How SSL/TLS protocols work
- Various attacks on SSL/TLS variants
- TLS 1.3

Transport Layer Security (TLS)

- Widely deployed security protocol above the transport layer
  - Supported by almost all browsers, web servers: https (port 443)
  - Primarily used with TCP (reliability and in-sequence delivery)
  - Datagram TLS (DTLS) variant for use with UDP/SCTP/SRTP/CAPWAP
- Provides:
  - confidentiality: via *symmetric encryption*
  - integrity: via *cryptographic hashing*
  - authentication: via *public key cryptography*

} *all techniques we have studied!*

Transport Layer Security (TLS)

- TLS provides an API that *any* application can use
- HTTP view of TLS:



SSL/TLS Variants



Layered Architecture of TLS



https://www.fehcom.de/qmail/smtptls.html

TLS: Record Layer

- RL is the workhorse of TLS
  - *fragment* the application data into segments
  - Compression of segments
  - Integrity by adding MAC, padding (if needed), Encryption
  - Finally, adding required RL Header



Four Phases of TLS Handshake Protocol

- **Phase-1**

  Both ends agree upon Cipher Suite

  - TLS_**RSA**_WITH_**AES**_256_CBC_**SHA**256
  - TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
  - AEAD_**AES**_256_GCM_**SHA**384 (TLS 1.3)

- **Phase-2**

  Server sends its digital Cert signed by a CA

- **Phase-3**

  Client sends a secret master key encrypted with Server's public key

  Client may also send a signed hash of all of its previous messages in Cert_Verify msg

- **Phase-4**

  Handshake is completed and a secure connection is established




public key client
private key client
Client
Server
public key server
private key server
generate random number
RNc
client_hello (crypto information,
RNc
)
generate random number
RNs
server_hello (crypto information,
RNs
)
Phase 1
server certificate (incl.
)
demand client certificate
check server certificate
Phase 2
client certificate (incl.
)
check client certificate
hash over all previous messages (signed with
)
check hash and signature
generate random number pre-master-secret
PMS
PMS
encrypted with
calculate Master-Secret from
PMS
RNs
RNc
MS
Phase 3
change to encrypted connection with
MS
as key
end SSL handshake
change to encrypted connection with
MS
as key
end SSL handshake
Phase 4

Key Generation in TLS 1.2



Full TLS 1.2 handshake with timing information



[Reference]

TLS 1.2 (ECDHE)



[Diffie–Hellman key exchange - Wikipedia]

References

- https://en.wikipedia.org/wiki/Transport_Layer_Security
- RFC 5246 - The Transport Layer Security (TLS) Protocol Version 1.2 (ietf.org)
- Networking 101: Transport Layer Security (TLS) - High Performance Browser Networking (O'Reilly) (hpbn.co)
- SSL/TLS beginner's tutorial. This is a beginner's overview of how… | by German Eduardo Jaber De Lima | Talpor | Medium
- Tutorial: SMTP Transport Layer Security (fehcom.de)
- Diffie–Hellman key exchange - Wikipedia