Http Status Codes

By Tech Jashwanth

In this Video...

1. What are Http Status Codes
2. Why it is very imp for backend developers
3. 5 Categories of Codes
4. 10 Mostly used HTTP Status Codes

What are Http Status Codes?

3-digit server response codes indicating the outcome of an HTTP request

Simple request-response flow:



Why backend devs need this the most?

1. Required for Real-World Jobs
2. Faster Debugging
3. Professional API Design
4. Proper Error Handling
5. Proper Error Handling

5 Categories of Status Codes

1xx (100-199) - Informational - The request was received, and the server is continuing the process.

2xx (200-299) - Success - Everything worked as expected 🎉

3xx (300-399) - Redirection - The resource has moved somewhere else.

4xx (400-499) - Client Errors - The client (frontend/user) made a mistake.

5xx (500-599) - Server Errors - Server failed to process a valid request.

10

Most Used HTTP Codes

200 – OK

Meaning:
Request was successful.

When to use:

- GET request successfully fetched data
- PUT/PATCH successfully updated data
- DELETE completed successfully (sometimes 204 instead)

201 – Created

Meaning:
Resource was successfully created.

When to use:

- POST request creates a new user
- Creating an order
- Uploading a file

400 – Bad Request

Meaning:
Client sent invalid or malformed data.

When to use:

- Missing required fields
- Invalid email format
- JSON body is incorrect

401 – Unauthorized

Meaning:
User is not authenticated.

When to use:

- Missing JWT token
- Expired access token
- Invalid token

403 – Forbidden

Meaning:
User is authenticated but does not have permission.

When to use:

- Normal user trying to access admin route
- Accessing someone else's private data

404 – Not Found

Meaning:
Resource does not exist.

When to use:

- User ID not found
- Route not found
- Product not found

409 – Conflict

Meaning:
Request conflicts with current server state.

When to use:

- Email already exists during registration
- Duplicate username
- Version conflict in updates

422 – Unprocessable Entity

Meaning:
Data is valid JSON but logically incorrect.

Difference from 400:
400 → syntax issue
422 → validation issue

When to use:

- Password too short
- Age must be > 18
- Business rule validation fails

500 – Internal Server Error

Meaning:
Something broke on the server.

When to use:

- Database crashed
- Unhandled exception
- Code error

503 – Service Unavailable

Meaning:
Server temporarily unavailable.

When to use:

- Server under maintenance
- Too much traffic
- Downstream service failure

Common 3xx Codes

1. 301 – Moved Permanently
2. 302 – Found (Temporary Redirect)
3. 308 – Permanent Redirect

Subscribe For More!!!!

Tech Jashwanth