

<!--Program 1: Program to design LOGIN Form in HTML -->

```
<html>

<head>

<title>Login Page</title>

</head>

<body>

<form action="#">

<center>

<table border="1" bgcolor="pink">

<caption>LOGIN FORM</caption>

<tr>

    <td>Username</td>

    <td><input type="text" placeholder="Enter Username"></td>

</tr>

<tr>

    <td>Password</td>

    <td><input type="password"></td>

</tr>

<tr>

    <td colspan="2" align="center" bgcolor="yellow">

    <input type="button" value="LOGIN"> </td>

</tr>

<tr>

    <td colspan="2" align="center"> <a href="#">Forgot Password!</a> </td>

</tr>

</table>

</center>

</form>

</body>

</html>
```

<!-- Program 2: Program for Creating animation of “Bouncing Cloud” using HTML and CSS.-->

```
<html>

<head>

<title>Bouncing Cloud Animation</title>

<style>

body

{

background-color: skyblue; overflow: hidden;

}

.cloud

{

position: absolute; top: 50%; left: 50%;

transform: translate(-50%, -50%);

width: 150px; height: 100px;

background-color: white;

border-radius: 50%;

animation: bounce 2s linear infinite;

}

.cloud::before,.cloud::after

{

content: "";

position: absolute;

width: 100px; height: 100px;

background-color: white;

border-radius: 50%;

transition: transform 0.5s ease-in-out;

}

.cloud::before

{

top: -50px; left: 30px;

}
```

```

.cloud::after
{
top: -20px; left: -50px;
}

@keyframes bounce {0%, 100% { top: 50%; }50% { top: 30%; }}

</style>
</head>
<body>
<div class="cloud"></div>
</body>
</html>

```

<!-- Program 3: Program to demonstrate a keyframe animation -->

```

<html>
<head>
<title>KeyFrame Animation</title>
<style>
div {
width: 220px;
height: 120px;
background: yellow;
animation-name: program3;
animation-duration: 4s;
}

@keyframes program3 {
from {background: blue;}
to {background: red;}
}

</style>
</head>
<body>

```

```
<h1>Keyframe Animation</h1>
```

```
<div> <h1>MULTIMEDIA AND ANIMATION</h1> </div>
```

```
</body>
```

```
</html>
```

<!-- Program 5: Program to demonstrate Multiple animations -->

```
<html>
```

```
<head>
```

```
<title>Multiple Animation</title>
```

```
<style>
```

```
div {
```

```
    width: 200px;
```

```
    height: 100px;
```

```
    color: white;
```

```
    background-color: red;
```

```
    position: relative;
```

```
    animation-name: program5;
```

```
    animation-duration: 4s;
```

```
}
```

```
@keyframes program5 {
```

```
    0% {background-color:red; left:0px; top:0px;}
```

```
    25% {background-color:yellow; left:300px; top:0px;}
```

```
    50% {background-color:blue; left:300px; top:300px;}
```

```
    75% {background-color:green; left:0px; top:300px;}
```

```
    100% {background-color:red; left:0px; top:0px;}
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Multiple Animation using CSS</h1>
```

```
<div> <h1>MULTIPLE ANIMATION</h1> </div>
```

```
</body>
```

```
</html>
```