

QUESTIONS 26 / 31 completed

Arithmetic

ARITHMETIC

Write a Java program that takes two integers as input from the user and calculates their sum, difference, product, and quotient using arithmetic operators.

PROGRAM EDITOR

Java

Run

Save

INPUT

```
1 import java.util.Scanner;
2
3 public class main {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6
7         System.out.print("enter first integer: ");
8         int a =sc.nextInt();
9         System.out.print("enter second ineteger;");
10        int b = sc.nextInt();
11        System.out.println("sum =" +(a+b));
12        System.out.println("difference =" +(a-b));
13        System.out.println("product=: "+(a*b));
14        System.out.println("quotient= : "+ (a / b));
15    }
16 }
```

10
2

QUESTIONS 26 / 31 completed

MAX

MAX

Write a Java program to find the maximum of three numbers using conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

```
1 import java.util.Scanner;
2
3 public class main{
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6
7         System.out.print("enter three numbers:");
8         int a =sc.nextInt();
9         int b =sc.nextInt();
10        int c =sc.nextInt();
11        if(a>=b && a>=c) {
12            System.out.println("maximum :"+a);
13        }else if(b>=a && b>=c){
14            System.out.println("maximum : "+b);
15        }else{
16            System.out.println("maximum :"+c);
17        }
18    }
19 }
```

10
15
17



QUESTIONS 26 / 31 completed

Leap

LEAP

Write a Java program to check whether a given year is a leap year or not using conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

2024

```
1 import java.util.Scanner;
2
3 public class main {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6
7         System.out.print("enter the number: ");
8         int a =sc.nextInt();
9         String result=(a %400==0 || (a%4 ==0 && a%100!=0)) ?"leap year":" leap y
10
11         System.out.println(result);
12     }
13 }
```

QUESTIONS 26 / 31 completed

Fibonacci

FIBONACCI

Write a Java program to print the Fibonacci series up to a given number using loops.

PROGRAM EDITOR

Java

Run

Save

INPUT

20

```
1 import java.util.Scanner;
2 public class main{
3     public static void main(String[] args) {
4         Scanner sc=new Scanner(System.in);
5
6         System.out.print("enter the number:");
7         int n=sc.nextInt();
8         int a=0,b=1;
9         while(a<=n){
10             System.out.println(a + " ");
11             int c=a+b;
12             a=b;
13             b=c;
14         }
15     }
16 }
```

QUESTIONS 26 / 31 completed

Factorial

FACTORIAL

Write a Java program to calculate the factorial of a given number using loops.

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;  
2  
3 public class main{  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         System.out.print("enter a number:");  
7         int n=sc.nextInt();  
8  
9         int fact=1;  
10  
11         for(int i=1;i<=n ; i++){  
12  
13             fact=fact * i;  
14         }  
15  
16         System.out.println("Factorial="+fact);  
17     }  
18 }
```


QUESTIONS 26 / 31 completed

RT-Pattern

RT-PATTERN

Write a Java program to
print the following
pattern using loops:*

**

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;  
2  
3 class Pattern{  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         int n=sc.nextInt();  
7  
8         for(int i=1; i <=n ; i++){  
9             for (int j=1;j<=i;j++) {  
10                 System.out.print("*");  
11             }  
12             System.out.println();  
13         }  
14     }  
15  
16 }
```

QUESTIONS 26 / 31 completed

Search

SEARCH

Write a Java program to implement binary search on an array of integers using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

Your INPUT goes here!

```
1 import java.util.Scanner;  
2  
3 class BinarySearch{  
4     public static void main(String[] args){  
5         Scannner sc=new Scanner(System.in);  
6  
7     }  
8 }  
9 public  
10 ]
```



QUESTIONS 26 / 31 completed

GCD

GCD

Write a Java program to find the GCD (Greatest Common Divisor) of two numbers using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

```
1 import java.util.Scanner;
2
3 class GCD{
4     public static void main(String[] args) {
5         Scanner sc=new Scanner(System.in);
6         int a=sc.nextInt();
7         int b=sc.nextInt();
8
9         while(b !=0) {
10             int r=a%b;
11             a=b;
12             b=r;
13         }
14         System.out.println("GCD="+a);
15     }
16 }
```

12

18

QUESTIONS 26 / 31 completed

Prime

PRIME

Write a Java program to check whether a given number is a prime number or not using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

7

```
1 import java.util.Scanner;
2 class prime {
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int n=sc.nextInt();
6
7         int i;
8         for( i=2;i<n;i++)
9             if(n%i==0)
10                break;
11         if(i==n)
12             System.out.println("prime");
13         else
14             System.out.println("not a prime");
15     }
16 }
```



QUESTIONS 26 / 31 completed

Sort

SORT

Write a Java program to implement selection sort on an array of integers using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

Your INPUT goes here!

```
1 import java.util.Scanner;
2 class prime {
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         int n=sc.nextInt();
6
7         int i;
8         for( i=2;i<n;i++)
9             if(n%i==0)
10                break;
11         if(i==n)
12             System.out.println("prime");
13         else
14             System.out.println("not a prime");
15     }
16 }
```

QUESTIONS 26 / 31 completed

Table

TABLE

Write a Java program to print the multiplication table of a given number using loops.

PROGRAM EDITOR

Java

Run

Save

INPUT

4

```
1 import java.util.Scanner;  
2  
3 class Multiplicationtable{  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         int n=sc.nextInt();  
7         for(int i=1;i<=10;i++){  
8             System.out.println(n+"x"+i+"="+n*i);  
9         }  
10 }  
11 }
```

QUESTIONS 26 / 31 completed

LT-Pattern

LT-PATTERN

Write a Java program to
print the following
pattern using loops:*****

**

*

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;  
2  
3 public class main{  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         int n=sc.nextInt();  
7         for(int i=n;i>=1;i--){  
8             for(int j=1;j<=i;j++){  
9                 System.out.print("*");  
10            }  
11            System.out.println();  
12        }  
13    }  
14 }
```

QUESTIONS 26 / 31 completed

Factorial

FACTORIAL

2. Write a Java program to find the factorial of a given number using recursion.

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;  
2  
3 public class main{  
4 public static void main(String[] args){  
5     Scanner sc=new Scanner(System.in);  
6     int n=sc.nextInt(),f=1;  
7     for(int i=1;i<=n;i++)  
8         f*=i;  
9     System.out.println(f);  
10  
11 }  
12 }  
13
```


QUESTIONS 26 / 31 completed

LCM

LCM

Write a Java program to find the LCM (Least Common Multiple) of two numbers using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

Your INPUT goes here!

```
1 import java.util.Scanner;  
2  
3 public class main{  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         int n=sc.nextInt();  
7         for(int i=n;i>=1;i--){  
8             for(int j=1;j<=i;j++){  
9                 System.out.print("*");  
10            }  
11            System.out.println();  
12        }  
13    }  
14 }
```

QUESTIONS 26 / 31 completed

D to B

D TO B

Write a Java program to convert a decimal number to binary using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

10

```
1 import java.util.Scanner;
2
3 class decimaltobinaru {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt();
7         int binary=0;
8         int place=1;
9
10        while (n>0){
11            int remainder =n%2;
12            if (remainder ==1) {
13                binary=binary+place;
14            }
15            place=place*10;
16            n=n/2;
17        }
18        System.out.println("binary number="+binary);
19    }
20 }
```

QUESTIONS 26 / 31 completed

B to D

B TO D

Write a Java program to convert a binary number to decimal using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

1010

```
1 import java.util.Scanner;
2
3 class decimaltobinaru {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt();
7         int decimal=0;
8         int power=1;
9
10        while (n>0){
11            int digit =n%10;
12            if (digit==1) {
13                decimal=decimal+power;
14            }
15            power=power*2;
16            n=n/10;
17        }
18        System.out.println("decimal number="+decimal);
19    }
20 }
```

QUESTIONS 26 / 31 completed

Sum

SUM

Write a Java program to calculate the sum of the digits of a given number using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

12

```
1 import java.util.Scanner;
2
3 class sum {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt();
7         int sum=0;
8
9         while (n>0){
10             int digit=n%10;
11             if(digit>=0){
12                 sum=sum+digit;
13             }
14             n=n/10;
15         }
16         System.out.println("sum of digits="+sum);
17     }
18 }
19
20
```

QUESTIONS 26 / 31 completed

Product

PRODUCT

Write a Java program to calculate the product of the digits of a given number using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

1234

```
1 import java.util.Scanner;
2
3 class sum {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt();
7         int product =1;
8
9         while (n>0){
10             int digit=n%10;
11             if(digit>=0){
12                 product=product*digit;
13             }
14             n=n/10;
15         }
16         System.out.println("product of digits="+product);
17     }
18 }
19
20
```


QUESTIONS 26 / 31 completed

Power

POWER

Write a Java program to find the power of a number using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

```
1 import java.util.Scanner;
2
3 class sum {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int base =sc.nextInt();
7         int exp =sc.nextInt();
8         int result=1;
9
10        while (exp>0){
11            if(exp>0){
12                result = result*base;
13            }
14            exp--;
15        }
16        System.out.println("power="+result);
17    }
18 }
```

2
3

QUESTIONS 26 / 31 completed

Area Circle

AREA CIRCLE

Write a Java program to calculate the area of a circle using the radius input by the user.

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;  
2  
3 class sum {  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         double r =sc.nextDouble();  
7         double area=3.14*r*r;  
8         System.out.println("area of circle="+area);  
9     }  
10 }  
11
```



QUESTIONS 26 / 31 completed

Shpere

SHPERE

Write a Java program to calculate the volume of a sphere using the radius input by the user.

PROGRAM EDITOR

Java

Run

Save

INPUT

3

```
1 import java.util.Scanner;
2
3 public class main {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6
7         System.out.print("enter first integer: ");
8         double r=sc.nextInt();
9         double volume=(4.0 / 3.0)*3.14*r*r*r;
10        System.out.println("volume of sphere="+volume);
11    }
12 }
13
14
```

QUESTIONS 26 / 31 completed

Palindrome

PALINDROME

Write a Java program to check whether a given string is a palindrome or not using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

madam

```
1 import java.util.Scanner;
2
3 public class main {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         String s=sc.nextLine(),r="";
7         for(int i=s.length()-1;i>=0;i--)
8             r+=s.charAt(i);
9         if (s.equals(r))
10             System.out.println("palindrome");
11         else
12             System.out.println("not palindrome");
13     }
14 }
```

QUESTIONS 26 / 31 completed

Armstrong

ARMSTRONG

Write a Java program to check whether a given number is an Armstrong number or not using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

12

```
1 import java.util.Scanner;
2
3 public class main {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt(),temp=n,sum=0;
7         while(n>0) {
8             int d=n%10;
9             sum+=d*d*d;
10            n/=10;
11        }
12        if (sum==temp)
13            System.out.println("armstrong");
14        else
15            System.out.println("not armstrong");
16    }
17 }
```


QUESTIONS 26 / 31 completed

RT-num.Pattern

**RT-
NUM.PATTERN**

Write a Java program to
print the following
pattern using loops:

1
22
333
4444
55555

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;  
2  
3 public class main {  
4     public static void main(String[] args){  
5         Scanner sc=new Scanner(System.in);  
6         int n=sc.nextInt();  
7         for(int i=1;i<=n;i++){  
8             for(int j=1;j<=i;j++){  
9  
10                System.out.print(i);  
11                System.out.println();  
12            }  
13        }  
14    }  
15  
16
```



QUESTIONS 26 / 31 completed

Perfect

PERFECT

Write a Java program to check whether a given number is a perfect number or not using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

4

```
1 import java.util.Scanner;
2
3 public class main {
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt(),sum=0;
7         for(int i=1;i<n;i++)
8             if(n%i==0)
9                 sum+=i;
10        if(sum==n)
11            System.out.println("perfect number");
12        else
13            System.out.println("not perfect number");
14    }
15 }
16
17
```

QUESTIONS 26 / 31 completed

Max Array

MAX ARRAY

Write a Java program to find the largest element in an array of integers using loops and conditional statements.

PROGRAM EDITOR

Java

Run

Save

INPUT

5

```
1 import java.util.Scanner;
2
3 public class main{
4     public static void main(String[] args){
5         Scanner sc=new Scanner(System.in);
6         int n=sc.nextInt();
7         for(int i=1;i<=n;i++){
8             for (int j=1;j<=i;j++)
9                 System.out.print("*");
10            System.out.println();
11        }
12        for(int i=n-1;i>=1;i--){
13            for(int j=1;j<=i;j++)
14                System.out.print("*");
15            System.out.println();
16        }
17    }
18 }
19
20
```