Status	Finished
Started	Wednesday, 21 October 2026, 12:08 PM
Completed	Wednesday, 21 October 2026, 12:11 PM
Duration	2 mins 29 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. r
c. rw+ ✓
d. ab+

The correct answer is: rw+

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline(size)
b. readline() ✓
c. readlines()
d. read()

The correct answer is: readline()

Question **3**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \t

b. space

c. ,

d. \n ✓

The correct answer is:
\n

Question **4**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the read() method

b. Using a for loop ✓

c. Using the readline() method

d. Using the readlines() method

The correct answer is: Using a for loop

Question **5**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Appends to an existing file

b. Opens an existing file in read mode

c. Opens a file in binary mode

d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **6**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file
b. Flushes the internal buffer to the file ✓
c. Deletes the file content
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **7**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To delete a file
b. To automatically close the file after its suite finishes ✓
c. To read data from a file
d. To write data to a file

The correct answer is: To automatically close the file after its suite finishes

Question **8**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode
b. Appends "Adding new data" to the end of the file ✓
c. Overwrites the file with "Adding new data"
d. Opens the file in read mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r+ ✓
b. a
c. r
d. w

The correct answer is: r+

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. none of the given choices
b. Text file
c. Binary file
d. Both text and binary file ✓

The correct answer is: Both text and binary file

Question **11**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)
b. infile = open(file = “a.txt”, “r”)
c. infile = open(file, “a.txt”, “r”)
d. infile = open(“a.txt”, “r”) ✓

The correct answer is:
infile = open(“a.txt”, “r”)

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised

b. Python Programming

c. Python ✓

d. Program

The correct answer is: Python

Question **13**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. An empty file object is returned

b. An error is raised ✓

c. The operation is ignored

d. A new file is created

The correct answer is: An error is raised

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. tell()

b. ftell()

c. seek() ✓

d. fseek()

The correct answer is: seek()

Question **15**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The size of the file
c. The encoding format of the file ✓
d. The mode of the file

The correct answer is: The encoding format of the file