Status	Finished
Started	Wednesday, 21 October 2026, 11:45 AM
Completed	Wednesday, 21 October 2026, 11:49 AM
Duration	3 mins 44 secs
Grade	**11.00** out of 15.00 (**73.33**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. str

b. <class 'int'>

c. <class 'str'>

d. <class 'tuple'> ✗

Question **2**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50)(40, 50, 60, 70, 80)

b. (10, 20, 30, 40) (40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (30, 40, 50) (10, 20, 30, 40)

Question **3**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}

b. {40, 10, '10', 50, 20, 60, 30}

c. SynatxError: Different types cannot be used with sets

d. {40, '10', 50, 20, 60, 30} ✗

Question **4**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. Error

b. (25,19,18,17)

c. (16,17,18,19) ✓

d. (16,17,18)

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {2,5,3,1}

c. {2,5,1}

d. {3} ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.discard("ECE") ✓

b. sampleSet.delete("ECE")

c. del.sampleSet("ECE")

d. remove.sampleSet("ECE")

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. {9}

c. It will throw an error as there are two 0 while creating the set.

d. {0,9} ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

a. 5

b. 1

c. 2

d. Error ✓

Question **9**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')}

b. {'rec', 1, ('cse', 'ece'),True} ✗

c. {'rec', True, ('cse', 'ece')}

d. Error

Question **10**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 4, 8] ✓

b. [1, 2, 4, 3, 8, 9]

c. (1, 4, 8)

d. [2, 3, 9]

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. ("Wonder")

b. [1,2,3,4]

c. (1,4,5,6,7) ✓

d. {1,3,8,9,41}

Question **12**

Incorrect

Mark 0.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer

b. Error ✗

c. (Computer)

d. ()

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii
b. All of the above
c. iii
d. i,ii ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error
b. (1,2,3,3,2,1)
c. (1,2,3,4,5,6) ✓
d. (1,2,3)(4,5,6)

Question **15**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain either string or integer but not both at a time.
b. In Python, a tuple can contain only integers as its elements.
c. In Python, a tuple can contain both integers and strings as its elements. ✓
d. In Python, a tuple can contain only strings as its elements.