



IdentityIQ Accelerator Pack Steps

Table of Contents

Sequence of Steps to Configure Authoritative Applications	3
Sequence of Steps for Global Settings.....	5
Sequence of Steps for Non - Authoritative Applications	5

Document Revision History

Version	Date	Status	Author	Summary of Changes
Version 1	3/2/18		Rohit Gupta	Initial Draft

Sequence of Steps to Configure Authoritative Applications

- Connect and Define Schema of Authoritative Applications
 - Make sure Test Connection is successful
 - Make sure Application is marked Authoritative
- In case Correlation requires OR Conditions, use OOTB Application Administrative pages to set up correlation
- Rapid Application Onboarding Quick Link (Self Service Onboarding)
 - Authoritative Application - Employees
 - Aggregation Feature
 - Correlation Configuration
 - Disable and Lock Configuration on Onboarding Form
 - Make sure rule “Rule-FrameWork-Correlation” is set as correlation rule and rule “Rule-Framework-RapidAppOnBoarding-Customization-Rule” is set as customization rule automatically Make sure rule “Rule-FrameWork-Preiterate-DelimitedFile” is set as pre-iterate rule on delimited connector automatically
 - Define Java Regular Expressions on Application Only if Self Service Onboarding Form is not sufficient for the requirements
 - Configure Attribute Synchronization Feature (Optional)
 - Authoritative Application – Students (Optional)
 - Aggregation Feature
 - Correlation Configuration
 - Disable and Lock Configuration on Onboarding Form
 - Make sure rule “Rule-FrameWork-Correlation” is set as correlation rule and rule “Rule-Framework-RapidAppOnBoarding-Customization-Rule” is set as customization automatically Make sure rule “Rule-FrameWork-Preiterate-DelimitedFile” is set as pre-iterate rule on delimited connector automatically
 - Define Java Regular Expressions on Application Only if Self Service Onboarding Form is not sufficient for the requirements

- Configure Attribute Synchronization Feature (Optional)
- Authoritative Application – Non – Employees
 - Aggregation Feature
 - Enable Non-Employee Repository
 - Correlation Configuration
 - Disable and Lock Configuration on Onboarding Form
 - Make sure rule “Rule-FrameWork-Correlation” is set as correlation rule and rule “Rule-FrameWork-RapidAppOnBoarding-Customization-Rule” is set as customization rule automatically
 - Make sure rule “Rule-FrameWork-Preiterate-DelimitedFile” is set as pre-iterate rule on delimited connector automatically
 - Define Java Regular Expressions on Application Only if Self Service Onboarding Form is not sufficient for the requirements
 - Configure Attribute Synchronization Feature (Optional)
- Authoritative Application – Service Accounts (Optional)
 - Aggregation Feature
 - Enable Service Account Repository
 - Correlation Configuration
 - Disable and Lock Configuration on Onboarding Form
 - Make sure rule “Rule-FrameWork-Correlation” is set as correlation rule and rule “Rule-FrameWork-RapidAppOnBoarding-Customization-Rule” is set as customization rule automatically
 - Make sure rule “Rule-FrameWork-Preiterate-DelimitedFile” is set as pre-iterate rule on delimited connector automatically
 - Define Java Regular Expressions on Application Only if Self Service Onboarding Form is not sufficient for the requirements
 - Configure Attribute Synchronization Feature (Optional)
- Employee Identity Mappings
 - Implement Authoritative Source Mappings
 - Persona (Optional)
 - Refer sample Rules to implement “relationship” attribute
- Non-Employee Identity Mappings (Optional)
 - Implement Authoritative Source Mappings
 - Persona (Optional)
 - Refer sample Rules to implement “relationship” attribute
- Student Identity Mappings (Optional)
 - Implement Authoritative Source Mappings
 - Persona (Optional)
 - Refer sample Rules to implement “relationship” attribute

- Service Account Identity Mappings (Optional)
 - Implement Authoritative Source Mappings
- Aggregate Authoritative Application - Employees
- Aggregate Authoritative Application - Non- Employees (Optional)
- Aggregate Authoritative Application - Student (Optional)
- Aggregate Authoritative Application - Service Account (Optional)
- Smart Setup Quick Link->Mine Provisioning Policies - For Authoritative Application - Non-Employees (Optional) - This is used for Non-Employee Account Synchronization for Create and Edit Quick Link
- Implement Unmined Provisioning Policies for Authoritative Application - Non- Employees (Optional) - This is used for Non-Employee Account Synchronization for Create and Edit Quick Link
- Smart Setup Quick Link->Mine Provisioning Policies - For Authoritative Application - Service Accounts (Optional) - This is used for Service Account Synchronization for Create and Edit Quick Link
- Implement Unmined Provisioning Policies for Authoritative Applications - Service Accounts (Optional) - This is used for Service Account Synchronization for Create and Edit Quick Link

Sequence of Steps for Global Settings

- Configure All Email Templates
 - Header – EmailTemplate “EmailTemplate-FrameworkHeader”
 - Footer – EmailTemplate “EmailTemplate-FrameworkFooter”
 - CSS – EmailTemplate “EmailTemplate-FrameworkStyleSheet”
 - Server Root Path – System Configuration
 - Configure Custom “Custom-Framework-EmailTextMapping” for any application (authoritative and non-authoritative) specific dynamic content (Optional)
- Smart Setup
 - Lifecycle Triggers
 - Configure
 - Global Definition
 - Configure
 - Implement any Workflow Exception Rules that can be referenced
 - Implement any Reassignment Exception Rules that can be referenced
 - Ticket Integration
 - Configure
 - Make sure plan initializer rule “Rule-Framework-Plan-Initializer” is set automatically
 - Configure SOAP Envelope directly on IntegrationConfig XML

Sequence of Steps for Non - Authoritative Applications

- Connect and Define Schema of Authoritative Applications
 - Make sure Test Connection is successful

- In case Correlation requires OR Conditions, use OOTB Application Administrative pages to set up correlation
- Rapid Application Onboarding Quick Link (Self Service Onboarding)
 - Aggregation Feature
 - Correlation Configuration
 - Disable and Lock Configuration on Onboarding Form
 - Birthright Privileged and Service Account Configuration on Onboarding Form
 - Make sure rule “Rule-FrameWork-Correlation” is set as correlation rule and rule “Rule-FrameWork-RapidAppOnBoarding-Customization-Rule” is set as customization rule automatically
 - Make sure rule “Rule-FrameWork-Promote-Managed-Attribute” is set as Managed Entitlement Customization Rule automatically
 - Make sure rule “Rule-FrameWork-Preiterate-DelimitedFile” is set as pre-iterate rule on delimited connector automatically
 - Make sure rule “Rule-Audit-Framework” is set as a after provisioning rule on the application automatically
 - Manually assign rule “Rule-FrameWork-Group-Refresh” as group refresh rule on group aggregation
 - Define Java Regular Expressions on Application Only if Self Service Onboarding Form doesn’t suffice the requirements
 - Run Aggregation of Application and Entitlements
 - Make sure Aggregation of Entitlements and Accounts is completed successfully
- Smart Setup Quick Link->Mine Provisioning Policies
 - Mine Provisioning Policies
 - Implement Unmined Provisioning Policies
 - Make sure Application **Identity Attribute** (aka Native Id is defined on Application Create Policy)
 - Make sure password field (secret) is defined on Application Create Policy
- Joiner - Configure Birthright Population (Optional)
- Joiner - Configure Birthright Roles - Make sure it is a **birthright** role type and **isBirthright** property is true, and **birthright population** is defined on these roles (Optional)
- Policy Violation - Configure Eligibility Population for Policies Make sure population name starts with application name (Optional)
- Policy Violation - Configure SOD Policies - Make sure policy name starts with application name (Optional)
- Policy Violation - Configure Multiple or Single Account Single Entitlement SOD Advanced Rule and Single Entitlement Custom Object Exceptions - Make sure policy name and custom object starts with application name (Optional)
- Policy Violation - Configure Multiple or Single Account SOD Toxic Combinations Advanced Rule and Toxic Combination Custom Object - Make sure policy name and custom object starts with application name (Optional)

- Approvals - Configure 1st or 2nd level Application Approval Workgroups - Make sure workgroup name starts with application name (Optional)
- Approvals - Configure 1st or 2nd level Entitlement Approval Workgroups or 1st or 2nd level Role Approval Workgroups (Optional)
- Logical Applications - Configure Logical Applications on Entitlements and Roles via Entitlement Catalog or Role Administrative Pages (Optional)
- Complex Entitlements- Configure Role - Make sure business role name starts with application name and role is created under “Form Roles” organizational role
 - Make “Requestor Form Application Name” is set as application name
 - Make sure this business role has not IT Role association
- Complex Entitlements - Configure Form - Make sure form name starts with application name
 - Implement any Complex Entitlement Form Rules
- Rapid Application Onboarding Quick Link (Self Service Onboarding)
 - Configure Joiner
 - Configure Mover
 - Configure Leaver
 - Configure Native Change
 - Configure Access Request
 - Configure Policy Violation
 - Configure Attribute Synchronization
 - Configure Password Synchronization
 - Configure New Account Entitlement Dependency
 - Configure Provisioning
 - Configure Ticket Integration
- Implement any Application Drop-Down Exception Rules
 - Rehire Extended Rule - Joiner
 - Return To Work From Long Term Disability Extended Rule - Joiner
 - Return To Work From Leave of Absence Extended Rule - Joiner
 - Reverse Termination Extended Rule - Joiner
 - Termination Extended Rule - Leaver
 - Long Term Disability Extended Rule - Leaver
 - Leave Of Absence Extended Rule - Leaver
 - Before Mover Extended Rule - Mover
 - Password Expiration Date Rule - Privileged
 - After Ticket Provisioning Extended Rule - Ticket Integration
 - Refer these exception rules on Application via Administrative Page
- Implement any Application Access Request Exception Rules
 - Omit or Override with Multiple Manager Approval Rule
 - Omit or Override IdentityIQ 2nd Level Business Approvers Rule
 - Omit or Override IdentityIQ 1st Level Business Approvers Rule
 - Display Form Rule – Complex Entitlements

- Refer these exception rules on Application via Administrative Page
- Implement any Application Conditional New Account Entitlement Dependency Exception Rule
 - Conditional Omit Dependency Application Entitlements Rule
 - Refer this exception rule on Application via Administrative Page
- Implement any Application Attribute Synchronization Exception Rules
 - Refer these exception rules on Custom Object “Custom-FrameworkAttributeSyncMapping”
- Add additional form fields to following forms
 - Accelerator Pack Create Identity
 - Accelerator Pack Edit Identity
 - Accelerator Pack Registration Identity
- Implement any Unique Id Generation Rules
 - Modify Rule Rule-FrameWork-Generate-Unique-Id (Create)
 - Modify Rule Rule-FrameWork-Registration-Generate-Unique-Id (Register)
- Implement any Power Shell Script Rules
 - Refer these rules on Application XML directly
- Implement any Role Account Selector and Role Assignment Rules
 - Refer these rules on Role XML directly or via Role Administrative Page
- Implement any Target Collector Rules
 - Refer these rules on Application via Application Administrative Page
- Implement any JDBC Connector Provisioning Rules
 - Refer these rules on Application via Application Administrative Page