



Accelerator Pack Extended Rules (Exceptions)

Table of Contents

Purpose	5
Accelerator Pack LifeCycle Event Extended Rules	5
Usage	5
Input Arguments	5
Output	5
Accelerator Pack Request Access Extended Rules	6
Usage	6
Input Arguments	6
Output	6
Accelerator Pack Request Access Extended Rules	6
Usage	6
Input Arguments	6
Output	7
Accelerator Pack Wrapper Interceptor Plan Rule	7
Usage	7
Input Arguments	7
Output	7
Accelerator Pack Wrapper Interceptor Project Rule	7
Usage	7
Input Arguments	7
Output	8
Accelerator Pack Attribute Synchronization Advanced Rule	8
Usage	8
Input Arguments	8
Output	8
Accelerator Pack Peer Same Level Escalation Rule	8
Usage	8
Input Arguments	8
Output	8
Accelerator Pack New Account Dependency Entitlements	8
Usage	8
Input Arguments	8
Output	9
Accelerator Pack Request Access Extended Form Rule	9
Usage	9
Input Arguments	9
Output	9
Accelerator Pack Ticket Integration Rule	9
Usage	9
Accelerator Pack Exceptions	2

Input Arguments	9
Output	9
Accelerator Pack Rehire Before Plan Rule	9
Usage	9
Input Arguments	9
Output	9
Accelerator Pack Post Mover Rule	10
Usage	10
Input Arguments	10
Output	10
Accelerator Pack Post Mitigation Rule	10
Usage	10
Input Arguments	10
Output	10
Accelerator Pack Post Native Change Rule	10
Usage	10
Input Arguments	10
Output	10
Accelerator Pack Post Leaver Rule	11
Usage	11
Input Arguments	11
Output	11
Accelerator Pack Post Joiner Rule	11
Usage	11
Input Arguments	11
Output	11
Accelerator Pack Post Rehire Rule	11
Usage	11
Input Arguments	11
Output	11
Accelerator Pack Post RTW LOA Rule	12
Usage	12
Input Arguments	12
Output	12
Accelerator Pack Post RTW LTD Rule	12
Usage	12
Input Arguments	12
Output	12
Accelerator Pack Post Reverse Leaver Rule	12
Usage	12
Accelerator Pack Exceptions	3

Input Arguments	12
Output	12
Accelerator Pack Post LOA Rule	13
Usage	13
Input Arguments	13
Output	13
Accelerator Pack Post LTD Rule	13
Usage	13
Input Arguments	13
Output	13
Accelerator Pack Post Attribute Synchronization Rule.....	13
Usage	13
Input Arguments	13
Output	13
Accelerator Pack Is Identity Eligible For Attribute Synchronization Rule	14
Usage	14
Input Arguments	14
Output	14
Accelerator Pack Post Wrapper Rule	14
Usage	14
Input Arguments	14
Output	14
Accelerator Pack Privileged Service Account Password Age Rule	14
Usage	14
Input Arguments	14
Output	14
Accelerator Pack CC Email Rule.....	15
Usage	15
Input Arguments	15
Output	15
Additional Aggregation Rules	15

Document Revision History

Version	Date	Status	Author	Summary of Changes
Version 1	3/2/18		Rohit Gupta	

Purpose

The following section describes Accelerator Pack extended rule's input arguments and output. These rules are optional as each Accelerator Pack Feature offers pre-defined drop-down options that can be selected during application onboarding. In case, these standard options are selected as a rule option, these extended rules can be referenced and implemented as per customers' requirements.

Accelerator Pack Lifecycle Event Extended Rules

Usage

"Extended Rule" drop-down option is selected for following Accelerator Pack Features

- Joiner Feature
 - Return To Work Leave of Absence Options
 - Return To Work Long Term Disability Options
 - Rehire Options
- Leaver Feature
 - Termination Options
 - Leave of Absence Options
 - Long Term Disability Options
- Mover Feature
 - Before Mover Options

Input Arguments

Argument Name	Description
context	SailPointContext
identityName	Identity Name Being Processed
applicationName	Application Name Being Processed
nativeId	Native Id of Account Being Processed
requestType	Accelerator Pack Feature
spExtAttrs	Workflow specific variables, for example Identity Request Id, Request Type, secondaryAccount (Boolean flag to indicate if this is a privileged account create request). This is passed to provisioning policies during workflow execution
secondaryAccount	This attribute is explicitly passed to provisioning policy rules to find the native ID. "TRUE" value indicates this is a secondary account request.

Output

List of AccountRequest Objects

Accelerator Pack Request Access Extended Rules

Usage

Extended Rule is referenced for Accelerator Pack Access/Account Feature

- Application Level
 - Omit or Override with Multiple Manager Approval Rule
 - Omit or Override IdentityIQ 1st Level Business Approvers Rule
 - Omit or Override IdentityIQ 2nd Level Business Approvers Rule
- Entitlement Level
 - Omit or Override 1st Level Business Approvers Rule
 - Omit or Override 2nd Level Business Approvers Rule
- Role Level
 - Omit or Override IdentityIQ 1st Level Business Approvers Rule
 - Omit or Override IdentityIQ 2nd Level Business Approvers Rule

Input Arguments

Argument Name	Description
context	SailPointContext
plan	Provisioning Plan Being Processed
item	Approval Item Being Requested
requestType	Type of Request (for example "CART REQUEST FEATURE")
applicationName	Application Being Requested, In case of roles, it will be either logical application name or application name from the role profile

Output

Java Map Object

1. ApprovalRequired – True/False
2. Approvers – Comma separated cube names or workgroup names

Accelerator Pack Request Access Extended Rules

Usage

Extended Rule is referenced for Accelerator Pack Access/Account Feature

- Application Level
 - Omit or Override with Multiple Manager Approval Rule
 - Omit or Override IdentityIQ 1st Level Business Approvers Rule
 - Omit or Override IdentityIQ 2nd Level Business Approvers Rule
- Entitlement Level
 - Omit or Override 1st Level Business Approvers Rule
 - Omit or Override 2nd Level Business Approvers Rule
- Role Level
 - Omit or Override IdentityIQ 1st Level Business Approvers Rule
 - Omit or Override IdentityIQ 2nd Level Business Approvers Rule

Input Arguments

Argument Name	Description
context	SailPointContext

plan	Provisioning Plan Being Processed
item	Approval Item Being Requested
requestType	Type of Request (for example “CART REQUEST FEATURE”)
applicationName	Application Being Requested, In case of roles, it will be either logical application name or application name from the role profile

Output

Java Map Object

1. ApprovalRequired – True/False
2. Approvers – Comma separated cube names or workgroup names

Accelerator Pack Wrapper Interceptor Plan Rule

Usage

Wrapper Workflow to modify plan before compilation

Input Arguments

Argument Name	Description
context	SailPointContext
identityName	Identity Being Terminated
plan	Provisioning Plan Being Processed
source	Source (for example “Batch”)
launcher	Launcher of the workflow
requestType	Request type of the workflow for example “CART REQUEST FEATURE”
flow	Flow of the workflow for example “AccessRequest”

Output

ProvisioningPlan

- Modified ProvisioningPlan
- Empty ProvisioningPlan with Attributes “errorMessages” as Key and Value as “[The error message]”. This error message value of the key “errorMessages” will be displayed on the dashboard.

Accelerator Pack Wrapper Interceptor Project Rule

Usage

Wrapper Workflow to modify provisioning project before provisioning

Input Arguments

Argument Name	Description
context	SailPointContext
identityName	Identity Being Terminated
project	Provisioning Project Being Processed
source	Source (for example “Batch”)
launcher	Launcher of the workflow

requestType	Request type of the workflow for example "CART REQUEST FEATURE"
flow	Flow of the workflow for example "AccessRequest"

Output

ProvisioningProject

- Modified ProvisioningProject

Accelerator Pack Attribute Synchronization Advanced Rule Usage

Attribute Synchronization. These rules must validate and ensure old value from Link Object and new value generated from rule is different

Input Arguments

Argument Name	Description
context	SailPointContext
identityName	Identity Being Processed
applicationName	Application Name Being Processed
nativeId	Native Id of Account Being Processed
secondaryAccount	Link Object "psAccount" value
requestType	ATTRIBUTE SYNCHRONIZATION FEATURE

Output

List of AccountRequest Objects

Accelerator Pack Peer Same Level Escalation Rule Usage

Work Item Escalation to someone other than manager

Input Arguments

Argument Name	Description
context	SailPointContext
item	Work Item Being Processed

Output

String- Cube Name or Work Group Name

Accelerator Pack New Account Dependency Entitlements Usage

Conditional Rule To Omit New Account Dependency Entitlements Feature

Input Arguments

Argument Name	Description
appName	Parent Application Being Processed
originalPlan	Provisioning Plan Being Processed

Output

Boolean - True or False

Accelerator Pack Request Access Extended Form Rule

Usage

Conditional Rule To Omit Requestor Form and Dynamic Form generation

Input Arguments

Argument Name	Description
context	SailPointContext
plan	Provisioning Plan Being Processed

Output

Map- Two Keys (formRequired and dynamicForm)

Accelerator Pack Ticket Integration Rule

Usage

After Provisioning Rule for Ticketing Applications

Input Arguments

Argument Name	Description
plan	Provisioning Project
requestType	Request Type

Output

Java Object

Accelerator Pack Rehire Before Plan Rule

Usage

Pre Rehire Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type

Output

Java Object

Accelerator Pack Post Mover Rule

Usage

Post Mover Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type

Output

Java Object

Accelerator Pack Post Mitigation Rule

Usage

Post Mitigation Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post Native Change Rule

Usage

Post Native Change Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post Leaver Rule

Usage

Post Leaver Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post Joiner Rule

Usage

Post Joiner Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post Rehire Rule

Usage

Post Rehire Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post RTW LOA Rule

Usage

Post RTW LOA Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post RTW LTD Rule

Usage

Post RTW LTD Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post Reverse Leaver Rule

Usage

Post Reverse Leaver Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post LOA Rule

Usage

Post LOA Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post LTD Rule

Usage

Post LTD Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Post Attribute Synchronization Rule

Usage

Post Attribute Synchronization Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Is Identity Eligible For Attribute Synchronization Rule

Usage

Kicks off Attribute Synchronization for an Identity

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
appName	Application Being Processed

Output

Java Object (Boolean)

Accelerator Pack Post Wrapper Rule

Usage

Post Wrapper Workflow Rule

Input Arguments

Argument Name	Description
identityName	Identity Being Processed
requestType	Request Type
project	Provisioning Project

Output

Java Object

Accelerator Pack Privileged Service Account Password Age Rule

Usage

Password Age Calculation Rule

Input Arguments

Argument Name	Description
app	Application Being Processed
link	Application Link Being Processed
pwdAttrValueFromLink	Password Attribute Value From Link Object

Output

Date Object

Accelerator Pack CC Email Rule

Usage

This rule is used for all manager and operational notifications within Accelerator Pack

Input Arguments

Argument Name	Description
requestType	Request Type
plan	Provisioning Plan
project	Provisioning Project

Output

Comma separate email addresses or just single email address

Additional Aggregation Rules

Accelerator Pack comes with packaged customization, creation, correlation, group refresh, pre-iterate, after provisioning, and managed entitlement rules. In order to apply customer specific rules, additional rules can be used per application account and group aggregation. The input and output arguments of these additional rules are same as OOTB rules. These rules can be configured using IdentityIQ Administrative page.

- Additional Global Customization Rule
 - This rule will be invoked from rule “Rule-Framework-RapidAppOnBoarding-Customization-Rule”
- Additional Creation Rule
 - This rule will be invoked from rule “Rule-FrameWork-Creation” and “Rule-FrameWork-Creation-Joiner-Authoritative-Source”
- Additional Correlation Rule
 - This rule will be invoked from rule “Rule-FrameWork-Correlation”
- Additional Managed Attribute Customization Rule
 - This rule will be invoked from rule “Rule-FrameWork-Promote-Managed-Attribute”
- Additional Managed Attribute Group Refresh Rule
 - This rule will be invoked from rule “Rule-FrameWork-Group-Refresh”
- Additional After Provisioning Rule
 - This rule will be invoked from rule “Rule-Audit-Framework”
 - This rule will be invoked from rule “Rule-AccountCreation-Dependency-Framework”
- Additional Pre Iterate Rule
 - This rule will be invoked from rule “Rule-FrameWork-Preiterate-DelimitedFile”