



*IdentityIQ Accelerator Pack
Approvals
(Accounts and Access)*

Table of Contents

Overview	3
Access Approvals.....	3
Account Approvals.....	3
Create Edit Register Approvals.....	4
Batch Approvals.....	4
Staged Lifecycle Event Approvals	4
ServiceNow External Request Approvals.....	4
Business Application Approval Scheme	4
Dynamic Scope and QuickLinks.....	5
Application Extensions.....	5
Entitlement Extensions	5
Role Extensions.....	6
UIConfig Extensions.....	6
FullTextIndex Extensions	6
Existing Workflow Access and Account Request	6
GRC Integration.....	7
Split Feature	8
Extended Form Roles	8
SnapShot Options	9
Manager Approval.....	9
Application Approval	10
Entitlement Approval	10
Role Approval	11
Additional Batch Approval.....	11
Accelerator Pack Approvals Flowchart	12
Extended Rule Map Keys.....	14
Automatic/Explicit Approvals	14
Email Templates	15
Application Email Text	15
Reminders/Escalations/Expiration.....	15
Escalations Levels	16

Document Revision History

Version	Date	Status	Author	Summary of Changes
Version 1	3/2/18		Rohit Gupta	
Version 2	6/4/2018		Cathy Mallet	Minor edits

Overview

Accelerator Pack offers standard approvals for access and accounts requested from IdentityIQ. Managers are responsible for direct report's access and accounts. For Privileged Accounts, manager approval can be conditional. For Service Accounts, service account owner/administrator is responsible for the access and approvals.

Additional approvals can be configured within Accelerator Pack. Typically, privileged access requires additional approvals.

Note: If desired, additional approvals can be configured using extension rules.

Access Approvals

Accelerator Pack offers a maximum of 6 Approval Levels for service cubes and maximum of 5 Approval Levels for regular cube and minimum of 1 Level of Approval for Access requested from IdentityIQ. However maximum level can be extended using extension rules.

Manage Access Request and Manage Privileged Access Approvals

- Manager Approval for Human Cube
 - If a manager is not defined, the request is redirected to the No Manager Found Work Group
- Service Account Owner/Administrator Approval
 - If owner/administrator is not defined, the request is redirected to the No Service Account Owner Work Group
- 1st Application Level Business Approvers
- 2nd Application Level Business Approvers
- 1st Entitlement Level or 1st Role Level Business Approvers
- 2nd Entitlement Level Business Approvers or 2nd Role Level Business Approvers

Note: Business Approvers can be a single identity or comma separated multiple identities or a work group. If desired, additional approvals can be configured using extension rules.

Account Approvals

Accelerator Pack offers a maximum of 3 and a minimum of 0 Level Approvals for accounts requested from IdentityIQ. By default, three maximum approvals are configured

Manage Account Approvals

- Manager Approval for Human Cube

- If a manager is not defined, the request is redirected to the No Manager Found Work Group
- Service Account Owner/Administrator Approval
 - If owner/administrator is not defined, the request is redirected to the No Service Account Owner Work Group
- 1st Application Level Business Approvers
- 2nd Application Level Business Approvers

Note: If desired, additional approvals can be configured using extension rules.

Create Edit Register Approvals

Accelerator Pack offers a maximum of 2 and a minimum of 0 Level Approval for Create, Edit, and Register identity from IdentityIQ. By default, two approvals are configured

- Manager Approval for Human Cube
 - If a manager is not defined, the request is redirected to the No Manager Found Work Group
- Service Account Owner/Administrator Approval
 - If owner/administrator is not defined, the request is redirected to the No Service Account Owner Work Group
- Workgroup Approval

Note: If desired, additional approvals can be configured using extension rules.

Batch Approvals

Accelerator Pack offers a maximum of 1 and total number of existing approval scheme defined for create, edit, access, and account request. Batch approval can be bypassed if requestee has “**Batch Request Administrator**” capability or requestee is member of workgroup that is defined using Global Definition Option “**Batch Approvals Work Group**”

- Batch Approver: System Configuration for Identity responsible for approving batch requests

Note: If desired, additional approvals can be configured using extension rules.

Staged Lifecycle Event Approvals

Accelerator Pack offers a maximum of 1 and a minimum of 0 Level Approval for Lifecycle Events from IdentityIQ. By default, operations workgroup approvals is configured for Lifecycle events

- Operations Workgroup Approval

Note: If desired, additional approvals can be configured using extension rules.

ServiceNow External Request Approvals

By default, no approvals are configured for External Requests

Note: If desired, approvals can be configured using extension rules.

Business Application Approval Scheme

This is just a simple true or false value attribute on an application. This attribute value is set using the Self-Service Onboarding Wizard or the Application Administrative Wizard. The Business application approval options supersedes the Infrastructure/technology application for Business Role Add/Remove Request or Birthright Role Remove Request.

Dynamic Scope and QuickLinks

“Request Access” and “Manage Accounts” QuickLinkOptions are packaged with Accelerator Pack where anyone can request for themselves and anyone else. These QuickLinkOptions can be configured as desired.

Application Extensions

The ObjectConfig “Application” is extended with the following attributes:

- Omit or Override with Multiple Manager Approval Rule: This rule can be used to bypass manager approval or return a new set of single or multiple managers. Please refer to [Extended Rule Map Keys](#)
- Omit Manager's Approval for Privileged Access: This is used for the Privileged Account Feature. If it is checked on an application, privileged entitlements and roles approval will be skipped for manager approval
- IdentityIQ 1st Level Business Approvers (Indexed): Comma Separated Cube IDs or Workgroups
- Omit or Override IdentityIQ 1st Level Business Approvers Rule: This rule can be used to bypass the defined 1st level approval or override it with a new set of single or multiple approvers. Please refer to [Extended Rule Map Keys](#)
- IdentityIQ 2nd Level Business Approvers(Indexed): Comma Separated Cube IDs or Workgroups
- Omit or Override IdentityIQ 2nd Level Business Approvers Rule: This rule can be used to bypass the defined 2nd level approval or override with a new set of single or multiple approvers
- Display Form Rule / Display Form: Please see [Extended Form Roles](#)
- Request Access Form Role Name: This attribute is used for display and reporting purposes. It can be configured on an application to show the name of the form role. It is not required. Please see Role Extensions for the required “Requestor Form Application Name” for “Form Roles”

Entitlement Extensions

ObjectConfig “ManagedAttribute” is extended with following attributes:

- Birthright Entitlement: An extended attribute that is used for any entitlement that will not be requested during access request and will be excluded during certification
- Privileged Entitlement: An extended entitlement attribute that is used to classify an entitlement as privileged or not. This classification is used for filtering privileged and non-privileged access during request and during exclusion of entitlements from certifications
- Privileged Entitlement Account Types: An extended entitlement attribute that is used for access request validations on privileged accounts. This is to ensure privileged access account type is assigned to matching privileged account
- Logical Application Business Application Name: This is used to associate a logical business application name on an entitlement. This could be comma separated logical business application names. This classification can be used to exclude logical application entitlements during certification.
- 1st Level Business Approvers (Indexed): Comma Separated Cube IDs or Workgroups
- Omit or Override 1st Level Approvers: This rule can be used to bypass the defined 1st level approval or override it with a new set of single or multiple approvers. Please refer to [Extended Rule Map Keys](#)

- 2nd Level Business Approvers (Indexed): Comma Separated Cube IDs or Workgroups
- Omit or Override the 2nd Level Business Approvers: This rule can be used to bypass the defined 1st level approval or override with a new set of single or multiple approvers. Please refer to [Extended Rule Map Keys](#)

Role Extensions

ObjectConfig “Bundle” is extended with following attributes.

- Requestor Form Application Name: An extended attribute that is used to tie form roles with an application name. It is required for Form Roles.
- Birthright Bundle: An extended attribute that is used for any role that will not be requested during access request and will be excluded during certification
- Privileged Role: An extended entitlement attribute that is used to classify a role as privileged or not. This classification is used for filtering privileged and non-privileged access during request and during exclusion of role from certifications
- Privileged Role Account Types: An extended entitlement attribute that is used for access request validations on privileged accounts. This is to ensure privileged access account type is assigned to matching privileged account
- Logical Application Business Application Name: This is used to associate a logical business application name on a role. This could be comma separated logical business application names. This classification can be used to exclude logical application roles during certification
- IdentityIQ 1st Level Business Approvers (Indexed): Comma Separated Cube IDs or Workgroups
- Omit or Override the IdentityIQ 1st Level Business Approvers Rule: This rule can be used to bypass defined 1st level approval or override with a new set of single or multiple approvers. Please refer [Extended Rule Map Keys](#)

UIConfig Extensions

Please refer to “**IdentityIQ Accelerator Pack UIConfig.xlsx**” for the UIConfig extensions.

FullTextIndex Extensions

Please refer to “**IdentityIQ Accelerator Pack FullText BundleManagedAttribute.xlsx**” for the FullTextIndex “BundleManagedAttribute” extensions.

Existing Workflow Access and Account Request

Existing Access and Account Workflows for Interactive and Batch requests can be defined using QuickLink Global Definition. Applications and Roles that are configured via Accelerator Pack must be enabled as Accelerator Pack application/roles by setting attribute “acceleratorPackEnabled” to “True”. This attribute is set automatically for applications using Self Service Onboarding QuickLink. However, for roles this attribute must be set as “True” during role creation/modification.

Existing applications and roles will be redirected to existing workflows during access and account request. Request of roles and applications that are onboarded using Existing Process and Accelerator Pack together will not be allowed. As a result, an error message will be shown on the dashboard with left and right combinations of applications and roles.

Existing Access Request workflow using OOTB workflow “Identity Request Initialize” needs to configure to have an additional step after with following script.

```
<Step icon="Task" name="Initialize Request Id">
<Script>
<Source>
wfcontext.getRootWorkflowCase().put("identityRequestId", identityRequest.getName());
</Source>
</Script>
<Transition to="end"/>
</Step>
```

Use Case Scenarios

Use Case 1: Request for new Application/Role onboarded via Accelerator Pack and Existing Process

Application / Role -> Accelerator Pack Workflow

Application / Role -> Global Definition Access / Account Request Workflow

Validation: These items cannot be requested together, please request separately

Use Case 2: Request for Application/Role onboarded via Existing Process

Application/Role -> Global Definition Access / Account Request Workflow

Use Case 3: Request for Application/Role onboarded via Accelerator Pack

Application/Role -> Accelerator Pack -> Accelerator Pack Workflow

GRC Integration

An accelerator pack workflow “Accelerator Pack GRC Integration” can be configured for any GRC system integration for preventive policy violation checks, polling of policy on GRC system, and provisioning to the requested end system. This workflow is called after approval work items are acted upon the requested items. This workflow can be used for following functions.

- GRC Work Item Creation on GRC System. This can be done through API Integration
 - Work Item is used for Violation Analysis on GRC System
- Polling of the Work Item on GRC System. This can be done through API Integration
 - Action Result of Work Item from GRC System
 - Afterwards, ApprovalSet modification to either approve or reject access request in IdentityIQ
- GRC Rule “Accelerator Pack GRC Dates Rule” can be used to set dates on requested access items. This rule is called from provisioning workflow “Interactive Request Provision with retries”
 - Start Date and End Dates can be returned as response items on API call from GRC systems. These dates are defined as output variables on workflow “Accelerator Pack GRC Integration” and passed on to provisioning workflow.

Split Feature

These standard approvals can be configured to split the access request at any approval step level. This feature ensures that individual entitlements within an access request are granted right away as soon as the business approver for that entitlement approves it. This feature removes approval dependency within entitlements/bundles that are requested from the shopping cart. The following table highlights all approval steps that are turned **OFF** for the split feature. However, this feature can be turned ON/OFF at the approval level. This is just a configuration within the Accelerator Pack that can be configured using the Global Definition QuickLink.

Approval Step	Split Eligibility
RoleOwners	false
AdditionalEntitlementOwners	false
AdditionalApplicationOwners	false
ApplicationOwners	false
EntitlementOwners	false
BatchOwners	false
Operations	false

Extended Form Roles

In some cases, a requestor is required to add form-based information to the request in addition to or in lieu of entitlements or roles.

Form Roles Display

The extended form will be displayed to the requestor in two conditions.

- The shell of a business role that doesn't have any IT roles/profiles and an application on the shell business role has displayFormRule defined. The name of the application is saved on the role as the extended role schema attribute "appName".
- A business role that is under the organization role "Form Roles" and an application on the business role has displayFormRule defined

Form Roles Validations

- Multiple form roles cannot be requested from IdentityIQ. A validation message will be shown to the requestor after request submission

Form Roles Rule

A rule can be defined on an application to show the requestor form.

1. **Display Form Rule:** This will be defined on an application that requires an extended form during access request. If this rule is not defined, the extended form will not be displayed. This rule must return a map with two keys:
 - a. formRequired: This key will indicate whether a form is required or not. There will be two possible values for this key (True/false). If true, the form is required. If no value is defined for this key, the default value will be true
 - b. dynamicForm: This key will refer to a dynamic form. The form will be generated using IdentityIQ Form APIs or this could be a direct form reference

Form Roles Approval Comments

Form data that was submitted during a request will be shown as work item comments on the approval work item.

Form Roles Processing

- This Role will be removed from the Identity Cube once the request is completed. This allows the user to request the same shell role to make another form request
- The Provisioning Plan will be split into two requests: one for “Extended Form” Application and another one for requested application form role.
- The Extended Form Plan will result in manual workitem of ticket-based provisioning (if configured)
- The Requested Application plan will result into direct provisioning of the form field names that match with the application schema fields
- This “Extended Form” Application is just a dummy/shadow CSV application (with no real CSV file). If desired, It can be configured to be a JDBC application.

SnapShot Options

Snapshot in IdentityIQ can be equated to a read-only backup copy of an access that an Identity had before any Lifecycle event or cart request. These snapshots can be configured per request types. Leaver Normal Termination and Immediate Termination are pre-configured in the Accelerator Pack to take snapshots of an identity.

Request Type	Snap Shot On
LEAVER FEATURE	Yes
IMMEDIATE TERMINATION FEATURE	Yes

Manager Approval

Any access or account request in IdentityIQ will go to a Manager first, unless configured in Accelerator Pack to be skipped.

There are three conditions in which Manager approval can be skipped :

1. Manager is the requestor: Only when Global Definition Option “Implicit Approval” is turned on. If electronic signature is enabled, this approval cannot be skipped
2. Omit or Override with Multiple Manager Approval Rule defined on an application returning true value
 - a. This is an explicit skip on the Manager approval via an extended rule. Most likely, this rule will be used only for Privileged/Service accounts’ access. If this rule is not defined, approval will be sent to the primary Manager on the Identity Cube. If this rule is defined, Manager approval can be conditional, or approval can be sent to multiple Managers. Please see section [Approval Keys](#)
3. Omit Manager’s Approval for privileged access is checked on an application
 - a. This is an explicit skip on the Manager approval via a Boolean extended attribute

In certain conditions, manager approval will be redirected. Please see [Automatic/Explicit Approvals](#)

Application Approval

After Manager approval, there will be an application approval/s. The application business approvers could be a single cube id/workgroup name or comma separated cube IDs/ workgroup names.

IdentityIQ applications will be extended with four attributes that will be used for application approvals:

1. **1st Level Application Business Approvers:** This field will be comma-separated cube IDs or work group names. If there are no IDs/names are defined, the 1st level will be skipped. The default approval mode is “**SerialPoll**” for these approvers.
2. **1st Level Application Business Approvers Rule:** This is considered an exception within standard approvals. This rule can be used to send approvals to business approvers stored in IdentityIQ or outside IdentityIQ. Please see section [Approval Keys](#)
3. **2nd Level Application Business Approvers:** This field will be comma-separated cube IDs or work group names. In case there are no IDs/names are defined, 2nd level will be skipped. The default approval mode is “**SerialPoll**” for these approvers.
4. **2nd Level Application Business Approvers Rule:** This is considered an exception within standard approvals. This rule can be used to send approvals to business approvers stored in IdentityIQ or outside IdentityIQ. Please see section [Approval Keys](#)

NOTE: The **1st Level Application Business Approvers Rule** will have precedence over **1st Level Application Business Approvers**

and

2nd Level Application Business Approvers Rule will have precedence over **2nd Level Application Business Approvers**. These rules are considered exceptions in Accelerator Pack.

In certain conditions, approval will be redirected. Please see [Automatic/Explicit Approvals](#)

Entitlement Approval

After application approval, there will be an entitlement approval/s. The entitlement business approvers could be a single cube id/workgroup name or comma separated cube IDs/ workgroup names.

IdentityIQ entitlements will be extended with four attributes that will be used for entitlement approvals

1. **1st Level Entitlement Business Approvers:** This field will be comma-separated cube IDs or work group names. If there are no IDs/names are defined, the 1st level will be skipped. The default approval mode is “**SerialPoll**” for these approvers.
2. **1st Level Entitlement Business Approvers Rule:** This is considered an exception within standard approvals. This rule can be used to send approvals to business approvers stored in IdentityIQ or outside IdentityIQ. Please see section [Approval Keys](#)
3. **2nd Level Entitlement Business Approvers:** This field will be comma-separated cube IDs or work group names. In case there are no IDs/names are defined, 2nd level will be skipped. The default approval mode is “**SerialPoll**” for these approvers.

4. **2nd Level Entitlement Business Approvers Rule** This is considered as an exception within standard approvals. This rule can be used to send approvals to business approvers stored in IdentityIQ or outside IdentityIQ. Please see section [Approval Keys](#)

NOTE: The **1st Level Entitlement Business Approvers Rule** will have precedence over **1st Level Entitlement Business Approvers** and **2nd Level Entitlement Business Approvers Rule** will have precedence over **2nd Level Entitlement Business Approvers**.

In certain conditions, approval will be redirected. Please see [Automatic/Explicit Approvals](#)

Role Approval

After Manager approval, there will be a role approval. In IdentityIQ, business role approvers can be defined on a role. The business role approvers could be single cube id/workgroup name or comma separated cube ids/ workgroup names.

IdentityIQ roles will be extended with four attributes that will be used for role/bundle approvals

1. **1st Level Role Business Approvers:** This field will be comma-separated cube Ids or work group names. If there are no ids/names are defined, the 1st level will be skipped. The default approval mode is “**SerialPoll**” for these approvers.
2. **1st Level Role Business Approvers Rule:** This will be an IdentityIQ BeanShell rule. If the **1st Level Role Business Approvers** are not defined, the **fallback approval** is **Application Business Approvers (1st and 2nd Level)**. Please see section [Approval Keys](#)
3. **2nd Level Role Business Approvers:** This field will be comma-separated cube Ids or work group names. In case there are no ids/names are defined, 2nd level will be skipped. The default approval mode is “**SerialPoll**” for these approvers.
4. **2nd Level Role Business Approvers Rule** This is considered as an exception within standard approvals. This rule can be used to send approvals to business approvers stored in IdentityIQ or outside IdentityIQ. Please see section [Approval Keys](#)

NOTE: The **1st Level Role Business Approvers Rule** will have precedence over **1st Level Role Business Approvers** and **2nd Level Role Business Approvers Rule** will have precedence over **2nd Level Role Business Approvers**.

In certain conditions, approval will be redirected. Please see [Automatic/Explicit Approvals](#)

Additional Batch Approval

Batch business approval is an out of the box feature that can be used for any batch request. The identity that could be selected for batch approval can be a cube or a workgroup. This is not a required setting.

Overall, batch processes **will follow standard approvals** (same as cart and account request) and standard approvals will be skipped if the batch request is launched by workgroup member defined using Global Definition Option “Batch Approvals Work group”.


Batch Request Approver is configured using Lifecycle Manager settings.

In certain conditions, approval will be redirected. Please see [Automatic/Explicit Approvals](#)

Batch Request Approver ?


☒ **Require batch request approval**

Identity responsible for approving batch requests:




Accelerator Pack Approvals Flowchart

This flowchart is for access requests from IdentityIQ.



This flowchart is for access and account requests from IdentityIQ



Extended Rule Map Keys

1st and 2nd approval level extended rules must return two map keys.

ApprovalRequired: This key will indicate that business approval is required or not. There will be two possible values for this key (True/false). If true, approval is required. If no value is defined for this key, the default value will be true. If false, approval is not required.

Approvers: The value of this key will be comma-separated cube Ids or workgroups. This value will be derived from application/entitlement/role extended attributes in IdentityIQ, for example for 1st Level approval, 1st Level extended attribute will be used to get approval ids. If the approver information is stored outside of IdentityIQ then this key can be populated with cube Ids of the approvers pulled from another source.

Automatic/Explicit Approvals

There are ways in which approval will be redirected to someone else or approved by system, either automatically or explicitly

1. Automatically
 - a. **Inactive Approver During WorkItem Creation :** During workItem creation, If the approver is inactive and not a workgroup, IdentityIQ approval workitem will be assigned to approver's Manager.
 - i. If manager not found, workitem is redirected to "No Manager Found" workgroup
 - b. **Inactive Approver After WorkItem Creation:** In case Workitem owner is inactive, Rule "Rule-FrameworkInactiveWorkItemEscalation" which is set for IdentityIQ OOTB functionality "Inactive user work item escalation rule" would redirect workitems to cube's manager.
 - i. If manager not found on Identity cube, workitem is redirected to "No Manager Found" workgroup
 - ii. Reassignment Rule can override manager reassignment behavior
 - iii. "No Reassignment" workgroup is used if manager reassignment is turned off and there is no reassignment rule. The configurations are defined via QuickLink "Global Definition"
 - c. **Escalation:** If the approver doesn't approve/reject the request within the approval time frame and approver is not a workgroup, the approval will be redirected/escalated to the approver's Manager, only if the escalation style is "Direct Managers Level" or "Same Level". In case approver is a workgroup, escalated workitem is reassigned to same workgroup. Please see section [Reminders/Escalations](#)
 - d. **Auto Rejection:** Either identity or workgroup doesn't approve/reject the request within the approval time frame, the request will be auto-rejected
 - b. **Auto Approval:** This is applied only when Global Definition Option "Implicit Approval" is turned on. Either approver is same as requestor or requestee and approver is not a workgroup. If electronic signature is enabled, this approval cannot be auto approved
2. Explicitly
 - a. **Out of the box WorkItem End User Forward Feature:** Approver forwards his/her work item explicitly from the IdentityIQ UI.
 - b. **Out of the box WorkItem End User Administrator Forward Feature:** The IdentityIQ Administrator forwards the outstanding work item
 - c. **Out of the box Forward Feature:** The Approver has a selected delegate. In IdentityIQ this functionality is referred to as forward user. The approver has the ability

to set start and end dates on the delegation. IdentityIQ will redirect the approver's approval to the delegate automatically during the approval work item creation

Email Templates

There will be some set of standard email template types and standard email content that will be used during access and account request. These email templates will be defined in IdentityIQ. Here is the list of standard email template types.

1. Batch Email: Sent to additional batch approval if configured
2. Request Submission Email: Sent during access and account request
3. Approval Email: Sent during access and account request
4. Rejection Email: Sent during access and account request
5. Reminder Email: Sent during access and account request
6. Escalation Email: Sent during access and account request
7. Request Completion Email: Sent during access and account request
8. Auto-Rejection Email: Sent during access and account request
9. Work Item Forward Email: Sent during access and account request

Application Email Text

All email templates will have standard email content. However, application specific content can be injected into standard emails using email text mappings. This will be considered an **exception** within the Accelerator Pack. Here is a sample of email text mappings.

1. Request Type
 - a. Type of Template
 - i. Application Name
 1. Operation (Create, Update, Delete, Disable, Enable, Lock, **None** [Only for Authoritative Applications])
 - a. Text + Velocity Expressions
 - Velocity expressions **must match application schema attribute name** to display application attribute value within email templates

Please Note : Application name can be authoritative or non-authoritative. Operation can be AccountRequest Operation or constant "none". This constant is used for authoritative applications. "None" operation can be used to include dynamic authoritative application data.

Reminders/Escalations/Expiration

The number of reminders, escalations and expiration time on an approval work item can be easily configured via the Global Definition QuickLink.

Notification scheme that is applied to all approval work items

- disableApprovalNotifications=false
- autoRejectionEmailTemplate=EmailTemplate-FrameworkAutoRejection
- reminderEmailTemplate=EmailTemplate-FrameworkReminder
- escalationEmailTemplate=EmailTemplate-FrameworkEscalation
- escalationStyle=both
- hoursBetweenReminders=24
- hoursTillEscalation=24
- hoursTillExpiration=168
- maxReminders=3

- electronicSignature=No Electronic Signature Required
- escalationRule=Rule-FrameworkEscalationType
- escalationType=emailToManager

Escalations Levels

Accelerator Pack offers three escalation options

1. Escalation Rule (Same Level)-. This will be considered an **exception** within Accelerator Pack. The logic to calculate the same level needs to be implemented in an extended rule or it can be used for any kind of business logic
2. Direct Manager Level - Changing ownership from the original owner to the direct Manager
3. Email to Direct Manager– No Change of ownership. Additional email to Manager. This will be considered a **standard** option within Accelerator Pack