



*IdentityIQ Accelerator Pack Mine
Provisioning Policies*

Table of Contents

1. Overview 3

2. Mining Process 3

3. Mined Provisioning Polices..... 4

Document Revision History

Version	Date	Status	Author	Summary of Changes
Version 1	3/2/18		Rohit Gupta	
Version 2	4/4/18		Cathy Mallet	Minor grammar/spelling/etc edit

1. Overview

The Mine Provisioning Policies feature compares baseline Identities from authoritative sources and baseline accounts from applications to auto-generate BeanShell provisioning rules for new account creation.

Also, it generates rules for disable, enable, update, unlock, and change password policies based on the selected fields on the mining form.

2. Mining Process

This process starts from a “Mine Provisioning Policies” QuickLink.

Mine Application Provisioning Policies

Select Application *

Baseline Account *

Select Account Native Id

Add Start Date on New Account Creation

This will be applied to create policy

Add Random Password on New Account To Target System

☐ ON
☐ OFF

This will be applied to Change Password Policy

Application Password Field

IdentityIQ Random Password Generator will generate random password, Attribute Name is only Required for Custom and In House Applications

Mining Tokens

Space Token is included implicitly

Baseline Identity *

Select Baseline Identity

Add IdentityIQ Tracking Id To Target System on Any Account Action

IdentityIQ Request Id will be passed to selected field, This will be applied to all policies

Add End Date on Termination To Target System

This will be applied to disable policy

Add Password Change Date To Target System

This will be applied to change password policy

Date Format

Enter Start, End, Password Change Attributes Simple Date Format


Overwrite or Merge Provisioning Policies *

☐ OVERWRITE
☐ MERGE

Policies will be either overwritten or merged

Cancel

Next



3. Mined Provisioning Polices

The mining tool will auto-generate forms, sections, fields, and rules, per application. Provisioning Policies will be merged or overwritten based on mining form selections. On the the mining results form, the provisioning policy per application schema field can be ignored, if selected. Please see the screen shot below.

Mined Baseline Application Account Results			
Mined Application Schema Fields			
Application Schema Attribute destinationIndicator		☐ Ignore Generation of Provisioning Policy Rule	
Date will be generated based on the dateformat "yyyy-MM-dd"			
Application Schema Attribute departmentNumber		☐ Ignore Generation of Provisioning Policy Rule	
Date will be generated based on the dateformat "yyyy-MM-dd"			
Application Schema Attribute cn		☐ Ignore Generation of Provisioning Policy Rule	
IdentityIQ request number will be passed to create, enable, disable, update, unloc			
Application Schema Attribute givenName		☐ Ignore Generation of Provisioning Policy Rule	
firstname			
Provisioning Policy Rule Format firstname			
Application Schema Attribute mail		☐ Ignore Generation of Provisioning Policy Rule	
email			
Provisioning Policy Rule Format email			
Application Schema Attribute sn		☐ Ignore Generation of Provisioning Policy Rule	
lastname			
Provisioning Policy Rule Format lastname			
Application Schema Attribute userPrincipalName		☐ Ignore Generation of Provisioning Policy Rule	
email			
Provisioning Policy Rule Format email			
Application Schema Attribute displayName		☐ Ignore Generation of Provisioning Policy Rule	
firstnameminedSPACEminedlastname			
Provisioning Policy Rule Format firstname SPACE lastname			
UnMined Application Schema Fields			
Unmined Field	Unmined Field	Unmined Field	Unmined Field
businessCategory	department	description	distinguishedName

Naming convention

Auto-generated Provisioning Policies will use the following naming conventions for form, section, field, and rules.

- Mined Create [Application Name<Removed Special Characters>] Form
 - Mined Create [Application Name<Removed Special Characters>] Section
 - Mined Create [Application Name<Removed Special Characters>][Mined Application Schema Field Name..]
 - Rule-Mined-Create-[Application Name<Removed Special Characters>]-[Mined Application Schema Field Name..]
 - Mined Create [Application Name<Removed Special Characters>] IdentityIQ Tracking Id Field
 - Rule-Mined-All-Policy-[Application Name<Removed Special Characters>]-[Application Schema IdentityIQ Tracking Id Field Field Name]
 - Mined Create [Application Name<Removed Special Characters>] Start Date Field
 - Rule-Mined-Create-[Application Name<Removed Special Characters>]-[Application Schema Start Date Field Name]
 - Mined Create [Application Name<Removed Special Characters>] Password Field
 - Rule-Mined-Create-[Application Name<Removed Special Characters>]-[Application Password Field Name]

- Mined Disable [Application Name<Removed Special Characters>] Form
 - Mined Disable [Application Name<Removed Special Characters>] Section
 - Mined Disable [Application Name<Removed Special Characters>] IdentityIQ Tracking Id Field
 - Rule-Mined-All-Policy-[Application Name<Removed Special Characters>]-[Application Schema IdentityIQ Tracking Id Field Field Name]
 - Mined Disable [Application Name<Removed Special Characters>] End Date Field
 - Rule-Mined-Disable-[Application Name<Removed Special Characters>]-[Application Schema End Date Field Name]
- Mined Enable [Application Name<Removed Special Characters>] Form
 - Mined Enable [Application Name<Removed Special Characters>] Section
 - Mined Enable [Application Name<Removed Special Characters>] IdentityIQ Tracking Id Field
 - Rule-Mined-All-Policy-[Application Name<Removed Special Characters>]-[Application Schema IdentityIQ Tracking Id Field Field Name]
- Mined Unlock [Application Name<Removed Special Characters>] Form
 - Mined Unlock [Application Name<Removed Special Characters>] Section
 - Mined Unlock [Application Name<Removed Special Characters>] IdentityIQ Tracking Id Field
 - Rule-Mined-All-Policy-[Application Name<Removed Special Characters>]-[Application Schema IdentityIQ Tracking Id Field Field Name]
- Mined Update [Application Name<Removed Special Characters>] Form
 - Mined Update [Application Name<Removed Special Characters>] Section
 - Mined Update [Application Name<Removed Special Characters>] IdentityIQ Tracking Id Field
 - Rule-Mined-All-Policy-[Application Name<Removed Special Characters>]-[Application Schema IdentityIQ Tracking Id Field Field Name]
- Mined Change Password [Application Name<Removed Special Characters>] Form
 - Mined Change Password [Application Name<Removed Special Characters>] Section
 - Mined Change Password [Application Name<Removed Special Characters>] IdentityIQ Tracking Id Field
 - Rule-Mined-All-Policy-[Application Name<Removed Special Characters>]-[Application Schema IdentityIQ Tracking Id Field Field Name]
 - Mined Change Password [Application Name<Removed Special Characters>] Password Change Date Field
 - Rule-Mined-Change-Password--[Application Name<Removed Special Characters>]-[Application Schema Password Change Date Field Field Name]