

Table of Contents

1	Overview	2
2	Simplified Logical Applications Access.....	2
3	Automated Access.....	2
4	Birthright Access.....	2
5	Business Application Access	2
6	Privileged Application Access.....	3
7	Mover Lifecycle Event Priority	3
8	Mover Persona	3
9	Process Joiner After Mover	3
10	Process Attribute Synchronization Before Mover Certification	3
11	Mover Certification Options	4
12	Mover Certification Configuration	4
13	System Certification Item Rule	10
14	Application Inclusion	10
15	Before Mover Certification	10
16	Before Mover Only Primary Account	11
17	Certification Exclusion Rule	11
17.1	Algorithm of Exclusion Rule	11
18	Mover Process.....	11
19	Automated Mitigation Process	12
20	Mitigation Manager Notification	12
21	Mover and Automated Mitigation Data Flow.....	12

Document Revision History

Version	Date	Status	Author	Summary of Changes
Version 1	3/2/18		Rohit Gupta	
Version 2	4/4/18		Cathy Mallet	Minor grammar/spelling/etc edit

1 Overview

The purpose of this document is to explain Mover Feature that is built within the Accelerator Pack. This feature requires some configuration in IdentityIQ for email templates, notification schemes and simplified logical applications. Those configurations are outlined in the Accelerator Pack Implementation Guide.

2 Simplified Logical Applications Access

There are three ways logical applications can be managed in IdentityIQ

- Logical Connector
- Roles
- Extended Attribute

Accelerator Pack leverages extended attributes on roles and entitlements to manage logical applications. As a result, a custom artifact is used to include/exclude logical applications during ad-hoc or scheduled certifications. The logical applications originate from Infrastructure/Technology applications. The internal name of the “Logical Business Application Name” attribute on the role is “appName” and on entitlement is “entAppName”.

Exclusion of these applications can be configured using the Accelerator Pack “Global Definition” QuickLink.

Note: Multiple business application names can be stored on Infrastructure/Technology roles/entitlements using a comma separator. This is a use case where an entitlement or role is being shared across Infrastructure/Technology applications. This is mostly seen in case of technologies with multiple instances.

3 Automated Access

This access is assigned in IdentityIQ using assignment rule. All the Identity Role assignments are interrogated and any role assignment coming from source “**Rule**” will be excluded from the mover certification.

4 Birthright Access

This is a simple true or false value attribute on the Entitlement extended attribute “isBirthright” and the Roles extended attribute “isBirthright”. During the mover process, **birthright** access associated with applications is excluded from the mover certification.

5 Business Application Access

This is a simple true or false value attribute on an application named “Is Business Application”. During the mover process, **all** access associated with the business application is included on manager certification, as compared to Infrastructure/Technology applications.

6 Privileged Application Access

This is a simple true or false value attribute on the Entitlement extended attribute “entPrivileged” and Roles extended attribute “rolePrivileged”. During the mover process, **privileged** access associated with applications can be excluded from the mover certification. This exclusion can be configured using the Accelerator Pack “Global Definition” QuickLink.

7 Mover Lifecycle Event Priority

The Joiner, Joiner Rehire, Leaver, and Attribute Synchronization Lifecycle Events has priority over Mover. In case an identity is eligible for joiner or rehire or leaver or attribute synchronization Lifecycle Event, Mover Lifecycle Event will not be kicked off.

8 Mover Persona

When persona feature is enabled, Mover process gets kicked off either when personas are dropped for an Identity or based on Lifecycle Event Triggers. Drop of personas are calculated based on Identity’s “relationships” attribute. Sample rule “Rule-Framework-IdentityAttribute-Relationships” packaged with Accelerator Pack must be used as a reference to define personas on an identity. Here is an example of personas that are dropped from an identity. Either keyword [INACTIVE] or deletion of persona on “relationships” attribute is considered as persona drop.

Identity Relationships

EMPLOYEE [ACTIVE] (FTE1)

EMPLOYEE [ACTIVE] (FTE2)

STUDENT [INACTIVE] (100-Health Science-RIT) -> Dropped Persona

Note: Mover Certification Name will contain dropped persona name

9 Process Joiner After Mover

If this option is checked for an application, joiner access gets recalculated per application. Joiner access is assigned/unassigned to an identity after mover campaign generation.

10 Process Attribute Synchronization Before Mover Certification

By default, Attribute Synchronization has priority over Mover Lifecycle Event. As a result, this option provides flexibility to run attribute synchronization before mover campaign. If this option is checked for an application, attribute synchronization process per application is executed before mover campaign generation. This process is synchronous. This means any failure will exit the mover workflow and no campaign is generated. An error email will be sent out to Operations team on the failure

Note: Attribute Synchronization can be executed in parallel with Mover Lifecycle Event. This can be configured using Global Definitions option “Mover and Attribute Synchronization Parallel Processing”. If this option is checked at global level, then there is no need to check “Process Attribute Synchronization Before Mover Certification” per application.

11 Mover Certification Options

Mover certification can be kicked off using two options. Both options are mutually exclusive.

Lifecycle Event

- By Default, it is enabled
- Workflow Based
- Uses Certification Settings from Disabled Certification Event and Custom Object
- Uses Application Before Mover options
 - Do Nothing
 - Before Mover Certification Options
 - Before Mover Extended Rule
 - Before Mover Only Primary Account
- Certification Event
 - By Default, it is disabled
 - Certification Event Based
 - Uses Certification Settings from Enabled Certification Event
 - Application before mover options are not supported

12 Mover Certification Configuration

For a LifeCycle Event, the native change certification notification scheme, email templates, and certifications settings are picked up from a certification event “**MOVER CERTIFICATION EVENT**” and custom object “**Custom-Mover-Settings**”. In case of Certification Event, custom object is not used.

Please see below table for “**Custom-Mover-Settings**” Custom object settings that are packaged with this feature. By default, staging is enabled for mover certifications.

Key Name	Category	Default Value
certificationNamePrefix	Certification Name	“Mover Event For” (Identity Name is Prefixed)
certificationNameSuffix	Certification Name	“Assigned To” (Manager Name is Prefixed)
stagingEnabled	Staging	True

Please see below for “**MOVER CERTIFICATION EVENT**” CertificationDefinition object screen shots that are packaged with this feature.

Certification Event

Summary	Basic
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about what to certify, when the certification should be created, and who is responsible for certification.	Event Options Name* MOVER CERTIFICATION EVENT Description Manager Mover Certification Trigger Event type Rule Rule* Rule-IdentityTrigger-Mover Disabled ☒ Included Identities All Certification Properties Certification Name* Manager Mover Certification\${fullDate} -- Select a parameter -- Certification Owner* The Administrator

Certification Event

Summary	Basic
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about what to certify, when the certification should be created, and who is responsible for certification.	Certification Owner* The Administrator Certifier(s)* ☒ Assign to Manager(s) No Manager Found ☐ Select Certifier Manually Certification Contents Included Applications Included Access ☒ Entitlements ☐ Accounts

Certification Event

Summary	Basic
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about what to certify, when the certification should be created, and who is responsible for certification.	Certification Contents Included Applications ? Included Access ? ☒ Entitlements ☐ Accounts ☒ Include Additional Entitlements ? ☒ Include Roles ? ☒ Certify Accounts With No Entitlements ? Include Policy Violations ? ☐ Tags ? MOVER FEATURE - + *Indicates a required field.

Home My Work Identities Applications Intelligence Setup

Certification Event

Summary	Lifecycle
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about the lifecycle of the certification.	Active Period Enter Rule ? -- Select Rule -- ... Active Period Duration ? 30 Days ... Enable Challenge Period ? ☐ Enable Revocation Period ? ☒ Revocation Period Configuration Revocation Period Enter Rule ? -- Select Rule -- ... Revocation Period Duration ? 30 Days ... 5/31/18 2:08 PM - 6/30/18 2:08 PM End Period Enter Rule ? -- Select Rule -- ... Process Revokes Immediately ? ☐ Enable Automatic Closing ? ☒ Automatic Closing Configuration Time After Certification Expiration ? 7 Days ... 6/7/18 Closing Rule ? -- Select Rule -- ...

Accelerator Pack Mover

HomeMy WorkIdentitiesApplicationsIntelligenceSetup

Certification Event

Summary

Steps

- 1. Basic
- 2. Lifecycle
- 3. Notifications
- 4. Behavior
- 5. Advanced

Specify options about the lifecycle of the certification.

Lifecycle

Revocation Period Configuration

Revocation Period Enter Rule-- Select Rule --

Revocation Period Duration30 Days5/31/18 2:08 PM - 6/30/18 2:08 PM

End Period Enter Rule-- Select Rule --

Process Revokes Immediately

Enable Automatic Closing

Automatic Closing Configuration

Time After Certification Expiration7 Days6/7/18

Closing Rule-- Select Rule --

Action Taken On Undecided ItemsApprove

CommentsAuto Closed By IdentityIQ

FirefoxFile Edit View History Bookmarks Tools Window Help

SailPoint IdentityNowCertification Event

localhost:8081/RapidAppOnBoarding/monitor/scheduleCertifications/editCertification...

SailPoint

HomeMy WorkIdentitiesApplicationsIntelligenceSetupThe Administrator

Certification Event

Summary

Steps

- 1. Basic
- 2. Lifecycle
- 3. Notifications
- 4. Behavior
- 5. Advanced

Specify options about when reminders and escalations should occur for certification and revocations.

Notifications

Initial Notification

Suppress Initial Notifications

Initial Notification Email TemplateEmailTemplate-FrameworkAccessReviewStart

Certification Reminders and Escalation

Notify Before Certification Expires

Notification Policy

Add a ReminderAdd Escalation

Date	Action	Repeat
May 4 - May 27	Remind	Every 3 Days
May 28	Remind	Once

Revocation Reminders and Escalation

PreviousNextSave EventCancel

© Copyright 2017 SailPoint Technologies. All rights reserved.

Applications

7

Certification Event

Summary	Notifications									
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about when reminders and escalations should occur for certification and revocations.	Notification Policy Add a Reminder Add Escalation <table><thead><tr><th>Date</th><th>Action</th><th>Repeat</th></tr></thead><tbody><tr><td>May 4 - May 27</td><td>Remind</td><td>Every 3 Days</td></tr><tr><td>May 28</td><td>Remind</td><td>Once</td></tr></tbody></table> Revocation Reminders and Escalation Send Revocation Reminders ? Escalate Revocations ? Notify Users Of Revocations ? Email Templates Bulk Reassignment Modification Notices ? EmailTemplate-FrameworkAccessReviewBulkReassignment	Date	Action	Repeat	May 4 - May 27	Remind	Every 3 Days	May 28	Remind	Once
Date	Action	Repeat								
May 4 - May 27	Remind	Every 3 Days								
May 28	Remind	Once								

Certification Event

Summary	Behavior
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about certification presentation and behavior.	Behavior Require Electronic Signature ? Require Subordinate Completion ? Automatically Sign Off When Nothing To Certify ? Suppress Notification When Nothing To Certify ? Require Reassignment Completion ? Return Reassignments to Original Access Review ? Automatically Sign Off When All Items Are Reassigned ? Require Delegation Review ? Require Comments For Approval ? Require Comments When Allowing Exceptions ? Disable Delegation Forwarding ? Limit Reassignments ? Reassignment Limit ? 3 Decisions Enable Line Item Delegation ?

Certification Event

Summary	Behavior																																				
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about certification presentation and behavior.	Decisions <table><tbody><tr><td>Enable Line Item Delegation</td><td>☐</td><td>☒</td></tr><tr><td>Enable Identity Delegation</td><td>☐</td><td>☒</td></tr><tr><td>Enable Account Revocation</td><td>☐</td><td>☒</td></tr><tr><td>Enable Allow Exceptions</td><td>☐</td><td>☒</td></tr><tr><td>Enable Allow Exception Popup</td><td>☐</td><td>☒</td></tr><tr><td>Default Duration For Exceptions</td><td> 30 </td><td> Days </td></tr></tbody></table> Bulk Actions <table><tbody><tr><td>Enable Bulk Approval</td><td>☐</td><td>☐</td></tr><tr><td>Enable Bulk Revocation</td><td>☐</td><td>☒</td></tr><tr><td>Enable Bulk Allow Exceptions</td><td>☐</td><td>☐</td></tr><tr><td>Enable Bulk Reassignment</td><td>☐</td><td>☒</td></tr><tr><td>Enable Bulk Account Revocation</td><td>☐</td><td>☒</td></tr><tr><td>Enable Bulk Clear Decisions</td><td>☐</td><td>☒</td></tr></tbody></table> Access Review	Enable Line Item Delegation	☐	☒	Enable Identity Delegation	☐	☒	Enable Account Revocation	☐	☒	Enable Allow Exceptions	☐	☒	Enable Allow Exception Popup	☐	☒	Default Duration For Exceptions	30	Days	Enable Bulk Approval	☐	☐	Enable Bulk Revocation	☐	☒	Enable Bulk Allow Exceptions	☐	☐	Enable Bulk Reassignment	☐	☒	Enable Bulk Account Revocation	☐	☒	Enable Bulk Clear Decisions	☐	☒
Enable Line Item Delegation	☐	☒																																			
Enable Identity Delegation	☐	☒																																			
Enable Account Revocation	☐	☒																																			
Enable Allow Exceptions	☐	☒																																			
Enable Allow Exception Popup	☐	☒																																			
Default Duration For Exceptions	30	Days																																			
Enable Bulk Approval	☐	☐																																			
Enable Bulk Revocation	☐	☒																																			
Enable Bulk Allow Exceptions	☐	☐																																			
Enable Bulk Reassignment	☐	☒																																			
Enable Bulk Account Revocation	☐	☒																																			
Enable Bulk Clear Decisions	☐	☒																																			

Certification Event

Summary	Advanced																																	
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify advanced options that can change the contents and behavior of the certification.	Access Review Properties <table><tbody><tr><td>Custom Name</td><td> Manager Mover Certification\${fullDate} </td><td> -- Select a parameter -- </td></tr><tr><td>Custom Short Name</td><td> Manager Mover Certification\${fullDate} </td><td> -- Select a parameter -- </td></tr></tbody></table> Certification Contents <table><tbody><tr><td>Exclusion Rule</td><td> Rule-FrameWorkCertificationExclusion </td><td> ... </td></tr><tr><td>Save Exclusions</td><td>☐</td><td></td></tr><tr><td>Exclude Inactive Identities</td><td>☐</td><td></td></tr><tr><td>Exclude Logical Tier Entitlements</td><td>☐</td><td></td></tr><tr><td>Filter Logical Application Entitlements</td><td>☐</td><td></td></tr><tr><td>Include IdentityIQ Capabilities</td><td>☐</td><td></td></tr><tr><td>Update Entitlement Assignments</td><td>☒</td><td></td></tr></tbody></table> Certification Rules <table><tbody><tr><td>Pre-delegation Rule</td><td> -- Select Rule -- </td><td> ... </td></tr><tr><td>Sign Off Approver Rule</td><td> -- Select Rule -- </td><td> ... </td></tr></tbody></table>	Custom Name	Manager Mover Certification\${fullDate}	-- Select a parameter --	Custom Short Name	Manager Mover Certification\${fullDate}	-- Select a parameter --	Exclusion Rule	Rule-FrameWorkCertificationExclusion	...	Save Exclusions	☐		Exclude Inactive Identities	☐		Exclude Logical Tier Entitlements	☐		Filter Logical Application Entitlements	☐		Include IdentityIQ Capabilities	☐		Update Entitlement Assignments	☒		Pre-delegation Rule	-- Select Rule --	...	Sign Off Approver Rule	-- Select Rule --	...
Custom Name	Manager Mover Certification\${fullDate}	-- Select a parameter --																																
Custom Short Name	Manager Mover Certification\${fullDate}	-- Select a parameter --																																
Exclusion Rule	Rule-FrameWorkCertificationExclusion	...																																
Save Exclusions	☐																																	
Exclude Inactive Identities	☐																																	
Exclude Logical Tier Entitlements	☐																																	
Filter Logical Application Entitlements	☐																																	
Include IdentityIQ Capabilities	☐																																	
Update Entitlement Assignments	☒																																	
Pre-delegation Rule	-- Select Rule --	...																																
Sign Off Approver Rule	-- Select Rule --	...																																

By default, challenge period is not enabled. If enabled, here is the screen shot of packaged challenge period email templates.

Certification Event

Summary	Lifecycle																
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about the lifecycle of the certification.	Challenge Period Configuration Challenge Period Enter Rule ? -- Select Rule -- ⋮ Challenge Period Duration ? 1 Weeks 5/31/18 2:10 PM - 6/7/18 2:10 PM Challenge Email Templates <table border="1"> <tbody> <tr> <td>Challenge Period Start Notices To Certifiers ?</td> <td>EmailTemplate-Framework-ChallengePeriodStart ⌵</td> </tr> <tr> <td>Challenge Period End Notices To Certifiers ?</td> <td>EmailTemplate-Framework-ChallengePeriodEnd ⌵</td> </tr> <tr> <td>Challenge Creation Notices To Challengers ?</td> <td>EmailTemplate-Framework-ChallengeCreationNotification ⌵</td> </tr> <tr> <td>Challenged Decision Notices To Certifiers ?</td> <td>EmailTemplate-Framework-CertificationDecisionChallengedNotification ⌵</td> </tr> <tr> <td>Challenge Expiration Notices To Challengers ?</td> <td>EmailTemplate-Framework-ChallengeExpiration ⌵</td> </tr> <tr> <td>Challenge Decision Expiration Notices To Challengers And Certifiers ?</td> <td>EmailTemplate-Framework-ChallengeDecisionExpiration ⌵</td> </tr> <tr> <td>Challenge Accepted Notices To Challengers ?</td> <td>EmailTemplate-Framework-ChallengeAccepted ⌵</td> </tr> <tr> <td>Challenge Rejected Notices To Challengers ?</td> <td>EmailTemplate-Framework-ChallengeRejected ⌵</td> </tr> </tbody> </table> Enable Revocation Period ? ☒	Challenge Period Start Notices To Certifiers ?	EmailTemplate-Framework-ChallengePeriodStart ⌵	Challenge Period End Notices To Certifiers ?	EmailTemplate-Framework-ChallengePeriodEnd ⌵	Challenge Creation Notices To Challengers ?	EmailTemplate-Framework-ChallengeCreationNotification ⌵	Challenged Decision Notices To Certifiers ?	EmailTemplate-Framework-CertificationDecisionChallengedNotification ⌵	Challenge Expiration Notices To Challengers ?	EmailTemplate-Framework-ChallengeExpiration ⌵	Challenge Decision Expiration Notices To Challengers And Certifiers ?	EmailTemplate-Framework-ChallengeDecisionExpiration ⌵	Challenge Accepted Notices To Challengers ?	EmailTemplate-Framework-ChallengeAccepted ⌵	Challenge Rejected Notices To Challengers ?	EmailTemplate-Framework-ChallengeRejected ⌵
Challenge Period Start Notices To Certifiers ?	EmailTemplate-Framework-ChallengePeriodStart ⌵																
Challenge Period End Notices To Certifiers ?	EmailTemplate-Framework-ChallengePeriodEnd ⌵																
Challenge Creation Notices To Challengers ?	EmailTemplate-Framework-ChallengeCreationNotification ⌵																
Challenged Decision Notices To Certifiers ?	EmailTemplate-Framework-CertificationDecisionChallengedNotification ⌵																
Challenge Expiration Notices To Challengers ?	EmailTemplate-Framework-ChallengeExpiration ⌵																
Challenge Decision Expiration Notices To Challengers And Certifiers ?	EmailTemplate-Framework-ChallengeDecisionExpiration ⌵																
Challenge Accepted Notices To Challengers ?	EmailTemplate-Framework-ChallengeAccepted ⌵																
Challenge Rejected Notices To Challengers ?	EmailTemplate-Framework-ChallengeRejected ⌵																

13 System Certification Item Rule

There is a certification item rule by the name “Rule-Framework-Certification-Item-Rule” that copies the logical application name from roles and entitlements to the certification item attribute “Custom1”. The name of the rule is “Rule-Framework-Certification-Item-Rule”.

Also, this rule copies the “entPrivileged” and “rolePrivileged” extended attribute values from entitlements and roles to the certification item attribute “Custom2”.

14 Application Inclusion

For Lifecycle Event, all the applications that are on an Identity Cube are included for Mover certification. By Default, all Logical Applications are included that are on an Identity Cube. Unless, they are excluded using QuickLink Accelerator Pack “Global Definition” QuickLink.

For Certification Event, applications configured for Mover needs to be manually selected and saved on the Certification Event.

15 Before Mover Certification

Applications may be configured to have “before mover” options. These options will be executed before the mover certification generation. If an error is encountered during execution, a mover certification will not be generated. If the “Move LDAP Account” option is selected, a target aggregation on an application is executed after the move of an account is completed. If “Extended Rule” option is selected, the rule name must be referenced on the application attribute “moverExtendedRule”. The display name of this attribute is “Before Mover Extended Rule”. This rule is executed per “Link” object of an application. In case there is a failure during rule execution mover certification wouldn’t be generated.

The following input parameters are passed to this kind of rule and can be used to build account requests per application. These account requests get merged into overall before mover provisioning plan.

Parameter Name	Description
identityName	Identity Name Being Processed
applicationName	Application Name Being Processed
nativeId	Native Id of Account Being Processed

secondaryAccount	"TRUE" value indicates secondary Link Object

16 Before Mover Only Primary Account

Any account that is not privileged is considered as primary account. When this option is checked, only primary account is moved If the "Rename / Move LDAP Account" option is selected.

17 Certification Exclusion Rule

For logical applications, the "**Rule-FrameWorkCertificationExclusion**" rule excludes the list of logical applications configured in the "**Custom-Framework-Exclusion-Logical-BusinessApplications-PrivilegedAccess**" custom object during certification. During the mover process, this rule is automatically selected.

17.1 Algorithm of Exclusion Rule

- Exclusions
 - Excludes Privileged Roles and Entitlements, if this is configured to be excluded in the custom artifact "Custom-Framework-Exclusion-Logical-BusinessApplications-PrivilegedAccess" (detected using extended attributes "entPrivileged" and "rolePrivileged")
 - Excludes Application's Birthright Roles and Entitlements (detected using an extended attribute "isBirthright")
 - Excludes Assigned RBAC Roles (Assigned via assignment rules)
 - Excludes Logical Application Roles and Logical Application Entitlements for Infrastructure/ Technology Applications only if no logical application is defined on them (no value for an extended attribute "appName" on roles and no value for an extended attribute "entAppName" on entitlements)
 - Excludes Logical Application Roles and Logical Application Entitlements, if the logical application name does match the exclusion list
 - Excludes Logical Application Entitlement and Logical Application Role, if one of the logical application names separated by commas matches the exclusion list of logical applications
- Inclusions
 - Include All Business Application's roles and entitlements (detected using Boolean extended attribute "busApp")
 - A Role is included if it has at least one business application defined on profiles
 - Includes Business Application accounts with no entitlements
 - Includes Logical Application accounts with no entitlements, if the logical application name does not match the exclusion list of logical applications
 - Includes Logical Application Entitlement and Logical Application Role, if the logical application name does not match the exclusion list
 - Includes Policy Violation, if configured

18 Mover Process

This process starts with either a Workflow based Lifecycle Event or Certification based Certification Event. Workflow based event can be configured using the "Configure Triggers" QuickLink. It is based on the Identity Cube's old and new attribute values.

Accelerator Pack Mover

This process can be kicked off manually by the Operations QuickLink “Process Identity Event”. This QuickLink is accessible to the “Operations” workgroup.

This workflow builds a provisioning plan based on **existing accounts on an Identity**. Here is the pseudo algorithm:

- Execute Before Mover Certification Option, Any Error, Exit
 - If the option is “Extended Rule”, execute the rule and merge the Account Request into Provisioning Plan
 - Process Attribute Synchronization Before Mover per Application, if checked
 - Please see [Before Mover Certification](#)
 - [Process Joiner per Application, if checked](#)
- Include all account applications for an Identity
 - See [Certification Exclusion Rule](#)
 - See [Mover Certification Configuration](#)
 - See [Mover and Automated Mitigation Data Flow](#)

19 Automated Mitigation Process

The pre-requisite for this process is the mover process completion. This is used to automatically revoke access that has been allowed by a manager for a certain time during the mover campaign.

This process starts with the Lifecycle event “MANAGER CERTIFICATION ALLOW EXCEPTION FEATURE”. This event is packaged with Accelerator Pack.

Pseudo Algorithm on Lifecycle Event

- Get All Mitigation Expiration Work Items on an Identity
- Filter Only Expired Work Items
- If one of the expired Work Item doesn’t have the comment “MOVER EVENT PROCESSED”, kick off Automated Mitigation Workflow

The same workflow process can be kicked off manually by the Operations QuickLink “Process Identity Event”. This QuickLink is accessible to the “Operations” workgroup.

This workflow builds a **revoke provisioning plan** based on **Identity’s expired mitigations that are from mover certification**. Here is the pseudo algorithm:

- Build a Provisioning Plan to Remove Entitlements and Roles
- Accounts with no entitlements use the selected option from the “Automated Account Mitigation Options” attribute for an application
- See [Mover and Automated Mitigation Data Flow](#)

20 Mitigation Manager Notification

Manager Notification is sent out to the sponsor of the contractors or to the manager of employees during Mitigation Lifecycle Event. Sponsor on contractor is detected using extended attribute “ctrMgr”.

If there is a requirement to cc this email, an extended rule can be used and referenced using Global Definition configuration “CC Email Rule” option.

21 Mover and Automated Mitigation Data Flow

Mover and Automated Mitigation Process

