

Table of Contents

1	Overview	2
2	Native Change Certification Options.....	2
3	Native Change Certification Configuration.....	2
4	Include Only Privileged Access Configuration	7
5	System Certification Item Rule	7
6	Application Inclusion	7
7	Certification Exclusion Rule	7
8	Native Change Process	7
9	Native Change Data Flow	8
10	Notify Operations Native Change	8

Document Revision History

Version	Date	Status	Author	Summary of Changes
Version 1	3/2/18		Rohit Gupta	
Version 2	5/8/18		Cathy Mallet	Minor edits

1 Overview

The purpose of this document is to explain the Native Change Feature that is built within the Accelerator Pack. This feature requires some configuration in IdentityIQ for the manager certification option and these configurations are described in this document.

2 Native Change Certification Options

Native Change Manager certification can be kicked off using two options. Both options are mutually exclusive.

- Lifecycle Event
 - By Default, it is enabled
 - Workflow Based
 - Uses Certification Settings from Disabled Certification Event and Custom Object
 - Uses Application native change drop-down options
 - Do Nothing
 - Automated Recovery and Revocation
 - Manager Certification Revocation
 - Manager Certification Revocation and Automated Recovery
- Certification Event
 - By Default, it is disabled
 - Certification Event Based
 - Uses Certification Settings from Enabled Certification Event
 - Application native change drop-down options are not supported. Only Manager Certification is supported

3 Native Change Certification Configuration

For a Lifecycle Event, the native change certification notification scheme, email templates, and certifications settings are picked up from a certification event “**NATIVE CHANGE CERTIFICATION EVENT**” and custom object “**Custom-Native-Change-Settings**”. For a Certification Event, a custom object is not used.

See the table below for “**Custom-Native-Change-Settings**” Custom object settings that are packaged with this feature. By default, staging is not enabled for native change certifications.

Key Name	Category	Default Value
certificationNamePrefix	Certification Name	“Native Change Detected For” (Identity Name is Prefixed)
certificationNameSuffix	Certification Name	“Assigned To” (Manager Name is Suffixed)
stagingEnabled	Staging	False
securityGroupName	Reassign Certification To WorkGroup	Empty

	instead of Manager	
--	-----------------------	--

Please see below for screen shots of the “**NATIVE CHANGE CERTIFICATION EVENT**” CertificationDefinition object that is packaged with this feature.

Certification Event

Summary	Basic
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about what to certify, when the certification should be created, and who is responsible for certification.	Name* ? NATIVE CHANGE CERTIFICATION EVENT Description ? Native Change Certification Trigger Event type ? Native Change Disabled ? ☒ Included Identities ? Population Correlated Identities Certification Properties Certification Name* ? Manager Native Change Certification\${fullDa} -- Select a parameter -- Certification Owner* ? The Administrator Certifier(s)* ? Assign to Manager(s)

Certification Event

Summary	Basic
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about what to certify, when the certification should be created, and who is responsible for certification.	Certifier(s)* ? Assign to Manager(s) No Manager Found Select Certifier Manually Certification Contents Included Applications ? Included Access ? Entitlements Accounts Include Additional Entitlements ? ☒

Certification Event

Summary	Basic
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about what to certify, when the certification should be created, and who is responsible for certification.	Certification Contents Included Applications ? Included Access ? Entitlements Accounts Include Additional Entitlements ? ☒ Include Roles ? ☒ Certify Accounts With No Entitlements ? ☒ Include Policy Violations ? ☐ Tags ? NATIVE CHANGE DETECTION FEATURE *Indicates a required field.

Accelerator Pack Native Change

Certification Event

Summary	Lifecycle
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about the lifecycle of the certification.	Active Period Enter Rule ? -- Select Rule -- Active Period Duration ? 5 Days Enable Challenge Period ? ☐ Enable Revocation Period ? ☒ Revocation Period Configuration Revocation Period Enter Rule ? -- Select Rule -- Revocation Period Duration ? 5 Days End Period Enter Rule ? -- Select Rule -- Process Revokes Immediately ? ☒ Enable Automatic Closing ? ☒ Automatic Closing Configuration Time After Certification Expiration ? 1 Days Closing Rule ? -- Select Rule --

Certification Event

Summary	Lifecycle
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about the lifecycle of the certification.	Revocation Period Configuration Revocation Period Enter Rule ? -- Select Rule -- Revocation Period Duration ? 5 Days End Period Enter Rule ? -- Select Rule -- Process Revokes Immediately ? ☒ Enable Automatic Closing ? ☒ Automatic Closing Configuration Time After Certification Expiration ? 1 Days Closing Rule ? -- Select Rule -- Action Taken On Undecided Items ? Revoke Comments ? Auto Closed By IdentityIQ

Certification Event

Summary	Notifications									
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about when reminders and escalations should occur for certification and revocations.	Initial Notification Suppress Initial Notifications ? ☐ Initial Notification Email Template ? EmailTemplate-FrameworkAccessReviewNativeChangeStart Certification Reminders and Escalation Notify Before Certification Expires ? ☒ Notification Policy Add a ReminderAdd Escalation <table border="1"><thead><tr><th>Date</th><th>Action</th><th>Repeat</th></tr></thead><tbody><tr><td>May 1 - May 1</td><td>Remind</td><td>Every 2 Days</td></tr><tr><td>May 2</td><td>Remind</td><td>Once</td></tr></tbody></table>	Date	Action	Repeat	May 1 - May 1	Remind	Every 2 Days	May 2	Remind	Once
Date	Action	Repeat								
May 1 - May 1	Remind	Every 2 Days								
May 2	Remind	Once								

Accelerator Pack Native Change

Certification Event

Summary	Notifications									
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about when reminders and escalations should occur for certification and revocations.	Notification Policy Add a Reminder Add Escalation <table><thead><tr><th>Date</th><th>Action</th><th>Repeat</th></tr></thead><tbody><tr><td>May 1 - May 1</td><td>Remind</td><td>Every 2 Days</td></tr><tr><td>May 2</td><td>Remind</td><td>Once</td></tr></tbody></table> Revocation Reminders and Escalation Send Revocation Reminders ? ☐ Escalate Revocations ? ☐ Notify Users Of Revocations ? ☐ Email Templates Bulk Reassignment Modification Notices ? EmailTemplate-FrameworkAccessReviewNativeChangeBulkReassignment ?	Date	Action	Repeat	May 1 - May 1	Remind	Every 2 Days	May 2	Remind	Once
Date	Action	Repeat								
May 1 - May 1	Remind	Every 2 Days								
May 2	Remind	Once								

Certification Event

Summary	Behavior
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about certification presentation and behavior.	Behavior Require Electronic Signature ? ☐ Require Subordinate Completion ? ☐ Automatically Sign Off When Nothing To Certify ? ☒ Suppress Notification When Nothing To Certify ? ☒ Require Reassignment Completion ? ☐ Return Reassignments to Original Access Review ? ☐ Automatically Sign Off When All Items Are Reassigned ? ☐ Require Delegation Review ? ☐ Require Comments For Approval ? ☐ Require Comments When Allowing Exceptions ? ☐ Disable Delegation Forwarding ? ☒ Limit Reassignments ? ☒ Reassignment Limit ? 1 Decisions Enable Line Item Delegation ? ☒

Accelerator Pack Native Change

Certification Event

Summary	Behavior
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about certification presentation and behavior.	Decisions Enable Line Item Delegation ☒ Enable Identity Delegation ☒ Enable Account Revocation ☒ Enable Allow Exceptions ☐ Enable Allow Exception Popup ☐ Default Duration For Exceptions 1 Months Bulk Actions Enable Bulk Approval ☐ Enable Bulk Revocation ☒ Enable Bulk Allow Exceptions ☐ Enable Bulk Reassignment ☒ Enable Bulk Account Revocation ☒ Enable Bulk Clear Decisions ☒ Access Review Enable Bulk Approval ☐ Enable Bulk Revocation ☒ Enable Bulk Allow Exceptions ☐ Enable Bulk Reassignment ☒ Enable Bulk Account Revocation ☒ Enable Bulk Clear Decisions ☒

Certification Event

Summary	Advanced
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify advanced options that can change the contents and behavior of the certification.	Access Review Properties Custom Name Manager Native Change Certification\${fullDa} -- Select a parameter -- Custom Short Name Manager Native Change Certification\${fullDa} -- Select a parameter -- Certification Contents Exclusion Rule Rule-FrameworkCertificationExclusionNativeChange Save Exclusions ☐ Exclude Inactive Identities ☐ Exclude Logical Tier Entitlements ☐ Filter Logical Application Entitlements ☐ Include IdentityIQ Capabilities ☐ Update Entitlement Assignments ☒ Certification Rules Pre-delegation Rule -- Select Rule -- Sign Off Approver Rule -- Select Rule --

By default, a challenge period is not enabled. This screen shot shows the packaged challenge period email templates if it is enabled.

Certification Event

Summary	Lifecycle
Steps 1. Basic 2. Lifecycle 3. Notifications 4. Behavior 5. Advanced Specify options about the lifecycle of the certification.	Challenge Email Templates Challenge Period Start Notices To Certifiers EmailTemplate-Framework-ChallengePeriodStart Challenge Period End Notices To Certifiers EmailTemplate-Framework-ChallengePeriodEnd Challenge Creation Notices To Challengers EmailTemplate-Framework-ChallengeCreationNotification Challenged Decision Notices To Certifiers EmailTemplate-Framework-CertificationDecisionChallengedNotification Challenge Expiration Notices To Challengers EmailTemplate-Framework-ChallengeExpiration Challenge Decision Expiration Notices To Challengers And Certifiers EmailTemplate-Framework-ChallengeDecisionExpiration Challenge Accepted Notices To Challengers EmailTemplate-Framework-ChallengeAccepted Challenge Rejected Notices To Challengers EmailTemplate-Framework-ChallengeRejected Enable Revocation Period ☒

4 Include Only Privileged Access Configuration

In case only privileged access is required for native change detection, custom object “**Custom-Framework-Exclusion-Logical-BusinessApplications-PrivilegedAccess**” can be configured by QuickLink “Global Definition” to only include sensitive/privileged access for certification .

See the table below for “**Custom-Framework-Exclusion-Logical-BusinessApplications-PrivilegedAccess**” Custom object settings that are packaged with this feature.

Key Name	Category	Default Value
includeOnlyPrivilegedAccessNativeChange Cert	Include Only Privileged Access	False

5 System Certification Item Rule

A certification item rule named “**Rule-Framework-Certification-Item-Rule**” copies the logical application name from roles and entitlements to the certification item attribute “Custom1”.

Also, this rule copies the “entPrivileged” and “rolePrivileged” extended attribute values from entitlements and roles to the certification item attribute “Custom2”.

6 Application Inclusion

For Lifecycle Events, applications configured for Native Change and access on those applications is detected as native (assigned outside IdentityIQ) after aggregation, and these applications are included automatically for certification.

For Certification Events, applications configured for Native Change need to be selected manually and saved on the Certification Event.

7 Certification Exclusion Rule

The “**Rule-FrameWorkCertificationExclusionNativeChange**” rule excludes all access from an Identity Cube except native changes. Here is pseudo algorithm of this rule:

- First, get native changes from an Identity cube
- If not found, get native changes from a configuration object “**Certification-NativeChange**”. The native changes are saved to this object during Workflow based Lifecycle Events
- Exclude all access that is not detected as native change

8 Native Change Process

This process starts with either a Workflow-based Lifecycle Event or Certification-based Certification Event.

The Native Change process can be kicked off manually by the Operations QuickLink “Process Identity Event”. This QuickLink is accessible to the “Operations” workgroup.


This workflow builds a provisioning plan and /or certification based on **native changes on an Identity**. Here is the pseudo algorithm:

- If the option is “Automated Recovery and Revocation”, build a provisioning plan with a remove account request for native access that is added to an identity, and build a provisioning plan with an add account request for native access that is removed from an identity

Accelerator Pack Native Change

- If the option is “Manager Certification Revocation”, build a Certification for native access that is added to an identity
- If the option is “Manager Certification Revocation and Automated Recovery”, build a certification for native access that is added to an identity, and build a provisioning plan with an add account request for native access that is removed from an identity
- Override certification for manager to security group, if configured by “Global Definition” QuickLink
- Include Only Privileged Access , if configured by “Global Definition” QuickLink

9 Native Change Data Flow



10 Notify Operations Native Change

By Default, Native Change Email is sent out to Operations on provisioning failures only. A Global Definition Configuration "Notify Operations on Native Change for an Identity" can be used to send out email to Operations on Native Change provisioning action.

If there is a requirement to cc this email, an extended rule can be used and referenced using Global Definition configuration “CC Email Rule” option.