

COMMAND	DESCRIPTION
yum install git -y	To install git in linux machine
git init .	To initialize empty repo in current directory
git config user.name "username"	used to configure user name for our git
git config user.email "email"	used to configure user email for our git
git add filename	used to track a file
git add *	used to track all files & folders
git add .	used to track all files in current directory (including hidden files)
git add -f filename	to track files forcefully
git rm --cached filename	used to untack the file
git commit -m "message" filename	to commit a file
git commit -m "message" .	used to commit all files which are present in staging area
git log	used to see the history of the git
git log --oneline	used to see only commit ID's and messages
git log -1	used to see the latest commit
git log -3	used to see latest 3 commits
git log --follow --all filename	used to see commits for a file
git show commit_id --name-only	used to see commit details with file name
git show commit_id --stat	see file history (modifications)
git commit --amend -m "message"	change last commit message
git commit --amend --author "username <mail>"	change author
git commit --amend --no-edit	keep previous message
git reset --hard HEAD~1	delete last commit with changes
git reset --hard HEAD~3	delete last 3 commits
git reset --soft HEAD~1	delete commit keep changes
git reset --soft HEAD~3	delete commits keep changes
git revert commit_id	undo commit safely
git branch	list branches
git branch branch-name	create branch
git checkout branch-name	switch branch
git checkout -b branch-name	create & switch branch
git branch -m old new	rename branch
git branch -d branch-name	delete branch
git branch -D branch-name	force delete branch
git merge branch	merge branches
git cherry-pick commit-id	copy single commit/copy the single commits from one branch to another
git merge --abort	cancel merge/used to candle the merge when conflicts arise
git rebase branch	rebase branch/copy the all commits from one branch to another
git stash	save changes temporarily/to delete the changes permanently
git stash save "message"	save stash with message
git stash apply	restore stash/to get back the data again
git stash list	to get the list of stashes
git stash clear	to clear all stashes
git stash pop	to delete the first stas
git stash drop	used to delete latest stash
git stash drop stash@[2]	used to delete a pratical stash
git remote add origin repo-url	link local-repo to central-repo
git remote -v	used to get the linked repo in github
git push -u origin branch-name	push the code from local to central
git push -u origin branch-1 branch-2	used to push the code to multiple branches
git push -u origin --all	used to push the code to all branches at a time
git clone repo-url	used to get the code from central to local
git pull origin branch	used to get the chanes from central to local
git fetch branch-name	used to fetch the data from central to local
git fetch --all	used to fetch the changes from all branches in github
git merge origin/branch	used to merge the changes from cental to local
git push -u origin --delete branch-name	used to delete the github branch from local
git remote rm origin	used to unlink the github-repo
Git remote rename old -link new-link	used to change the repo