

# Cucumber Report

May 22, 2024, 2:47:12 PM

Start : May 22, 2:46:59.791 PM

End : May 22, 2:47:12.158 PM

Duration : 12.367 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0


PASSED - 13  
FAILED - 7  
SKIPPED - 0

PASSED - 50  
FAILED - 7  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	8.335 s	12	5	7	0	36	26	7	3
<u>Validating negative scenarios for user</u>	4.017 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>
3		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>
4		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>
5		<u>Check if user able to update with already existing userId</u>
6		<u>Check if user able to update with invalidrequestbody</u>
7		<u>Check if user able to update with missing values in the requestbody</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	12	5	7	0	8.335 s
2	<u>Validating negative scenarios for user</u>	8	8	0	0	4.017 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	1	1	1	2.427 s
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	1	1	1	0.439 s
3		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.503 s
4		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.410 s
5		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.398 s
6		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	2	1	0	0.393 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	2	1	0	0.378 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to update with invalid endpoint</u>	3	3	0	0	0.504 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>	3	2	1	0	0.412 s
10		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.451 s
11		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.415 s
12		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.413 s
13	<u>Validating negative scenarios for user</u>	<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.392 s
14		<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.405 s
15		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.422 s
16		<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	0.423 s
17		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.395 s
18		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.394 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Validating negative scenarios for user</u>	<u>Check if user able to delete with invaliduserId</u>	3	3	0	0	0.804 s
20		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.738 s



## Validating User API



<b>FAILED</b>	DURATION - 8.335 s	Scenarios Total - 12 Pass - 5 Fail - 7 Skip - 0		Steps Total - 36 Pass - 26 Fail - 7 Skip - 3	
/ 2:46:59.791 PM // 2:47:08.126 PM /					

## Verify if user is being successfully created using CreateUserAPI

<div><div>FAILED</div><div>DURATION - 2.427 s</div></div>		<div></div>	<div>Steps Total - 3 Pass - 1 Fail - 1 Skip - 1</div>	<div></div>
/ 2:46:59.796 PM // 2:47:02.223 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.583 s
2	When user calls "CreateUserAPI" with "post" request  java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:56) at ?.user calls "CreateUserAPI" with "post" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:6) * Not displayable characters are replaced by '?'.	FAILED	1.825 s
3	Then user created with status code 201	SKIPPED	0.002 s

## Verify if user is being successfully updated using UpdateUserByIdAPI

<b>FAILED</b>	DURATION - 0.439 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 2:47:02.300 PM // 2:47:02.739 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.004 s
2	When user calls "UpdateUserByIdAPI" with "put" request  java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:70) at ?.user calls "UpdateUserByIdAPI" with "put" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:12) * Not displayable characters are replaced by '?'.  	FAILED	0.431 s
3	Then the API call is success with status code 200	SKIPPED	0.001 s



### Verify if user is being successfully retrieved using GetAllUsersAPI

<b>PASSED</b>	DURATION - 1.503 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:47:02.753 PM // 2:47:04.256 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.001 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.497 s



#	Step / Hook Details	Status	Duration
3	Then the API call is success with status code 200	PASSED	0.002 s

### Verify if user is being successfully retrieved using GetUserByIdAPI

PASSED	DURATION - 0.410 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 2:47:04.266 PM // 2:47:04.676 PM /							
Validating User API							



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserByIdAPI" with "getbyuserId" request	PASSED	0.403 s
3	Then the API call is success with status code 200	PASSED	0.001 s

### Verify if user is being successfully deleted using DeleteUserByIdAPI

PASSED	DURATION - 0.398 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:47:04.692 PM // 2:47:05.090 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s
2	When user calls "DeleteUserByIdAPI" with "deletebyuserId" request	PASSED	0.393 s
3	Then the API call is success with status code 200	PASSED	0.001 s

### Verify if user is being successfully retrieved using GetUserByNameAPI

<b>FAILED</b>	DURATION - 0.393 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:47:05.107 PM // 2:47:05.500 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.381 s
3	Then the API call is success with status code 200  java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:95) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:37) * Not displayable characters are replaced by '?'. 	FAILED	0.004 s



### Verify if user is being successfully deleted using DeleteUserbyNameAPI

<b>FAILED</b>	DURATION - 0.378 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:47:05.516 PM // 2:47:05.894 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.002 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.371 s
3	Then the API call is success with status code 200	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:&lt;404&gt; but was:&lt;200&gt;     at org.junit.Assert.fail(Assert.java:89)     at org.junit.Assert.failNotEquals(Assert.java:835)     at org.junit.Assert.assertEquals(Assert.java:647)     at org.junit.Assert.assertEquals(Assert.java:633)     at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:95)     at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:43)     * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to update with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.504 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:47:05.908 PM // 2:47:06.412 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalid endpoint	PASSED	0.484 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.016 s

### Check if user able to update with already existing userId

<div>FAILED</div> <div>DURATION - 0.412 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:06.418 PM // 2:47:06.830 PM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.001 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.386 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.024 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:60) * Not displayable characters are replaced by '?'.		

### Check if user able to update with invalidmethod

PASSED	DURATION - 0.451 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:47:06.837 PM // 2:47:07.288 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.432 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.016 s

### Check if user able to update with invalidrequestbody

FAILED		DURATION - 0.415 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:47:07.293 PM // 2:47:07.708 PM /						
Validating User API						



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.392 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.020 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:70) * Not displayable characters are replaced by '?'.		

### Check if user able to update with missing values in the requestbody



FAILED		DURATION - 0.413 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>		
/ 2:47:07.713 PM // 2:47:08.126 PM /							
Validating User API							

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.409 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:242) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:74) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.002 s

### Validating negative scenarios for user



<b>PASSED</b>	DURATION - 4.017 s	Scenarios Total - 8 Pass - 8 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 2:47:08.141 PM // 2:47:12.158 PM /					

**Check if user able to create with invalidendpoint**

<b>PASSED</b>	DURATION - 0.392 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:47:08.141 PM // 2:47:08.533 PM /				
Validating negative scenarios for user				

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.002 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.360 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.030 s

**Check if user able to create without mandatory fields payload**



<b>PASSED</b>	DURATION - 0.405 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:47:08.538 PM // 2:47:08.943 PM /				
Validating negative scenarios for user				

#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.002 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.379 s





#	Step / Hook Details	Status	Duration
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.023 s

### Check if user able to create with invalidmethod

PASSED	DURATION - 0.422 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:47:08.949 PM // 2:47:09.371 PM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.003 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.401 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.016 s

### Check if user able to create with invalidrequestbody

PASSED	DURATION - 0.423 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:47:09.378 PM // 2:47:09.801 PM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send post Request and request Body with invalid data	PASSED	0.389 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.026 s

### Check if user able to get with invaliduserId




#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.001 s
2	When user send "get" Request with invaliduserId	PASSED	0.366 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.025 s

### Check if user able to get with invaliduserName




#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.374 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.018 s

### Check if user able to delete with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.378 s
2	When user send "delete" Request with invaliduserId	PASSED	0.405 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.019 s

### Check if user able to get with invaliduserName



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.359 s
2	When user send "delete" Request with invaliduserName	PASSED	0.361 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.015 s