


| Feature             |          |    | Scer | nario |   |    | St | ер |   |
|---------------------|----------|----|------|-------|---|----|----|----|---|
| Name                | Duration | T  | P    | F     | S | T  | P  | F  | S |
| Validating User API | 7.836 s  | 12 | 9    | 3     | 0 | 36 | 32 | 3  | 1 |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name        | Scenario Name   |
|---|---------------------|---|
| 1 | Validating User API | Check if user able to create without mandatory fields payload       |
| 2 |                     | Check if user able to update with invalidrequestbody                |
| 3 |                     | Check if user able to update with missing values in the requestbody |

FEATURES SUMMARY




| # | Feature Name        | T  | P | F | S | Duration |
|---|---------------------|----|---|---|---|----------|
| 1 | Validating User API | 12 | 9 | 3 | 0 | 7.836 s  |

SCENARIOS SUMMARY -- 5 --




| #  | Feature Name        | Scenario Name   | T | P | F | S | Duration |
|----|---------------------|---|---|---|---|---|----------|
| 1  | Validating User API | Check if user able to create with invalidendpoint                   | 3 | 3 | 0 | 0 | 2.161 s  |
| 2  |                     | Check if user able to create without mandatory fields payload       | 3 | 2 | 1 | 0 | 0.468 s  |
| 3  |                     | Check if user able to create with invalidmethod                     | 3 | 3 | 0 | 0 | 0.453 s  |
| 4  |                     | Check if user able to create with invalidrequestbody                | 3 | 3 | 0 | 0 | 0.429 s  |
| 5  |                     | Check if user able to update with invalidendpoint                   | 3 | 3 | 0 | 0 | 0.437 s  |
| 6  |                     | Check if user able to update with invalidmethod                     | 3 | 3 | 0 | 0 | 0.440 s  |
| 7  |                     | Check if user able to update with invalidrequestbody                | 3 | 2 | 1 | 0 | 0.433 s  |
| 8  |                     | Check if user able to update with missing values in the requestbody | 3 | 1 | 1 | 1 | 0.446 s  |
| 9  |                     | Check if user able to get with invaliduserId                        | 3 | 3 | 0 | 0 | 0.390 s  |
| 10 |                     | Check if user able to get with invaliduserName                      | 3 | 3 | 0 | 0 | 0.389 s  |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name        | Scenario Name                                   | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|---|----------|
| 1 | Validating User API | Check if user able to delete with invaliduserId | 3 | 3 | 0 | 0 | 0.802 s  |
| 1 | 2                   | Check if user able to get with invaliduserName  | 3 | 3 | 0 | 0 | 0.825 s  |

# **Validating User API**




### Check if user able to create with invalidendpoint




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user with an invalid endpoint                               | PASSED | 0.462 s  |
| 2 | When user send post Request and request Body with invalidendpoint | PASSED | 1.268 s  |
| 3 | Then user receives "404" with error message "Not Found"           | PASSED | 0.419 s  |

# Check if user able to create without mandatory fields payload




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user without mandatory fields   | PASSED | 0.011 s  |
| 2 | When user send post Request and request Body without mandatory fields   | PASSED | 0.418 s  |
| 3 | Then user receive "400 BAD_REQUEST" with msg "user FirstName is mandatory and should contains alphabets only"   | FAILED | 0.036 s  |
|   | org.junit.ComparisonFailure: expected:<40[9 CONFLIC]T> but was:<40[0 BAD_REQUES]T> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receive_with_msg(UserSteps.java:296) at ?.user receive "400 BAD_REQUEST" with msg "user FirstName is mandatory and should contains alphabets only"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:61)  * Not displayable characters are replaced by '?'. |        |          |

#### Check if user able to create with invalidmethod




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with invalidmethod                                    | PASSED | 0.001 s  |
| 2 | When user send post Request and request Body with invalidmethod  | PASSED | 0.433 s  |
| 3 | Then user receives "405" with error message "Method Not Allowed" | PASSED | 0.017 s  |

# Check if user able to create with invalidrequestbody




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with Invalid request body   | PASSED | 0.002 s  |
| 2 | When user send post Request and request Body with invalid data                         | PASSED | 0.397 s  |
| 3 | Then user receives "409 CONFLICT" with message "User already exist with same email id" | PASSED | 0.026 s  |

# Check if user able to update with invalidendpoint



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with an invalid endpoint                                | PASSED | 0.002 s  |
| 2 | When user send HTTPS Request and request Body with invalidendpoint | PASSED | 0.417 s  |
| 3 | Then user receives "404" with error message "Not Found"            | PASSED | 0.017 s  |


# Check if user able to update with invalidmethod



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with invalidmethod                                    | PASSED | 0.004 s  |
| 2 | When user send HTTPS Request and request Body with invalidmethod | PASSED | 0.416 s  |
| 3 | Then user receives "405" with error message "Method Not Allowed" | PASSED | 0.016 s  |


DETAILED SECTION -- 10 --

# **Check if user able to update with invalidrequestbody**



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with Invalid payload  | PASSED | 0.002 s  |
| 2 | When user send HTTPS Request and request Body with invalid data  | PASSED | 0.410 s  |
| 3 | Then user receives "400 BAD_REQUEST" with message "User email Id is required"  | FAILED | 0.019 s  |
|   | org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "400 BAD_REQUEST" with message "User email Id is required"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99) * Not displayable characters are replaced by '?'. |        |          |


# Check if user able to update with missing values in the requestbody



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user with missing payload   | PASSED | 0.003 s  |
| 2 | When user send HTTPS Request and request Body with missing data                     | FAILED | 0.439 s  |
|   | org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:243) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'. |         |          |
| 3 | Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"   | SKIPPED | 0.002 s  |

# Check if user able to get with invaliduserId



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given get with Invalid userId   | PASSED | 0.002 s  |
| 2 | When user send "get" Request with invaliduserId                                       | PASSED | 0.366 s  |
| 3 | Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!" | PASSED | 0.021 s  |


# Check if user able to get with invaliduserName

| PASSED           | DURATION - 0.389 s    | 0.6 - |       | Steps Total - 3      |   |
|------------------|-----------------------|-------|-------|----------------------|---|
| / 3:27:23.423 Pi | M // 3:27:23.812 PM / | 0.4 - |       | Pass - 3             |   |
| Validating User  | API                   | 0.2 - |       | Fail - 0<br>Skip - 0 | 3 |
|                  |                       | 0 1   | 1 2 3 |                      |   |

| # | Step / Hook Details             | Status | Duration |
|---|---------------------------------|--------|----------|
| 1 | Given get with Invalid userName | PASSED | 0.002 s  |


| # | Step / Hook Details                                       |        | Duration |
|---|---|--------|----------|
| 2 | When user send "get" Request with invaliduserName         | PASSED | 0.360 s  |
| 3 | Then user receives "400" with error message "Bad Request" | PASSED | 0.024 s  |

#### Check if user able to delete with invaliduserId



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given delete with Invalid userId  | PASSED | 0.381 s  |
| 2 | When user send "delete" Request with invaliduserId                                    | PASSED | 0.394 s  |
| 3 | Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!" | PASSED | 0.025 s  |

# Check if user able to get with invaliduserName



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given delete with Invalid userName                        | PASSED | 0.405 s  |
| 2 | When user send "delete" Request with invaliduserName      | PASSED | 0.389 s  |
| 3 | Then user receives "400" with error message "Bad Request" | PASSED | 0.027 s  |